GENERAL REGISTER OFFICE

THE REGISTRAR GENERAL'S STATISTICAL REVIEW OF ENGLAND AND WALES FOR THE THREE YEARS 1962-1964

SUPPLEMENT ON CANCER

LONDON

HER MAJESTY'S STATIONERY OFFICE

PRICE 12*s*. 6*d*. NET

The Registrar General's Statistical Review of England and Wales

Part III: Commentary

This annual volume contains detailed analyses of the statistics of life and death already presented in Parts I and II of the Review which are designed to assist, in their administration or research, demographers, statisticians, medical research organisations, public health authorities, and all other individuals and organisations who have to take account of the vital statistics of England and Wales.

The Commentary for 1965 contains a discussion of the effect of the changes in local government arrangements for the Greater London Area and compares statistics for the component administrative areas before and after the changes, a study of illegitimate births by generation and a discussion on methods of calculating area comparability factors.

Price 33*s.* 6*d. net* *(By post* 38*s.)*

Published by
HER MAJESTY'S STATIONERY OFFICE

and obtainable from the Government Bookshops in London (by post to P.O. Box 569, S.E.1), Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or through any bookseller

GENERAL REGISTER OFFICE

THE REGISTRAR GENERAL'S STATISTICAL REVIEW OF ENGLAND AND WALES FOR THE THREE YEARS 1962-1964

SUPPLEMENT ON CANCER

LONDON
HER MAJESTY'S STATIONERY OFFICE
1968

TABLE OF CONTENTS

Page

Cancer Registration in England and Wales, 1962-1964

Introduction ____ 1

Definitions

Cancer ____ 1
Hospital regions ____ 1
Urban and rural areas ____ 1
Populations ____ 2

Area comparisons ____ 2

Text table A

Cancer registrations for years 1962-1964 inclusive by sex, age and hospital region of residence ____ 6

Tables

Table 1 Registrations of newly diagnosed cases of cancer by sex, site and age. 1962 England and Wales ____ 8

Table 2 Registrations of newly diagnosed cases of cancer by sex, site and age. 1962 Urban areas of England and Wales ____ 12

Table 3 Registrations of newly diagnosed cases of cancer by sex, site and age. 1962 Rural areas of England and Wales ____ 16

Table 4 Registrations of newly diagnosed cases of cancer by sex and site. 1962 Hospital region of residence ____ 20

Table 5 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1962 England and Wales ____ 24

Table 6 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1962 Urban areas of England and Wales ____ 26

Table 7 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1962 Rural areas of England and Wales ____ 28

Page

Table 8 Rates per 100,000 population, by sex and site of newly diagnosed cases of cancer. 1962 Hospital region of residence 30

Table 9 Registrations of newly diagnosed cases of cancer by sex, site and age. 1963 England and Wales 34

Table 10 Registrations of newly diagnosed cases of cancer by sex, site and age. 1963 Urban areas of England and Wales 38

Table 11 Registrations of newly diagnosed cases of cancer by sex, site and age. 1963 Rural areas of England and Wales 42

Table 12 Registrations of newly diagnosed cases of cancer by sex and site. 1963 Hospital region of residence 46

Table 13 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1963 England and Wales 50

Table 14 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1963 Urban areas of England and Wales 52

Table 15 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1963 Rural areas of England and Wales 54

Table 16 Rates per 100,000 population, by sex and site of newly diagnosed cases of cancer. 1963 Hospital region of residence 56

Table 17 Registrations of newly diagnosed cases of cancer by sex, site and age. 1964 England and Wales 60

Table 18 Registrations of newly diagnosed cases of cancer by sex, site and age. 1964 Urban areas of England and Wales 64

Table 19 Registrations of newly diagnosed cases of cancer by sex, site and age. 1964 Rural areas of England and Wales 68

Table 20 Registrations of newly diagnosed cases of cancer by sex and site. 1964 Hospital region of residence 72

Table 21 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1964 England and Wales 76

Table 22 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1964 Urban areas of England and Wales 78

Table 23 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1964 Rural areas of England and Wales 80

Table 24 Rates per 100,000 population, by sex and site of newly diagnosed cases of cancer. 1964 Hospital region of residence 82

CANCER REGISTRATION IN ENGLAND AND WALES, 1962-1964

Introduction

Cancer registration in England and Wales began with the records collected by the Radium Commission before the second World War. These statistics referred only to patients treated with radiotherapy. Following the introduction of the National Health Service registration has been gradually extended to cover all hospital patients suffering from cancer.

Since 1962 all fifteen hospital regions in England and Wales have been included in the scheme and figures are given on this basis although, for administrative convenience, some regions have combined for the purpose of cancer registration. The two South Metropolitan regions and the Wessex region all share the same Registry, and the Liverpool Registry covers part of North Wales. The method of collecting data from hospital case notes, and the extent to which it is analysed locally, varies among the different Registries, but in every case a uniform abstract card is completed and sent to the General Register Office for analysis.

National tabulations for cases registered in 1961 were included in the *Registrar General's Statistical Review of England and Wales for the year 1961, Supplement on Cancer*, published in 1967. The present tables are based on registrations in the years 1962 to 1964.

Definitions

Cancer:

For the purposes of the registration scheme the term cancer includes all malignant neoplasms and the reticuloses, i.e. conditions listed under numbers 140-205 of the *International Statistical Classification of Diseases, Injuries and Causes of Death, 7th Revision, 1955*. Benign neoplasms and neoplasms of unspecified nature of the brain, including the pineal and pituitary bodies, are also registered since it is often difficult to decide whether such cases are benign or malignant. Pre-malignant cases of carcinoma of the uterus, "carcinoma-in-situ", are also registered.

Hospital Regions:

The fifteen hospital regions used here consist of aggregations of entire local authority areas, and are identical with the areas of regional hospital boards except where the boundaries of the latter divide local authority areas. Any such divided local authority area is allocated to the hospital region containing the greater proportion of the population. The composition of the hospital regions is published regularly in the *Registrar General's* annual *Statistical Review of England and Wales* (see for example that for the year 1964, Part I, pages xiii to xvi).

Urban and Rural Areas:

Urban areas include all county and municipal boroughs and urban districts as defined by the Local Government Acts. Rural areas are the rural districts as similarly defined. Disley Rural District and Elstree Rural District have been included in rural aggregates, though by definition they are contained in the South East Lancashire and Greater London conurbations respectively.

Populations:

For the calculation of incidence rates the estimated mid-year home populations have been used. These are as given in Table 2 of the appropriate annual Statistical Review, with slight adjustment for the exclusion of the two rural districts from the conurbations. (If using the 1964 table of populations of hospital regions for the calculation of standardised rates it should be noted that the sum of the estimates for males aged 55-59 exceeds the England and Wales total by 3 thousand; this makes no material difference to the results but can cause confusion in checking).

Area comparisons:

The systematic biases which may make comparisons of the incidence rates from cancer registration in different areas misleading have been outlined in a recent report of the International Union against Cancer.* The chief sources of error arise from local differences in:-

(1) The proportion of cases which are diagnosed at all

This depends on the type of tumour, the age of the patient, the health services available and the extent to which patients partake of these services. For comparisons between the hospital regions of England and Wales these differences are probably not very important.

(2) The proportion of cases which are referred to hospital

In England and Wales it is probable that all malignant disease which is diagnosed by the general practitioner is referred to hospital at some stage. Exceptions might be the very old patients with advanced disease and those patients who are treated outside the National Health Service. An estimate of the size of this error can be obtained from the percentage of registrations of rapidly fatal tumours which are made in retrospect from information on death certificates. Such a check is carried out routinely by all regions with the co-operation of the General Register Office. Figures from the Liverpool region suggest that the proportion of cases registered in this way is of the order of five per cent or less, slightly higher in women than in men, probably because of the greater number of female patients of advanced age. Again it is likely that this error is fairly uniform throughout the country when age differences are taken into account.

(3) The proportion of cases referred to hospital which are registered

There is no doubt that the proportion of cases which, although diagnosed as cancer in hospital, are subsequently registered, varies from region to region and this is probably the greatest source of error in making area comparisons. Some idea of the variability in reporting can be gained from comparing the number of cases of a rapidly fatal tumour registered in a particular region over a given period with the number of deaths in the same interval attributed to the disease. Carcinoma of the oesophagus (ICD 150) is suitable for this purpose, since the incidence of this tumour is reasonably stable. The registrations for cancer of the oesophagus in both sexes in 1962-64, expressed as a percentage of the deaths attributed to the disease in those years in the fifteen hospital regions are as follows:-

---

* *Cancer Incidence in Five Continents. A Technical Report.* Ed. Doll R., Payne P. M., Waterhouse J. A. H. (Distributed for International Union against Cancer by Springer-Verlag, Berlin, New York, 1967).

Registration of carcinoma of the oesophagus (ICD No. 150) - 1962-64

Region	Registrations as percentage of deaths
Newcastle	91
Leeds	99
Sheffield	92
East Anglia	103
N.W. Metropolitan	76
N.E. Metropolitan	91
S.E. Metropolitan	95
S.W. Metropolitan	86
Wessex	91
Oxford	104
South Western	95
Wales	85
Birmingham	97
Manchester	84
Liverpool	90
All Regions	**91**

On this basis it appears that reporting is above average in the East Anglian and Oxford regions, and below average in the North West Metropolitan region. These differences must be borne in mind when comparisons of incidence rates are made.

(4) Age distribution

Inference from comparison of age-specific rates in different regions is complicated by the small numbers involved, even when several years experience is combined. Crude rates for all ages are biased by differences in age structure of the regions, so that some form of standardisation must be used. The most convenient method is the indirect one, in which the observed deaths in a particular region are compared with an expected figure calculated by multiplying the mid-period estimates of population in the region by the age-specific rates for England and Wales as a whole. When this is done with mortality rates, the ratio of observed to expected deaths, expressed as a percentage, is called the standardised mortality ratio (SMR); similarly, the ratio of observed to expected registrations, multiplied by 100, could be called the standardised registration ratio (SRR).

The SRR will be affected by differences in reporting in the regions, and inferences about variation in incidence are distorted. If one assumes that the completeness of registration is the same for all types of cancer, a second index, which is not subject to this distortion, can be calculated, and might be called the proportional registration ratio (PRR). For a given type of cancer an expected number of registrations is calculated by multiplying the total registrations at a particular age in the region by the fraction of all registrations in England and Wales at that age which were of the given type, and summing over the age groups. The ratio of observed to expected is used as before. The SMR, SRR and PRR for carcinoma of the stomach in males for the years 1962-64 are shown below. The populations used for the SMR and SRR are those estimated for mid-1963.

Carcinoma of stomach (ICD No. 151) - Males - Standardised mortality ratios, registration ratios and proportional registration ratios, England and Wales = 100

Hospital regions, 1962-64

Region	SMR	SRR	PRR
Newcastle	123	138	126
Leeds	100	101	101
Sheffield	100	99	105
East Anglia	94	95	87
N.W. Metropolitan	78	64	79
N.E. Metropolitan	96	95	94
S.E. Metropolitan	97	97	86
S.W. Metropolitan	81	79	79
Wessex	91	84	86
Oxford	82	89	94
South Western	90	96	94
Wales	131	126	136
Birmingham	101	113	104
Manchester	118	102	109
Liverpool	117	140	112

The PRR is on the whole closer to the SMR than is the SRR, and probably gives a more accurate picture of the variation in incidence.

Tables of all the cancer registrations by age, sex and hospital region, 1962-64, required for the calculation of proportional registration ratios, are given in Text Table A following:-

TABLES

Text Table A. Cancer registrations for the years 1962-1964 inclusive by sex, age and hospital region of residence

Hospital region of residence		Age-group								
		0-	5-	10-	15-	20-	25-	30-	35-	40-
Newcastle	M	61	26	40	53	58	78	117	207	453
	F	38	20	32	49	55	85	189	417	726
Leeds	M	60	31	27	43	52	74	101	201	370
	F	42	24	20	31	54	75	200	396	648
Sheffield	M	75	45	45	76	77	123	184	279	567
	F	67	38	35	66	84	122	276	589	1,100
East Anglia	M	37	17	7	29	29	48	64	106	166
	F	35	16	17	21	27	42	91	167	348
North West Metropolitan	M	53	48	35	75	94	98	152	270	483
	F	43	32	38	49	75	127	243	457	917
North East Metropolitan	M	74	38	35	72	78	97	149	231	383
	F	42	18	33	48	45	94	195	411	777
South East Metropolitan	M	72	38	40	57	60	88	133	228	453
	F	52	25	31	56	37	95	194	392	799
South West Metropolitan	M	57	34	32	44	68	74	117	190	386
	F	44	21	29	56	57	98	158	415	726
Wessex	M	14	18	18	27	30	36	55	107	182
	F	32	14	12	20	20	51	76	173	369
Oxford	M	39	25	8	26	36	38	59	109	193
	F	28	10	17	29	23	52	96	186	374
South Western	M	45	31	33	49	72	84	99	184	346
	F	36	25	25	36	46	89	154	360	676
Wales	M	60	16	22	41	43	68	99	176	332
	F	31	18	23	43	39	64	128	275	586
Birmingham	M	72	50	59	100	102	134	195	350	656
	F	71	36	44	75	101	162	339	659	1,251
Manchester	M	87	52	37	73	59	90	159	287	542
	F	71	44	26	46	56	103	228	490	937
Liverpool	M	50	36	29	56	54	54	95	162	291
	F	39	18	20	41	41	69	147	276	525
All regions	**M**	**856**	**505**	**467**	**821**	**912**	**1,184**	**1,778**	**3,087**	**5,803**
	F	**671**	**359**	**402**	**666**	**760**	**1,328**	**2,714**	**5,663**	**10,759**

Age-group								
45–	50–	55–	60–	65–	70–	75–	80–	85–
665	1,226	1,924	2,348	2,271	2,016	1,396	786	366
874	1,117	1,350	1,675	1,661	1,556	1,255	820	393
596	1,152	1,788	2,294	2,203	1,961	1,394	747	356
894	1,267	1,483	1,752	1,829	1,770	1,509	949	472
884	1,572	2,547	3,153	2,867	2,512	1,850	964	435
1,334	1,685	1,973	2,271	2,306	2,121	1,692	999	488
258	533	845	1,160	1,140	1,104	971	596	289
448	577	786	893	925	918	763	524	328
753	1,513	2,236	2,678	2,257	1,874	1,481	833	394
1,297	1,711	1,897	1,997	1,886	1,774	1,452	1,105	575
685	1,284	1,934	2,426	2,312	2,054	1,544	874	409
950	1,330	1,573	1,730	1,840	1,736	1,495	979	550
641	1,317	2,006	2,718	2,682	2,562	1,919	1,139	605
1,045	1,468	1,776	2,081	2,208	2,202	1,911	1,353	812
617	1,198	1,827	2,414	2,223	1,994	1,610	947	456
1,042	1,420	1,574	1,832	1,847	1,791	1,634	1,218	705
304	593	854	1,164	1,252	1,237	904	503	252
508	683	760	929	992	987	827	550	285
298	530	849	1,123	1,087	1,011	821	553	247
446	615	713	825	905	876	798	540	283
531	1,033	1,696	2,227	2,357	2,211	1,672	1,004	492
959	1,246	1,597	1,884	1,881	1,891	1,593	1,022	597
449	923	1,472	1,874	1,949	1,701	1,260	597	289
772	950	1,207	1,428	1,402	1,395	1,095	629	339
1,124	2,000	3,021	3,715	3,144	2,753	1,996	1,090	478
1,656	1,969	2,376	2,549	2,530	2,311	1,827	1,174	666
831	1,660	2,664	3,214	2,972	2,638	1,716	912	374
1,191	1,722	2,064	2,359	2,484	2,300	1,925	1,107	475
510	925	1,471	1,797	1,647	1,442	977	507	256
702	912	1,123	1,209	1,186	1,184	1,008	703	347
9,146	**17,459**	**27,134**	**34,305**	**32,363**	**29,070**	**21,511**	**12,052**	**5,698**
14,118	**18,672**	**22,252**	**25,414**	**25,882**	**24,812**	**20,784**	**13,672**	**7,315**

Table I Registrations of newly diagnosed cases of cancer by sex, site and age. 1962

England and Wales

ICD (7th Revision) number and site description		Age-group																	Age not stated	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	
140 Lip	M	-	-	-	-	-	1	2	6	20	30	45	72	68	93	93	72	61	26	-	589
	F	-	1	-	-	-	-	2	-	4	3	2	6	8	9	11	13	9	8	-	76
	Persons	-	1	-	-	-	1	4	6	24	33	47	78	76	102	104	85	70	34	-	665
141 Tongue	M	-	-	-	-	2	1	2	5	9	12	29	40	40	50	49	52	42	26	-	359
	F	-	-	-	-	2	-	1	6	5	8	18	17	18	24	28	30	35	14	-	206
	Persons	-	-	-	-	4	1	3	11	14	20	47	57	58	74	77	82	77	40	-	565
142 Salivary gland	M	2	-	1	3	1	5	11	20	20	22	20	31	22	21	16	18	12	8	-	233
	F	-	1	1	7	9	16	14	19	19	22	31	32	26	20	15	8	15	11	-	266
	Persons	2	1	2	10	10	21	25	39	39	44	51	63	48	41	31	26	27	19	-	499
143 Floor of mouth	M	-	-	-	-	-	-	-	1	3	4	7	19	28	28	30	22	18	10	-	170
	F	-	-	-	-	-	-	-	-	-	2	6	4	6	6	10	6	5	2	-	47
	Persons	-	-	-	-	-	-	-	1	3	6	13	23	34	34	40	28	23	12	-	217
144 Other mouth (specified and unspecified)	M	-	-	2	-	1	-	1	5	7	4	16	18	34	29	47	47	41	12	1	265
	F	-	-	-	-	1	2	-	5	7	10	10	13	16	22	31	25	25	14	1	182
	Persons	-	-	2	-	2	2	1	10	14	14	26	31	50	51	78	72	66	26	2	447
145 Oral mesopharynx	M	-	-	-	-	-	-	2	1	3	5	18	20	29	34	36	25	23	7	-	203
	F	-	-	-	1	-	-	1	2	2	7	5	6	9	7	9	13	11	3	-	76
	Persons	-	-	-	1	-	-	3	3	5	12	23	26	38	41	45	38	34	10	-	279
146 Nasopharynx	M	1	1	1	1	1	2	-	4	12	11	20	16	9	19	15	8	1	1	-	123
	F	-	-	-	2	1	-	2	2	4	3	4	6	3	8	6	6	5	1	-	53
	Persons	1	1	1	3	2	2	2	6	16	14	24	22	12	27	21	14	6	2	-	176
147 Hypopharynx	M	-	-	-	-	1	-	1	1	3	2	14	31	38	44	30	28	19	6	1	219
	F	-	-	-	-	-	-	2	6	6	19	34	37	46	32	38	25	12	3	-	260
	Persons	-	-	-	-	1	-	3	7	9	21	48	68	84	76	68	53	31	9	1	479
148 Pharynx (unspecified)	M	-	-	-	-	1	-	1	2	4	4	10	11	16	16	8	10	5	3	-	91
	F	-	-	-	-	-	-	1	-	2	6	6	6	8	14	7	2	6	2	-	60
	Persons	-	-	-	-	1	-	2	2	6	10	16	17	24	30	15	12	11	5	-	151
150 Oesophagus	M	-	-	-	1	1	2	1	10	14	44	76	125	170	181	206	168	113	61	-	1,173
	F	-	-	-	-	-	1	4	6	23	36	47	87	120	141	158	172	105	53	-	953
	Persons	-	-	-	1	1	3	5	16	37	80	123	212	290	322	364	340	218	114	-	2,126
151 Stomach	M	1	-	-	1	2	7	26	68	142	256	518	900	1,095	1,087	1,042	746	333	129	2	6,355
	F	-	-	-	1	4	9	22	37	66	129	253	345	528	704	727	685	466	192	2	4,170
	Persons	1	-	-	2	6	16	48	105	208	385	771	1,245	1,623	1,791	1,769	1,431	799	321	4	10,525
152 Small intestine, including duodenum	M	1	-	-	-	-	1	4	3	6	6	11	10	19	25	11	15	5	-	-	117
	F	-	-	-	-	-	-	1	2	1	9	12	20	11	21	10	20	5	6	-	118
	Persons	1	-	-	-	-	1	5	5	7	15	23	30	30	46	21	35	10	6	-	235

153 Large intestine, except rectum	M	-	2	2	9	11	11	25	46	81	136	248	410	534	576	543	502	349	141	3	3,629
	F	-	-	2	15	10	11	32	74	115	190	360	488	701	737	829	801	515	260	2	5,142
	Persons	-	2	4	24	21	22	57	120	196	326	608	898	1,235	1,313	1,372	1,303	864	401	5	8,771
154 Rectum	M	1	-	-	2	3	6	18	38	79	134	246	441	590	584	579	520	272	117	2	3,632
	F	-	-	-	1	3	7	16	32	64	126	190	282	385	450	455	402	271	147	3	2,834
	Persons	1	-	-	3	6	13	34	70	143	260	436	723	975	1,034	1,034	922	543	264	5	6,466
155 Biliary passages and liver (specified primary)	M	4	1	-	2	2	3	5	5	16	26	44	74	100	99	93	94	43	22	-	633
	F	3	-	2	1	4	-	3	6	8	22	35	73	123	143	167	126	92	46	-	854
	Persons	7	1	2	3	6	3	8	11	24	48	79	147	223	242	260	220	135	68	-	1,487
156 Liver (secondary and unspecified)	M	-	-	1	1	-	1	2	3	5	14	19	63	65	65	46	32	18	6	1	342
	F	-	1	-	1	-	-	-	3	11	11	17	40	40	41	57	36	29	13	1	301
	Persons	-	1	1	2	-	1	2	6	16	25	36	103	105	106	103	68	47	19	2	643
157 Pancreas	M	-	-	-	1	-	2	7	9	35	72	125	225	260	268	299	206	125	35	1	1,670
	F	-	-	-	-	-	-	7	11	23	37	74	137	184	234	259	214	137	83	-	1,400
	Persons	-	-	-	1	-	2	14	20	58	109	199	362	444	502	558	420	262	118	1	3,070
158 Peritoneum	M	1	1	1	-	2	1	2	6	4	8	7	18	13	14	5	3	1	1	-	88
	F	1	-	-	-	2	1	-	6	5	4	11	21	24	27	21	19	7	4	-	153
	Persons	2	1	1	-	4	2	2	12	9	12	18	39	37	41	26	22	8	5	-	241
159 Unspecified digestive organs	M	-	-	-	-	-	-	1	-	2	-	-	3	4	3	-	-	1	1	-	15
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	-	-	7
	Persons	-	-	-	-	-	-	1	-	2	-	-	3	4	5	1	2	3	1	-	22
160 Nose, nasal cavities, middle ear and accessory sinuses	M	1	-	-	1	-	-	1	6	8	7	17	27	32	22	18	8	12	3	-	163
	F	-	-	-	1	-	2	1	2	11	16	23	12	25	25	22	17	10	8	-	175
	Persons	1	-	-	2	-	2	2	8	19	23	40	39	57	47	40	25	22	11	-	338
161 Larynx	M	1	-	-	1	-	3	4	7	34	51	109	148	199	207	157	85	42	10	1	1,059
	F	-	-	-	1	-	-	2	5	7	9	15	21	27	25	20	18	11	4	-	165
	Persons	1	-	-	2	-	3	6	12	41	60	124	169	226	232	177	103	53	14	1	1,224
162-163 Lung (primary and unspecified)	M	2	2	-	2	10	12	55	147	410	966	2,042	3,387	4,169	3,388	2,325	1,224	400	132	13	18,686
	F	-	-	-	3	2	4	20	42	107	203	315	427	518	487	405	275	139	55	1	3,003
	Persons	2	2	-	5	12	16	75	189	517	1,169	2,357	3,814	4,687	3,875	2,730	1,499	539	187	14	21,689
164 Mediastinum	M	1	1	-	1	-	-	-	2	3	2	6	5	4	6	2	1	1	-	-	35
	F	-	-	-	-	1	-	1	2	2	1	6	3	3	1	1	1	-	2	-	24
	Persons	1	1	-	1	1	-	1	4	5	3	12	8	7	7	3	2	1	2	-	59
165 Thoracic organs (secondary)	M	-	-	-	-	-	1	1	2	4	6	12	14	19	14	19	13	2	2	-	109
	F	1	-	-	-	-	-	1	4	2	7	8	9	12	14	13	3	7	1	-	82
	Persons	1	-	-	-	-	1	2	6	6	13	20	23	31	28	32	16	9	3	-	191
170 Breast	M	-	-	-	-	1	-	1	4	6	6	12	17	23	22	14	12	12	5	-	135
	F	-	1	-	1	12	66	256	635	1,166	1,677	1,739	1,844	1,845	1,657	1,446	1,182	706	440	24	14,697
	Persons	-	1	-	1	13	66	257	639	1,172	1,683	1,751	1,861	1,868	1,679	1,460	1,194	718	445	24	14,832
171 Cervix uteri (including pre-malignant cases)	F	-	-	-	-	10	38	124	419	605	621	593	488	438	394	309	186	116	35	1	4,377

ICD (7th Revision) number and site description		Age-group																		Age not stated	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over		
172-174 Other parts of uterus (including pre-malignant cases)	F	-	2	-	3	8	15	11	43	111	238	446	567	575	447	327	203	100	42	2	3,140
171-174 Uterus (pre-malignant)	F	-	-	-	-	3	12	17	51	49	52	22	9	6	7	3	3	-	-	-	234
175 Ovary, Fallopian tube and broad ligament	F	2	2	6	14	21	35	50	95	190	337	458	499	437	378	310	189	93	41	5	3,162
176 Other and unspecified female genital organs	F	1	-	1	-	1	1	6	12	24	36	35	55	103	141	137	133	99	65	2	852
177 Prostate	M	-	-	1	-	-	-	-	1	6	25	74	237	458	721	1,057	1,013	744	391	3	4,731
178 Testis	M	8	2	4	16	42	61	76	66	60	41	34	22	13	10	5	6	2	3	-	471
179 Other and unspecified male genital organs	M	-	-	1	-	-	2	2	15	11	28	28	55	43	56	53	38	20	17	-	369
	M	25	12	-	2	-	2	6	13	48	69	112	153	145	124	93	73	32	11	1	921
180 Kidney	F	28	4	1	3	1	1	6	8	20	28	44	70	76	86	82	58	28	21	-	565
	Persons	53	16	1	5	1	3	12	21	68	97	156	223	221	210	175	131	60	32	1	1,486
	M	2	-	-	-	-	10	14	36	55	132	258	413	545	572	587	476	265	126	6	3,497
181 Bladder and other urinary organs	F	-	-	1	-	-	2	5	12	20	25	71	108	148	209	245	237	143	80	-	1,306
	Persons	2	-	1	-	-	12	19	48	75	157	329	521	693	781	832	713	408	206	6	4,803
	M	1	-	-	5	10	15	16	24	21	21	22	30	25	15	18	20	8	11	1	263
190 Melanoma of skin	F	-	-	3	10	21	28	36	48	50	68	53	42	52	37	31	36	23	14	-	552
	Persons	1	-	3	15	31	43	52	72	71	89	75	72	77	52	49	56	31	25	1	815
	M	-	1	3	4	12	28	58	134	268	408	639	754	880	840	929	811	586	332	24	6,711
191 Other malignant neoplasm of skin	F	2	1	5	4	7	24	44	121	187	289	431	506	636	728	846	774	656	437	25	5,723
	Persons	2	2	8	8	19	52	102	255	455	697	1,070	1,260	1,516	1,568	1,775	1,585	1,242	769	49	12,434
	M	21	1	-	-	1	1	3	8	7	8	11	21	22	10	11	12	3	2	1	143
192 Eye	F	14	3	-	1	-	1	4	2	9	12	9	18	14	21	15	4	3	4	1	135
	Persons	35	4	-	1	1	2	7	10	16	20	20	39	36	31	26	16	6	6	2	278
193 Brain and other parts of nervous system (including benign neoplasm)	M	78	41	34	43	24	41	71	84	111	141	195	242	208	120	51	15	3	2	3	1,507
	F	56	27	26	31	32	42	55	87	94	122	146	158	158	121	56	24	11	4	-	1,250
	Persons	134	68	60	74	56	83	126	171	205	263	341	400	366	241	107	39	14	6	3	2,757
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	68	33	30	33	20	37	61	73	97	115	157	203	171	93	33	9	1	1	3	1,238
	F	50	25	20	26	23	28	43	60	73	89	104	123	113	87	38	16	9	2	-	929
	Persons	118	58	50	59	43	65	104	133	170	204	261	326	284	180	71	25	10	3	3	2,167
	M	-	-	-	1	2	4	3	10	3	9	12	18	19	15	18	11	7	4	-	136
194 Thyroid gland	F	-	-	-	3	2	11	18	17	13	27	40	40	52	45	59	47	32	19	-	425
	Persons	-	-	-	4	4	15	21	27	16	36	52	58	71	60	77	58	39	23	-	561

195 Other endocrine glands (including benign neoplasm)	M	15	8	3	4	7	4	4	13	10	23	20	18	16	8	6	4	1	–	–	164
	F	15	3	5	4	5	2	8	6	12	10	17	12	15	13	8	2	1	1	–	139
	Persons	30	11	8	8	12	6	12	19	22	33	37	30	31	21	14	6	2	1	–	303
195 Other endocrine glands (excluding benign neoplasm)	M	11	6	2	3	4	2	1	8	4	14	15	10	11	5	5	4	1	–	–	106
	F	15	–	4	4	5	1	6	3	4	6	12	9	7	6	6	2	–	–	–	90
	Persons	26	6	6	7	9	3	7	11	8	20	27	19	18	11	11	6	1	–	–	196
196 Bone	M	1	8	13	30	7	3	7	9	16	15	12	21	24	21	24	20	4	6	–	241
	F	4	5	12	14	12	5	7	4	3	6	7	16	13	23	27	18	13	9	1	199
	Persons	5	13	25	44	19	8	14	13	19	21	19	37	37	44	51	38	17	15	1	440
197 Connective tissue	M	2	3	11	14	10	8	16	23	21	15	26	25	27	31	24	18	10	9	–	293
	F	5	2	4	11	5	10	13	18	16	16	21	12	26	29	21	30	25	4	–	268
	Persons	7	5	15	25	15	18	29	41	37	31	47	37	53	60	45	48	35	13	–	561
198 Lymph nodes (secondary and unspecified)	M	–	1	–	–	–	–	9	4	7	13	22	28	36	32	37	25	9	5	–	228
	F	–	–	1	3	–	–	1	2	6	10	19	15	24	22	20	21	18	6	1	169
	Persons	–	1	1	3	–	–	10	6	13	23	41	43	60	54	57	46	27	11	1	397
199 Other and unspecified sites	M	4	–	4	–	3	8	6	17	19	49	89	139	179	164	146	92	56	17	2	994
	F	1	2	3	1	–	2	9	15	40	64	111	186	157	194	215	151	78	53	2	1,284
	Persons	5	2	7	1	3	10	15	32	59	113	200	325	336	358	361	243	134	70	4	2,278
200 Lymphosarcoma and reticulosarcoma	M	13	12	12	35	20	30	18	35	42	50	88	107	94	88	96	65	28	10	–	843
	F	6	6	10	13	7	8	13	25	25	34	54	76	86	83	84	76	35	17	2	660
	Persons	19	18	22	48	27	38	31	60	67	84	142	183	180	171	180	141	63	27	2	1,503
201 Hodgkin's disease	M	5	4	17	36	59	49	43	41	32	38	58	52	45	34	25	25	4	–	–	567
	F	1	2	6	21	41	29	23	15	16	24	26	18	39	37	44	23	12	3	–	380
	Persons	6	6	23	57	100	78	66	56	48	62	84	70	84	71	69	48	16	3	–	947
202 Other forms of lymphoma (reticulosis)	M	4	2	–	5	7	5	8	11	15	18	13	19	22	13	15	11	3	2	–	173
	F	4	–	3	4	5	–	3	3	5	8	12	14	15	15	13	13	9	2	–	128
	Persons	8	2	3	9	12	5	11	14	20	26	25	33	37	28	28	24	12	4	–	301
203 Multiple myeloma (plasmocytoma)	M	–	–	–	–	–	1	2	5	13	20	44	48	69	73	48	33	12	8	2	378
	F	–	–	–	–	1	1	–	2	6	8	47	50	68	78	64	50	15	5	–	395
	Persons	–	–	–	–	1	2	2	7	19	28	91	98	137	151	112	83	27	13	2	773
204 Leukaemia and aleukaemia	M	79	46	41	44	32	31	24	36	55	69	91	125	169	147	160	131	74	28	1	1,383
	F	71	39	29	39	21	24	31	44	40	42	100	93	132	118	163	132	80	38	1	1,237
	Persons	150	85	70	83	53	55	55	80	95	111	191	218	301	265	323	263	154	66	2	2,620
205 Mycosis fungoides	M	–	–	–	–	–	–	–	–	–	3	1	3	8	5	3	3	–	–	–	26
	F	–	–	–	–	–	–	–	1	–	1	–	2	1	1	2	3	–	–	–	11
	Persons	–	–	–	–	–	–	–	1	–	4	1	5	9	6	5	6	–	–	–	37
All sites	M	274	149	152	265	275	362	559	986	1,750	3,023	5,520	8,655	10,627	9,994	9,089	6,813	3,822	1,748	69	64,132
	F	215	102	121	214	251	398	856	1,906	3,152	4,583	5,961	6,981	7,951	8,071	7,824	6,511	4,215	2,272	77	61,661
	Persons	489	251	273	479	526	760	1,415	2,892	4,902	7,606	11,481	15,636	18,578	18,065	16,913	13,324	8,037	4,020	146	125,793

Table 2 Registrations of newly diagnosed cases of cancer by sex, site and age. 1962

Urban areas of England and Wales

ICD (7th Revision) number and site description		Age-group																		Age not stated	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over		
140 Lip	M	-	-	-	-	-	1	2	5	14	19	33	42	42	60	59	41	39	17	-	374
	F	-	1	-	-	-	-	1	-	3	3	2	3	7	8	10	11	8	7	-	64
	Persons	-	1	-	-	-	1	3	5	17	22	35	45	49	68	69	52	47	24	-	438
141 Tongue	M	-	-	-	-	2	-	2	5	8	11	25	37	34	40	37	43	36	24	-	304
	F	-	-	-	-	2	-	1	5	4	7	12	14	12	22	22	23	26	13	-	163
	Persons	-	-	-	-	4	-	3	10	12	18	37	51	46	62	59	66	62	37	-	467
142 Salivary gland	M	2	-	-	2	-	5	10	15	19	18	13	24	16	18	11	13	9	8	-	183
	F	-	1	-	5	8	15	13	18	14	16	26	29	23	15	13	7	12	7	-	222
	Persons	2	1	-	7	8	20	23	33	33	34	39	53	39	33	24	20	21	15	-	405
143 Floor of mouth	M	-	-	-	-	-	-	-	1	3	3	5	18	22	22	25	22	14	7	-	142
	F	-	-	-	-	-	-	-	-	-	2	6	3	4	6	6	6	4	1	-	38
	Persons	-	-	-	-	-	-	-	1	3	5	11	21	26	28	31	28	18	8	-	180
144 Other mouth (specified and unspecified)	M	-	-	2	-	1	-	-	4	6	3	15	17	31	24	37	40	34	9	1	224
	F	-	-	-	-	1	2	-	5	6	9	9	10	13	18	23	22	20	14	1	153
	Persons	-	-	2	-	2	2	-	9	12	12	24	27	44	42	60	62	54	23	2	377
145 Oral mesopharynx	M	-	-	-	-	-	-	2	1	3	4	16	18	23	26	30	17	19	4	-	163
	F	-	-	-	1	-	-	1	2	2	6	5	5	7	6	7	9	10	2	-	63
	Persons	-	-	-	1	-	-	3	3	5	10	21	23	30	32	37	26	29	6	-	226
146 Nasopharynx	M	1	1	1	1	1	1	-	4	9	11	17	15	8	16	14	7	1	-	-	108
	F	-	-	-	2	1	-	1	1	4	3	3	6	2	7	6	5	4	1	-	46
	Persons	1	1	1	3	2	1	1	5	13	14	20	21	10	23	20	12	5	1	-	154
147 Hypopharynx	M	-	-	-	-	1	-	1	1	3	2	11	24	32	39	25	23	18	5	1	186
	F	-	-	-	-	-	-	2	6	5	15	23	33	34	28	27	15	8	3	-	199
	Persons	-	-	-	-	1	-	3	7	8	17	34	57	66	67	52	38	26	8	1	385
148 Pharynx (unspecified)	M	-	-	-	-	-	-	1	2	3	4	10	9	15	15	7	9	5	2	-	82
	F	-	-	-	-	-	-	1	-	2	6	6	6	6	12	5	1	3	2	-	50
	Persons	-	-	-	-	-	-	2	2	5	10	16	15	21	27	12	10	8	4	-	132
150 Oesophagus	M	-	-	-	-	1	2	-	7	12	35	64	101	140	147	161	126	86	49	-	931
	F	-	-	-	-	-	1	4	5	21	27	43	71	101	109	133	137	76	40	-	768
	Persons	-	-	-	-	1	3	4	12	33	62	107	172	241	256	294	263	162	89	-	1,699
151 Stomach	M	1	-	-	1	1	7	20	60	113	215	450	768	907	888	824	598	256	99	1	5,209
	F	-	-	-	1	4	8	18	30	55	115	225	304	460	601	597	570	383	162	2	3,535
	Persons	1	-	-	2	5	15	38	90	168	330	675	1,072	1,367	1,489	1,421	1,168	639	261	3	8,744
152 Small intestine, including duodenum	M	1	-	-	-	-	1	3	3	6	5	11	10	17	19	7	14	4	-	-	101
	F	-	-	-	-	-	-	1	1	1	9	9	19	10	15	7	17	4	6	-	99
	Persons	1	-	-	-	-	1	4	4	7	14	20	29	27	34	14	31	8	6	-	200

153 Large intestine, except rectum	M	-	1	2	7	9	8	22	38	68	104	196	338	437	463	433	395	293	109	3	2,926
	F	-	-	2	12	8	7	25	66	97	162	301	414	580	606	675	669	435	211	2	4,272
	Persons	-	1	4	19	17	15	47	104	165	266	497	752	1,017	1,069	1,108	1,064	728	320	5	7,198
154 Rectum	M	1	-	-	2	2	6	16	36	63	107	200	362	500	483	456	429	214	96	2	2,975
	F	-	-	-	1	2	5	14	30	51	112	152	242	338	380	389	336	219	131	3	2,405
	Persons	1	-	-	3	4	11	30	66	114	219	352	604	838	863	845	765	433	227	5	5,380
155 Biliary passages and liver (specified primary)	M	4	1	-	1	2	2	5	4	14	23	36	63	81	80	76	76	31	21	-	520
	F	3	-	1	1	3	-	2	5	7	17	29	63	100	120	136	102	69	38	-	696
	Persons	7	1	1	2	5	2	7	9	21	40	65	126	181	200	212	178	100	59	-	1,216
156 Liver (secondary and unspecified)	M	-	-	1	1	-	-	2	3	4	11	17	59	55	54	33	27	13	5	1	286
	F	-	-	-	-	-	-	-	1	7	10	14	33	31	35	49	32	24	10	-	246
	Persons	-	-	1	1	-	-	2	4	11	21	31	92	86	89	82	59	37	15	1	532
157 Pancreas	M	-	-	-	1	-	2	7	8	30	57	108	188	219	231	249	159	102	28	1	1,390
	F	-	-	-	-	-	-	5	8	18	33	61	115	154	197	219	180	111	73	-	1,174
	Persons	-	-	-	1	-	2	12	16	48	90	169	303	373	428	468	339	213	101	1	2,564
158 Peritoneum	M	1	1	1	-	2	1	2	5	4	8	6	16	11	10	4	2	1	1	-	76
	F	1	-	-	-	2	-	-	4	3	4	11	18	17	23	14	14	5	4	-	120
	Persons	2	1	1	-	4	1	2	9	7	12	17	34	28	33	18	16	6	5	-	196
159 Unspecified digestive organs	M	-	-	-	-	-	-	1	-	1	-	-	2	4	2	-	-	1	1	-	12
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	5
	Persons	-	-	-	-	-	-	1	-	1	-	-	2	4	4	1	1	2	1	-	17
160 Nose, nasal cavities, middle ear and accessory sinuses	M	-	-	-	1	-	-	-	5	8	6	14	23	28	20	14	6	11	3	-	139
	F	-	-	-	1	-	2	1	1	9	13	20	11	19	20	19	13	9	7	-	145
	Persons	-	-	-	2	-	2	1	6	17	19	34	34	47	40	33	19	20	10	-	284
161 Larynx	M	1	-	-	1	-	3	4	7	29	45	85	132	168	177	136	65	31	8	1	893
	F	-	-	-	1	-	-	1	4	7	7	14	20	20	21	19	11	10	3	-	138
	Persons	1	-	-	2	-	3	5	11	36	52	99	152	188	198	155	76	41	11	1	1,031
162-163 Lung (primary and unspecified)	M	-	2	-	2	9	12	39	131	356	836	1,732	2,908	3,521	2,888	1,965	1,043	353	120	13	15,930
	F	-	-	-	3	2	4	18	38	85	181	258	366	429	425	349	244	121	46	1	2,570
	Persons	-	2	-	5	11	16	57	169	441	1,017	1,990	3,274	3,950	3,313	2,314	1,287	474	166	14	18,500
164 Mediastinum	M	1	1	-	-	-	-	-	1	2	1	6	3	4	5	2	1	1	-	-	28
	F	-	-	-	-	1	-	-	2	2	1	5	3	3	1	1	-	-	2	-	21
	Persons	1	1	-	-	1	-	-	3	4	2	11	6	7	6	3	1	1	2	-	49
165 Thoracic organs (secondary)	M	-	-	-	-	-	-	1	2	4	6	11	12	16	12	16	12	2	1	-	95
	F	-	-	-	-	-	-	-	4	2	7	7	6	9	13	9	3	5	1	-	66
	Persons	-	-	-	-	-	-	1	6	6	13	18	18	25	25	25	15	7	2	-	161
170 Breast	M	-	-	-	-	-	-	-	4	6	6	12	14	20	18	10	7	11	5	-	113
	F	-	1	-	1	10	52	204	545	978	1,390	1,419	1,521	1,518	1,356	1,210	980	600	359	19	12,163
	Persons	-	1	-	1	10	52	204	549	984	1,396	1,431	1,535	1,538	1,374	1,220	987	611	364	19	12,276
171 Cervix uteri (including pre-malignant cases)	F	-	-	-	-	9	30	104	361	487	537	498	416	368	328	275	159	96	27	1	3,696

Table 2 - *continued*

Urban areas of England and Wales, 1962

ICD (7th Revision) number and site description		Age-group																		Age not stated	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over		
172-174 Other parts of uterus (including pre-malignant cases)	F	-	2	-	2	8	14	8	40	91	195	359	463	472	358	269	158	86	36	2	2,563
171-174 Uterus (pre-malignant)	F	-	-	-	-	3	10	12	43	40	46	22	7	3	5	1	1	-	-	-	193
175 Ovary, Fallopian tube and broad ligament	F	1	2	6	12	19	31	39	81	150	277	381	420	352	313	253	160	81	35	5	2,618
176 Other and unspecified female genital organs	F	1	-	1	-	1	1	4	10	19	28	26	49	82	115	116	100	80	52	-	685
177 Prostate	M	-	-	1	-	-	-	-	1	5	20	52	187	379	579	861	797	593	295	3	3,773
178 Testis	M	5	2	2	14	34	47	58	48	45	32	24	10	9	9	5	4	1	3	-	352
179 Other and unspecified male genital organs	M	-	-	1	-	-	2	2	14	9	26	26	42	34	46	44	25	13	13	-	297
	M	22	9	-	1	-	2	5	11	40	56	92	127	131	106	76	61	25	10	-	774
180 Kidney	F	26	4	-	3	1	1	5	7	17	24	30	60	64	71	69	50	24	17	-	473
	Persons	48	13	-	4	1	3	10	18	57	80	122	187	195	177	145	111	49	27	-	1,247
	M	1	-	-	-	-	10	11	32	49	119	228	354	466	478	483	398	214	101	6	2,950
181 Bladder and other urinary organs	F	-	-	1	-	-	2	5	12	19	21	65	91	133	178	212	209	119	63	-	1,130
	Persons	1	-	1	-	-	12	16	44	68	140	293	445	599	656	695	607	333	164	6	4,080
	M	1	-	-	3	10	10	15	20	16	18	19	26	21	11	13	16	6	9	1	215
190 Melanoma of skin	F	-	-	3	10	17	21	27	38	38	53	41	33	46	32	25	27	19	12	-	442
	Persons	1	-	3	13	27	31	42	58	54	71	60	59	67	43	38	43	25	21	1	657
	M	-	1	3	3	7	21	51	111	224	344	530	604	719	650	744	622	433	262	18	5,347
191 Other malignant neoplasm of skin	F	2	1	5	2	6	17	35	98	166	235	358	413	532	577	701	627	541	339	16	4,671
	Persons	2	2	8	5	13	38	86	209	390	579	888	1,017	1,251	1,227	1,445	1,249	974	601	34	10,018
	M	19	1	-	-	1	1	3	8	6	4	8	16	19	8	11	10	3	2	1	121
192 Eye	F	11	3	-	1	-	1	4	2	6	10	6	16	11	17	13	3	2	1	1	108
	Persons	30	4	-	1	1	2	7	10	12	14	14	32	30	25	24	13	5	3	2	229
193 Brain and other parts of nervous system (including benign neoplasm)	M	60	34	30	36	21	37	54	67	86	107	164	193	166	97	41	13	3	2	3	1,214
	F	47	24	24	27	25	34	42	66	72	100	123	138	133	92	43	19	8	3	-	1,020
	Persons	107	58	54	63	46	71	96	133	158	207	287	331	299	189	84	32	11	5	3	2,234
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	53	27	27	28	17	33	46	61	76	87	130	163	134	72	26	8	1	1	3	993
	F	41	23	18	23	20	22	34	47	57	76	90	111	96	67	30	13	6	2	-	776
	Persons	94	50	45	51	37	55	80	108	133	163	220	274	230	139	56	21	7	3	3	1,769
	M	-	-	-	-	2	4	3	6	3	8	10	16	12	9	14	7	4	3	-	101
194 Thyroid gland	F	-	-	-	3	1	11	12	14	12	20	36	32	40	39	49	36	28	15	-	348
	Persons	-	-	-	3	3	15	15	20	15	28	46	48	52	48	63	43	32	18	-	449

195 Other endocrine glands (including benign neoplasm)	M	13	4	3	3	7	4	4	8	7	19	16	18	15	8	6	2	-	-	-	137
	F	13	3	4	3	2	2	6	6	11	10	14	10	13	12	6	1	1	1	-	118
	Persons	26	7	7	6	9	6	10	14	18	29	30	28	28	20	12	3	1	1	-	255
195 Other endocrine glands (excluding benign neoplasm)	M	9	3	2	2	4	2	1	5	3	12	14	10	10	5	5	2	-	-	-	89
	F	13	-	3	3	2	1	5	3	3	6	11	7	5	5	4	1	-	-	-	72
	Persons	22	3	5	5	6	3	6	8	6	18	25	17	15	10	9	3	-	-	-	161
196 Bone	M	1	5	12	25	7	3	3	8	14	11	7	15	22	20	19	16	4	6	-	198
	F	4	4	10	12	10	4	7	2	2	5	6	15	9	16	24	16	12	7	1	166
	Persons	5	9	22	37	17	7	10	10	16	16	13	30	31	36	43	32	16	13	1	364
197 Connective tissue	M	2	3	7	12	7	7	12	18	19	12	22	21	20	23	18	16	8	6	-	233
	F	4	2	4	11	4	8	11	16	13	12	16	10	22	24	17	26	20	4	-	224
	Persons	6	5	11	23	11	15	23	34	32	24	38	31	42	47	35	42	28	10	-	457
198 Lymph nodes (secondary and unspecified)	M	-	1	-	-	-	-	8	2	5	12	17	23	30	25	33	19	8	5	-	188
	F	-	-	-	2	-	-	1	2	6	10	17	15	19	21	16	19	14	4	1	147
	Persons	-	1	-	2	-	-	9	4	11	22	34	38	49	46	49	38	22	9	1	335
199 Other and unspecified sites	M	2	-	4	-	3	5	5	16	12	44	70	116	149	132	128	71	50	10	2	819
	F	1	2	3	1	-	2	9	10	34	52	92	163	133	159	185	124	65	42	-	1,077
	Persons	3	2	7	1	3	7	14	26	46	96	162	279	282	291	313	195	115	52	2	1,896
200 Lymphosarcoma and reticulosarcoma	M	10	11	9	25	17	27	14	26	33	44	72	89	79	75	80	53	18	5	-	687
	F	5	5	8	11	6	6	11	20	20	30	47	62	71	69	68	64	30	12	1	546
	Persons	15	16	17	36	23	33	25	46	53	74	119	151	150	144	148	117	48	17	1	1,233
201 Hodgkin's disease	M	5	3	13	28	48	42	35	33	27	29	49	43	37	30	20	20	3	-	-	465
	F	1	2	6	17	35	22	16	14	12	22	24	16	31	30	38	20	10	2	-	318
	Persons	6	5	19	45	83	64	51	47	39	51	73	59	68	60	58	40	13	2	-	783
202 Other forms of lymphoma (reticulosis)	M	2	1	-	3	7	4	6	8	14	14	11	13	19	12	11	10	3	1	-	139
	F	4	-	2	3	5	-	3	2	3	6	10	14	12	14	12	9	7	2	-	108
	Persons	6	1	2	6	12	4	9	10	17	20	21	27	31	26	23	19	10	3	-	247
203 Multiple myeloma (plasmocytoma)	M	-	-	-	-	-	1	-	4	12	17	36	41	56	56	40	28	8	4	2	305
	F	-	-	-	-	1	1	-	2	5	8	35	41	55	65	56	39	13	3	-	324
	Persons	-	-	-	-	1	2	-	6	17	25	71	82	111	121	96	67	21	7	2	629
204 Leukaemia and aleukaemia	M	59	36	30	34	23	26	14	29	39	57	69	107	123	115	123	102	53	25	1	1,065
	F	50	30	22	34	13	22	21	34	27	32	84	76	108	96	134	110	64	33	-	990
	Persons	109	66	52	68	36	48	35	63	66	89	153	183	231	211	257	212	117	58	1	2,055
205 Mycosis fungoides	M	-	-	-	-	-	-	-	-	-	3	1	3	6	3	3	2	-	-	-	21
	F	-	-	-	-	-	-	-	1	-	1	-	1	1	-	2	3	-	-	-	9
	Persons	-	-	-	-	-	-	-	1	-	4	1	4	7	3	5	5	-	-	-	30
All sites	M	215	118	122	207	225	304	443	822	1,453	2,536	4,616	7,267	8,863	8,249	7,404	5,467	3,035	1,384	61	52,791
	F	174	87	102	183	207	326	683	1,619	2,593	3,843	4,928	5,869	6,604	6,672	6,529	5,387	3,487	1,853	56	51,202
	Persons	389	205	224	390	432	630	1,126	2,441	4,046	6,379	9,544	13,136	15,467	14,921	13,933	10,854	6,522	3,237	117	103,993

Table 3 Registrations of newly diagnosed cases of cancer by sex, site and age. 1962

Rural areas of England and Wales

ICD (7th Revision) number and Site Description		Age-group																	Age not stated	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	
140 Lip	M	-	-	-	-	-	-	-	1	6	11	12	30	26	33	34	31	22	9	-	215
	F	-	-	-	-	-	-	1	-	1	-	-	3	1	1	1	2	1	1	-	12
	Persons	-	-	-	-	-	-	1	1	7	11	12	33	27	34	35	33	23	10	-	227
141 Tongue	M	-	-	-	-	-	1	-	-	1	1	4	3	6	10	12	9	6	2	-	55
	F	-	-	-	-	-	-	-	1	1	1	6	3	6	2	6	7	9	1	-	43
	Persons	-	-	-	-	-	1	-	1	2	2	10	6	12	12	18	16	15	3	-	98
142 Salivary gland	M	-	-	1	1	1	-	1	5	1	4	7	7	6	3	5	5	3	-	-	50
	F	-	-	1	2	1	1	1	1	5	6	5	3	3	5	2	1	3	4	-	44
	Persons	-	-	2	3	2	1	2	6	6	10	12	10	9	8	7	6	6	4	-	94
143 Floor of mouth	M	-	-	-	-	-	-	-	-	-	1	2	1	6	6	5	-	4	3	-	28
	F	-	-	-	-	-	-	-	-	-	-	-	1	2	-	4	-	1	1	-	9
	Persons	-	-	-	-	-	-	-	-	-	1	2	2	8	6	9	-	5	4	-	37
144 Other mouth (specified and unspecified)	M	-	-	-	-	-	-	1	1	1	1	1	1	3	5	10	7	7	3	-	41
	F	-	-	-	-	-	-	-	-	1	1	1	3	3	4	8	3	5	-	-	29
	Persons	-	-	-	-	-	-	1	1	2	2	2	4	6	9	18	10	12	3	-	70
145 Oral mesopharynx	M	-	-	-	-	-	-	-	-	-	1	2	2	6	8	6	8	4	3	-	40
	F	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	4	1	1	-	13
	Persons	-	-	-	-	-	-	-	-	-	2	2	3	8	9	8	12	5	4	-	53
146 Nasopharynx	M	-	-	-	-	-	1	-	-	3	-	3	1	1	3	1	1	-	1	-	15
	F	-	-	-	-	-	-	1	1	-	-	1	-	1	1	-	1	1	-	-	7
	Persons	-	-	-	-	-	1	1	1	3	-	4	1	2	4	1	2	1	1	-	22
147 Hypopharynx	M	-	-	-	-	-	-	-	-	-	-	3	7	6	5	5	5	1	1	-	33
	F	-	-	-	-	-	-	-	-	1	4	11	4	12	4	11	10	4	-	-	61
	Persons	-	-	-	-	-	-	-	-	1	4	14	11	18	9	16	15	5	1	-	94
148 Pharynx (unspecified)	M	-	-	-	-	1	-	-	-	1	-	-	2	1	1	1	1	-	1	-	9
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	3	-	-	10
	Persons	-	-	-	-	1	-	-	-	1	-	-	2	3	3	3	2	3	1	-	19
150 Oesophagus	M	-	-	-	1	-	-	1	3	2	9	12	24	30	34	45	42	27	12	-	242
	F	-	-	-	-	-	-	-	1	2	9	4	16	19	32	25	35	29	13	-	185
	Persons	-	-	-	1	-	-	1	4	4	18	16	40	49	66	70	77	56	25	-	427
151 Stomach	M	-	-	-	-	1	-	6	8	29	41	68	132	188	199	218	148	77	30	1	1,146
	F	-	-	-	-	-	1	4	7	11	14	28	41	68	103	130	115	83	30	-	635
	Persons	-	-	-	-	1	1	10	15	40	55	96	173	256	302	348	263	160	60	1	1,781
152 Small intestine, including duodenum	M	-	-	-	-	-	-	1	-	-	1	-	-	2	6	4	1	1	-	-	16
	F	-	-	-	-	-	-	-	1	-	-	3	1	1	6	3	3	1	-	-	19
	Persons	-	-	-	-	-	-	1	1	-	1	3	1	3	12	7	4	2	-	-	35

153	Large intestine, except rectum	M	–	1	–	2	2	3	3	8	13	32	52	72	97	113	110	107	56	32	–	703
		F	–	–	–	3	2	4	7	8	18	28	59	74	121	131	154	132	80	49	–	870
		Persons	–	1	–	5	4	7	10	16	31	60	111	146	218	244	264	239	136	81	–	1,573
154	Rectum	M	–	–	–	–	1	–	2	2	16	27	46	79	90	101	123	91	58	21	–	657
		F	–	–	–	–	1	2	2	2	13	14	38	40	47	70	66	66	52	16	–	429
		Persons	–	–	–	–	2	2	4	4	29	41	84	119	137	171	189	157	110	37	–	1,086
155	Biliary passages and liver (specified primary)	M	–	–	–	1	–	1	–	1	2	3	8	11	19	19	17	18	12	1	–	113
		F	–	–	1	–	1	–	1	1	1	5	6	10	23	23	31	24	23	8	–	158
		Persons	–	–	1	1	1	1	1	2	3	8	14	21	42	42	48	42	35	9	–	271
156	Liver (secondary and unspecified)	M	–	–	–	–	–	1	–	–	1	3	2	4	10	11	13	5	5	1	–	56
		F	–	1	–	1	–	–	–	2	4	1	3	7	9	6	8	4	5	3	1	55
		Persons	–	1	–	1	–	1	–	2	5	4	5	11	19	17	21	9	10	4	1	111
157	Pancreas	M	–	–	–	–	–	–	–	1	5	15	17	37	41	37	50	47	23	7	–	280
		F	–	–	–	–	–	–	2	3	5	4	13	22	30	37	40	34	26	10	–	226
		Persons	–	–	–	–	–	–	2	4	10	19	30	59	71	74	90	81	49	17	–	506
158	Peritoneum	M	–	–	–	–	–	–	–	1	–	–	1	2	2	4	1	1	–	–	–	12
		F	–	–	–	–	–	1	–	2	2	–	–	3	7	4	7	5	2	–	–	33
		Persons	–	–	–	–	–	1	–	3	2	–	1	5	9	8	8	6	2	–	–	45
159	Unspecified digestive organs	M	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	3
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2
		Persons	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	1	1	–	–	5
160	Nose, nasal cavities, middle ear and accessory sinuses	M	1	–	–	–	–	–	1	1	–	1	3	4	4	2	4	2	1	–	–	24
		F	–	–	–	–	–	–	–	1	2	3	3	1	6	5	3	4	1	1	–	30
		Persons	1	–	–	–	–	–	1	2	2	4	6	5	10	7	7	6	2	1	–	54
161	Larynx	M	–	–	–	–	–	–	–	–	5	6	24	16	31	30	21	20	11	2	–	166
		F	–	–	–	–	–	–	1	1	–	2	1	1	7	4	1	7	1	1	–	27
		Persons	–	–	–	–	–	–	1	1	5	8	25	17	38	34	22	27	12	3	–	193
162-163	Lung (primary and unspecified)	M	2	–	–	–	1	–	16	16	54	130	310	479	648	500	360	181	47	12	–	2,756
		F	–	–	–	–	–	–	2	4	22	22	57	61	89	62	56	31	18	9	–	433
		Persons	2	–	–	–	1	–	18	20	76	152	367	540	737	562	416	212	65	21	–	3,189
164	Mediastinum	M	–	–	–	1	–	–	–	1	1	1	–	2	–	1	–	–	–	–	–	7
		F	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	3
		Persons	–	–	–	1	–	–	1	1	1	1	1	2	–	1	–	1	–	–	–	10
165	Thoracic organs (secondary)	M	–	–	–	–	–	1	–	–	–	–	1	2	3	2	3	1	–	1	–	14
		F	1	–	–	–	–	–	1	–	–	–	1	3	3	1	4	–	2	–	–	16
		Persons	1	–	–	–	–	1	1	–	–	–	2	5	6	3	7	1	2	1	–	30
170	Breast	M	–	–	–	–	1	–	1	–	–	–	–	3	3	4	4	5	1	–	–	22
		F	–	–	–	–	2	14	52	90	188	287	320	323	327	301	236	202	106	81	5	2,534
		Persons	–	–	–	–	3	14	53	90	188	287	320	326	330	305	240	207	107	81	5	2,556
171	Cervix uteri (including pre-malignant cases)	F	–	–	–	–	1	8	20	58	118	84	95	72	70	66	34	27	20	8	–	681
172-174	Other parts of uterus (including pre-malignant cases)	F	–	–	–	1	–	1	3	3	20	43	87	104	103	89	58	45	14	6	–	577

Table 3 – *continued*

Rural areas of England and Wales, 1962

ICD (7th Revision) number and Site Description		Age-group																	Age not stated	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	
171-174 Uterus (pre-malignant)	F	–	–	–	–	–	2	5	8	9	6	–	2	3	2	2	2	–	–	–	41
175 Ovary, Fallopian tube and broad ligament	F	1	–	–	2	2	4	11	14	40	60	77	79	85	65	57	29	12	6	–	544
176 Other and unspecified female genital organs	F	–	–	–	–	–	–	2	2	5	8	9	6	21	26	21	33	19	13	2	167
177 Prostate	M	–	–	–	–	–	–	–	–	1	5	22	50	79	142	196	216	151	96	–	958
178 Testis	M	3	–	2	2	8	14	18	18	15	9	10	12	4	1	–	2	1	–	–	119
179 Other and unspecified male genital organs	M	–	–	–	–	–	–	–	1	2	2	2	13	9	10	9	13	7	4	–	72
180 Kidney	M	3	3	–	1	–	–	1	2	8	13	20	26	14	18	17	12	7	1	1	147
	F	2	–	1	–	–	–	1	1	3	4	14	10	12	15	13	8	4	4	–	92
	Persons	5	3	1	1	–	–	2	3	11	17	34	36	26	33	30	20	11	5	1	239
181 Bladder and other urinary organs	M	1	–	–	–	–	–	3	4	6	13	30	59	79	94	104	78	51	25	–	547
	F	–	–	–	–	–	–	–	–	1	4	6	17	15	31	33	28	24	17	–	176
	Persons	1	–	–	–	–	–	3	4	7	17	36	76	94	125	137	106	75	42	–	723
190 Melanoma of skin	M	–	–	–	2	–	5	1	4	5	3	3	4	4	4	5	4	2	2	–	48
	F	–	–	–	–	4	7	9	10	12	15	12	9	6	5	6	9	4	2	–	110
	Persons	–	–	–	2	4	12	10	14	17	18	15	13	10	9	11	13	6	4	–	158
191 Other malignant neoplasm of skin	M	–	–	–	1	5	7	7	23	44	64	109	150	161	190	185	189	153	70	6	1,364
	F	–	–	–	2	1	7	9	23	21	54	73	93	104	151	145	147	115	98	9	1,052
	Persons	–	–	–	3	6	14	16	46	65	118	182	243	265	341	330	336	268	168	15	2,416
192 Eye	M	2	–	–	–	–	–	–	–	1	4	3	5	3	2	–	2	–	–	–	22
	F	3	–	–	–	–	–	–	–	3	2	3	2	3	4	2	1	1	3	–	27
	Persons	5	–	–	–	–	–	–	–	4	6	6	7	6	6	2	3	1	3	–	49
193 Brain and other parts of nervous system (including benign neoplasm)	M	18	7	4	7	3	4	17	17	25	34	31	49	42	23	10	2	–	–	–	293
	F	9	3	2	4	7	8	13	21	22	22	23	20	25	29	13	5	3	1	–	230
	Persons	27	10	6	11	10	12	30	38	47	56	54	69	67	52	23	7	3	1	–	523
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	15	6	3	5	3	4	15	12	21	28	27	40	37	21	7	1	–	–	–	245
	F	9	2	2	3	3	6	9	13	16	13	14	12	17	20	8	3	3	–	–	153
	Persons	24	8	5	8	6	10	24	25	37	41	41	52	54	41	15	4	3	–	–	398
194 Thyroid gland	M	–	–	–	1	–	–	–	4	–	1	2	2	7	6	4	4	3	1	–	35
	F	–	–	–	–	1	–	6	3	1	7	4	8	12	6	10	11	4	4	–	77
	Persons																				112

195	Other endocrine glands (including benign neoplasm)	M	2	4	-	1	-	-	-	5	3	4	4	-	1	-	-	2	1	-	-	27
		F	2	-	1	1	3	-	2	-	1	-	3	2	2	1	2	1	-	-	-	21
		Persons	4	4	1	2	3	-	2	5	4	4	7	2	3	1	2	3	1	-	-	48
195	Other endocrine glands (excluding benign neoplasm)	M	2	3	-	1	-	-	-	3	1	2	1	-	1	-	-	2	1	-	-	17
		F	2	-	1	1	3	-	1	-	1	-	1	2	2	1	2	1	-	-	-	18
		Persons	4	3	1	2	3	-	1	3	2	2	2	2	3	1	2	3	1	-	-	35
196	Bone	M	-	3	1	5	-	-	4	1	2	4	5	6	2	1	5	4	-	-	-	43
		F	-	1	2	2	2	1	-	2	1	1	1	1	4	7	3	2	1	2	-	33
		Persons	-	4	3	7	2	1	4	3	3	5	6	7	6	8	8	6	1	2	-	76
197	Connective tissue	M	-	-	4	2	3	1	4	5	2	3	4	4	7	8	6	2	2	3	-	60
		F	1	-	-	-	1	2	2	2	3	4	5	2	4	5	4	4	5	-	-	44
		Persons	1	-	4	2	4	3	6	7	5	7	9	6	11	13	10	6	7	3	-	104
198	Lymph nodes (secondary and unspecified)	M	-	-	-	-	-	-	1	2	2	1	5	5	6	7	4	6	1	-	-	40
		F	-	-	1	1	-	-	-	-	-	-	2	-	5	1	4	2	4	2	-	22
		Persons	-	-	1	1	-	-	1	2	2	1	7	5	11	8	8	8	5	2	-	62
199	Other and unspecified sites	M	2	-	-	-	-	3	1	1	7	5	19	23	30	32	18	21	6	7	-	175
		F	-	-	-	-	-	-	-	5	6	12	19	23	24	35	30	27	13	11	2	207
		Persons	2	-	-	-	-	3	1	6	13	17	38	46	54	67	48	48	19	18	2	382
200	Lymphosarcoma and reticulosarcoma	M	3	1	3	10	3	3	4	9	9	6	16	18	15	13	16	12	10	5	-	156
		F	1	1	2	2	1	2	2	5	5	4	7	14	15	14	16	12	5	5	1	114
		Persons	4	2	5	12	4	5	6	14	14	10	23	32	30	27	32	24	15	10	1	270
201	Hodgkin's disease	M	-	1	4	8	11	7	8	8	5	9	9	9	8	4	5	5	1	-	-	102
		F	-	-	-	4	6	7	7	1	4	2	2	2	8	7	6	3	2	1	-	62
		Persons	-	1	4	12	17	14	15	9	9	11	11	11	16	11	11	8	3	1	-	164
202	Other forms of lymphoma (reticulosis)	M	2	1	-	2	-	1	2	3	1	4	2	6	3	1	4	1	-	1	-	34
		F	-	-	1	1	-	-	-	1	2	2	2	-	3	1	1	4	2	-	-	20
		Persons	2	1	1	3	-	1	2	4	3	6	4	6	6	2	5	5	2	1	-	54
203	Multiple myeloma (plasmocytoma)	M	-	-	-	-	-	-	2	1	1	3	8	7	13	17	8	5	4	4	-	73
		F	-	-	-	-	-	-	-	-	1	-	12	9	13	13	8	11	2	2	-	71
		Persons	-	-	-	-	-	-	2	1	2	3	20	16	26	30	16	16	6	6	-	144
204	Leukaemia and aleukaemia	M	20	10	11	10	9	5	10	7	16	12	22	18	46	32	37	29	21	3	-	318
		F	21	9	7	5	8	2	10	10	13	10	16	17	24	22	29	22	16	5	1	247
		Persons	41	19	18	15	17	7	20	17	29	22	38	35	70	54	66	51	37	8	1	565
205	Mycosis fungoides	M	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	5
		F	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2
		Persons	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	1	-	-	-	7
	All sites	**M**	**59**	**31**	**30**	**58**	**50**	**58**	**116**	**164**	**297**	**487**	**904**	**1,388**	**1,764**	**1,745**	**1,685**	**1,346**	**787**	**364**	**8**	**11,341**
		F	**41**	**15**	**19**	**31**	**44**	**72**	**173**	**287**	**559**	**740**	**1,033**	**1,112**	**1,347**	**1,399**	**1,295**	**1,124**	**728**	**419**	**21**	**10,459**
		Persons	**100**	**46**	**49**	**89**	**94**	**130**	**289**	**451**	**856**	**1,227**	**1,937**	**2,500**	**3,111**	**3,144**	**2,980**	**2,470**	**1,515**	**783**	**29**	**21,800**

Table 4 Registrations of newly diagnosed cases of cancer by sex and site. 1962

Hospital region of residence

ICD (7th Revision) number and site description		Region of residence															All regions
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool	
140 Lip	M	41	25	51	60	27	23	42	22	27	35	64	54	58	39	21	589
	F	3	6	10	2	12	7	9	4	6	4	2	3	2	4	2	76
	Persons	44	31	61	62	39	30	51	26	33	39	66	57	60	43	23	665
141 Tongue	M	32	20	33	16	33	22	37	15	6	13	18	16	43	39	16	359
	F	12	13	17	6	21	13	13	16	7	15	17	12	18	16	10	206
	Persons	44	33	50	22	54	35	50	31	13	28	35	28	61	55	26	565
142 Salivary gland	M	16	17	26	11	11	18	22	18	5	10	25	11	25	9	9	233
	F	18	17	22	9	13	19	25	25	6	6	22	15	36	12	21	266
	Persons	34	34	48	20	24	37	47	43	11	16	47	26	61	21	30	499
143 Floor of mouth	M	18	14	10	3	6	6	10	13	6	4	9	8	24	21	18	170
	F	4	5	5	4	3	1	3	5	-	2	2	5	4	-	4	47
	Persons	22	19	15	7	9	7	13	18	6	6	11	13	28	21	22	217
144 Other mouth (specified and unspecified)	M	23	20	21	12	21	12	14	20	14	5	14	18	25	30	16	265
	F	12	16	11	8	13	14	15	10	9	8	15	12	14	17	8	182
	Persons	35	36	32	20	34	26	29	30	23	13	29	30	39	47	24	447
145 Oral mesopharynx	M	11	12	16	9	21	12	14	13	5	8	10	13	24	23	12	203
	F	4	4	6	5	7	2	5	6	5	1	9	3	7	8	4	76
	Persons	15	16	22	14	28	14	19	19	10	9	19	16	31	31	16	279
146 Nasopharynx	M	3	10	13	5	6	14	14	7	2	5	7	4	21	4	8	123
	F	-	8	6	-	8	4	2	5	1	1	4	5	5	4	-	53
	Persons	3	18	19	5	14	18	16	12	3	6	11	9	26	8	8	176
147 Hypopharynx	M	11	12	13	7	11	14	15	15	9	12	24	20	26	20	10	219
	F	15	23	26	13	13	1	9	12	10	8	19	26	29	46	10	260
	Persons	26	35	39	20	24	15	24	27	19	20	43	46	55	66	20	479
148 Pharynx (unspecified)	M	2	1	8	-	11	5	6	12	4	1	3	6	12	9	11	91
	F	7	3	5	2	7	8	2	3	2	1	3	2	7	6	2	60
	Persons	9	4	13	2	18	13	8	15	6	2	6	8	19	15	13	151
150 Oesophagus	M	76	77	102	29	86	75	95	88	41	38	84	75	133	112	62	1,173
	F	70	64	69	45	56	60	53	63	38	34	88	74	83	83	73	953
	Persons	146	141	171	74	142	135	148	151	79	72	172	149	216	195	135	2,126
151 Stomach	M	543	445	622	234	298	454	420	330	210	217	428	491	707	553	403	6,355
	F	334	327	369	158	247	281	264	237	108	138	270	322	449	392	274	4,170
	Persons	877	772	991	392	545	735	684	567	318	355	698	813	1,156	945	677	10,525
152 Small intestine, including duodenum	M	9	12	9	2	9	11	16	5	3	5	7	5	14	6	4	117
	F	7	14	9	4	8	14	8	11	2	4	7	4	13	9	4	118
	Persons	16	26	18	6	17	25	24	16	5	9	14	9	27	15	8	235

153	Large intestine, except rectum	M	278	267	328	159	208	252	264	204	109	148	282	217	414	295	204	3,629
		F	345	391	453	178	305	386	423	343	171	207	388	294	509	455	294	5,142
		Persons	623	658	781	337	513	638	687	547	280	355	670	511	923	750	498	8,771
154	Rectum	M	282	249	395	141	205	258	240	206	123	140	269	203	443	309	169	3,632
		F	170	205	258	131	180	202	244	189	106	95	196	156	294	246	162	2,834
		Persons	452	454	653	272	385	460	484	395	229	235	465	359	737	555	331	6,466
155	Biliary passages and liver (specified primary)	M	40	47	62	27	45	45	40	48	19	29	51	37	60	47	36	633
		F	55	63	83	31	46	68	63	61	25	45	68	45	94	57	50	854
		Persons	95	110	145	58	91	113	103	109	44	74	119	82	154	104	86	1,487
156	Liver (secondary and unspecified)	M	40	27	30	8	23	27	29	10	11	15	13	15	43	31	20	342
		F	34	14	28	3	19	13	23	15	12	13	20	15	39	42	11	301
		Persons	74	41	58	11	42	40	52	25	23	28	33	30	82	73	31	643
157	Pancreas	M	111	124	160	77	103	117	113	115	59	68	125	101	180	122	95	1,670
		F	111	103	118	51	77	101	108	100	52	59	100	78	138	108	96	1,400
		Persons	222	227	278	128	180	218	221	215	111	127	225	179	318	230	191	3,070
158	Peritoneum	M	5	2	13	4	9	11	7	6	5	3	6	4	4	5	4	88
		F	10	4	21	5	14	13	13	10	11	14	13	5	5	9	6	153
		Persons	15	6	34	9	23	24	20	16	16	17	19	9	9	14	10	241
159	Unspecified digestive organs	M	2	-	3	-	4	1	-	-	1	-	3	-	-	1	-	15
		F	2	1	1	-	1	-	-	-	2	-	-	-	-	-	-	7
		Persons	4	1	4	-	5	1	-	-	3	-	3	-	-	1	-	22
160	Nose, nasal cavities, middle ear and accessory sinuses	M	10	11	9	6	11	11	13	5	4	8	14	10	28	15	8	163
		F	14	15	10	9	16	10	12	15	4	6	12	9	17	18	8	175
		Persons	24	26	19	15	27	21	25	20	8	14	26	19	45	33	16	338
161	Larynx	M	67	88	104	37	80	80	85	60	34	28	65	73	94	115	49	1,059
		F	15	12	11	9	15	6	19	11	7	7	8	9	9	18	9	165
		Persons	82	100	115	46	95	86	104	71	41	35	73	82	103	133	58	1,224
162-163	Lung (primary and unspecified)	M	1,300	1,303	1,695	632	1,474	1,496	1,521	1,251	606	624	1,074	965	2,026	1,637	1,082	18,686
		F	171	213	225	79	288	262	273	250	112	117	206	106	287	251	163	3,003
		Persons	1,471	1,516	1,920	711	1,762	1,758	1,794	1,501	718	741	1,280	1,071	2,313	1,888	1,245	21,689
164	Mediastinum	M	2	1	4	3	3	4	5	6	-	1	2	1	1	1	1	35
		F	3	1	2	1	2	-	1	7	1	2	1	1	1	-	1	24
		Persons	5	2	6	4	5	4	6	13	1	3	3	2	2	1	2	59
165	Thoracic organs (secondary)	M	6	13	8	4	9	9	7	3	1	5	4	4	15	17	4	109
		F	8	5	6	3	10	8	6	6	4	3	6	4	9	3	1	82
		Persons	14	18	14	7	19	17	13	9	5	8	10	8	24	20	5	191
170	Breast	M	7	10	12	6	9	10	14	12	10	7	7	4	13	8	6	135
		F	828	991	1,289	556	1,213	1,160	1,166	1,079	577	531	1,127	754	1,612	1,223	591	14,697
		Persons	835	1,001	1,301	562	1,222	1,170	1,180	1,091	587	538	1,134	758	1,625	1,231	597	14,832
171	Cervix uteri (including pre-malignant cases)	F	335	361	498	147	370	255	223	208	138	149	270	250	455	494	224	4,377
172-174	Other parts of uterus (including pre-malignant cases)	F	177	195	297	128	243	247	240	227	105	105	264	180	342	254	136	3,140
171-174	Uterus (pre-malignant)	F	13	8	32	4	24	11	4	12	1	17	2	8	60	21	17	234
175	Ovary, Fallopian tube and broad ligament	F	188	257	318	110	231	192	239	245	108	91	245	157	393	265	123	3,162

Table 4 - *continued*

Hospital region of residence. 1962

ICD (7th Revision) number and site description		Region of residence															All regions
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool	
176 Other and unspecified female genital organs	F	49	88	84	28	56	52	68	51	37	24	58	45	92	87	33	852
177 Prostate	M	282	353	426	219	270	336	371	297	187	209	437	256	510	384	194	4,731
178 Testis	M	18	39	44	22	38	27	34	36	24	20	33	31	41	34	30	471
179 Other and unspecified male genital organs	M	36	26	35	15	30	23	18	13	10	13	18	20	47	42	23	369
	M	77	72	83	30	66	62	63	63	33	24	66	59	105	89	29	921
180 Kidney	F	39	38	47	12	40	44	67	41	23	19	35	30	62	40	28	565
	Persons	116	110	130	42	106	106	130	104	56	43	101	89	167	129	57	1,486
	M	223	260	363	132	235	244	299	265	151	107	287	179	317	284	151	3,497
181 Bladder and other urinary organs	F	59	102	120	42	110	114	125	114	46	46	105	44	104	105	70	1,306
	Persons	282	362	483	174	345	358	424	379	197	153	392	223	421	389	221	4,803
	M	18	13	24	11	24	18	29	14	9	7	23	13	30	18	12	263
190 Melanoma of skin	F	32	29	44	25	42	31	53	39	25	21	48	33	58	49	23	552
	Persons	50	42	68	36	66	49	82	53	34	28	71	46	88	67	35	815
	M	469	420	554	316	447	436	512	401	289	226	584	415	672	608	362	6,711
191 Other malignant neoplasm of skin	F	432	374	433	215	371	380	464	361	210	175	438	351	584	625	310	5,723
	Persons	901	794	987	531	818	816	976	762	499	401	1,022	766	1,256	1,233	672	12,434
	M	8	8	13	5	14	14	9	9	6	9	7	10	18	6	7	143
192 Eye	F	12	8	11	5	14	9	10	9	3	3	5	9	22	8	7	135
	Persons	20	16	24	10	28	23	19	18	9	12	12	19	40	14	14	278
193 Brain and other parts of nervous system (including benign neoplasm)	M	101	89	160	40	114	120	108	109	62	43	103	88	163	130	77	1,507
	F	74	57	109	57	102	81	97	111	63	47	93	69	125	103	62	1,250
	Persons	175	146	269	97	216	201	205	220	125	90	196	157	288	233	139	2,757
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	74	69	131	30	80	103	92	89	53	41	86	72	158	106	54	1,238
	F	44	48	72	38	76	64	79	78	45	40	64	43	117	81	40	929
	Persons	118	117	203	68	156	167	171	167	98	81	150	115	275	187	94	2,167
	M	6	10	11	6	9	11	16	7	6	6	6	10	17	9	6	136
194 Thyroid gland	F	23	24	40	17	38	32	34	23	15	24	34	26	42	27	26	425
	Persons	29	34	51	23	47	43	50	30	21	30	40	36	59	36	32	561
	M	6	13	12	6	14	11	12	8	6	5	11	9	30	13	8	164
195 Other endocrine glands (including benign neoplasm)	F	4	8	13	8	11	6	17	7	4	2	9	3	20	17	10	139
	Persons	10	21	25	14	25	17	29	15	10	7	20	12	50	30	18	303

195	Other endocrine glands (excluding benign neoplasm)	M	6	5	8	5	8	5	6	7	4	4	5	6	27	5	5	106
		F	3	4	5	7	4	1	13	4	3	2	4	2	20	10	8	90
		Persons	9	9	13	12	12	6	19	11	7	6	9	8	47	15	13	196
196	Bone	M	22	14	17	9	16	24	12	9	9	10	23	16	24	23	13	241
		F	9	20	19	6	14	11	17	13	9	9	17	9	19	19	8	199
		Persons	31	34	36	15	30	35	29	22	18	19	40	25	43	42	21	440
197	Connective tissue	M	18	18	36	12	25	17	20	19	8	9	18	12	43	30	8	293
		F	13	15	22	10	24	20	23	16	6	10	19	6	40	25	19	268
		Persons	31	33	58	22	49	37	43	35	14	19	37	18	83	55	27	561
198	Lymph nodes (secondary and unspecified)	M	28	20	21	5	14	13	10	11	9	1	10	16	28	30	12	228
		F	10	13	11	4	13	11	16	10	10	2	14	10	20	20	5	169
		Persons	38	33	32	9	27	24	26	21	19	3	24	26	48	50	17	397
199	Other and unspecified sites	M	53	86	115	54	74	109	65	71	31	43	62	52	85	66	28	994
		F	76	98	120	74	100	135	89	103	40	45	86	58	122	81	57	1,284
		Persons	129	184	235	128	174	244	154	174	71	88	148	110	207	147	85	2,278
200	Lymphosarcoma and reticulosarcomaa	M	58	60	77	23	74	60	63	62	34	29	63	45	90	67	38	843
		F	32	40	39	17	66	51	52	65	21	25	62	27	77	54	32	660
		Persons	90	100	116	40	140	111	115	127	55	54	125	72	167	121	70	1,503
201	Hodgkin's disease	M	36	37	56	17	46	48	41	42	12	23	30	30	72	46	31	567
		F	24	34	42	10	31	23	24	28	12	9	27	23	38	29	26	380
		Persons	60	71	98	27	77	71	65	70	24	32	57	53	110	75	57	947
202	Other forms of lymphoma (reticulosis)	M	9	9	16	9	17	23	8	12	8	6	13	6	18	13	6	173
		F	6	4	15	7	16	9	9	10	5	5	7	5	17	6	7	128
		Persons	15	13	31	16	33	32	17	22	13	11	20	11	35	19	13	301
203	Multiple myeloma (plasmocytoma)	M	27	27	36	18	36	25	32	20	18	7	34	23	43	24	8	378
		F	29	30	32	13	19	27	28	48	14	17	31	26	36	26	19	395
		Persons	56	57	68	31	55	52	60	68	32	24	65	49	79	50	27	773
204	Leukaemia and aleukaemia	M	101	84	141	35	88	96	93	95	46	70	108	89	144	122	71	1,383
		F	79	84	165	41	84	83	87	93	32	45	85	62	130	100	67	1,237
		Persons	180	168	306	76	172	179	180	188	78	115	193	151	274	222	138	2,620
205	Mycosis fungoides	M	–	2	4	1	1	1	2	1	3	–	1	–	3	4	3	26
		F	–	1	1	–	1	–	1	1	2	1	–	1	1	1	–	11
		Persons	–	3	5	1	2	1	3	2	5	1	1	1	4	5	3	37
	All sites	**M**	**4,531**	**4,467**	**5,991**	**2,477**	**4,375**	**4,705**	**4,860**	**4,048**	**2,275**	**2,296**	**4,545**	**3,734**	**6,933**	**5,510**	**3,385**	**64,132**
		F	**3,954**	**4,398**	**5,540**	**2,288**	**4,590**	**4,466**	**4,742**	**4,306**	**2,206**	**2,195**	**4,555**	**3,383**	**6,480**	**5,462**	**3,096**	**61,661**
		Persons	**8,485**	**8,865**	**11,531**	**4,765**	**8,965**	**9,171**	**9,602**	**8,354**	**4,481**	**4,491**	**9,100**	**7,117**	**13,413**	**10,972**	**6,481**	**125,793**

Table 5 Rates per 100,000 population, by sex, site and age, of newly diagnosed cases of cancer. 1962

England and Wales

(rates based on under 20 registrations are shown in italics)

ICD (7th Revision) number and site description		Age-group									All ages
		0–	5–	15–	25–	35–	45–	55–	65–	75 and over	
140 Lip	M	–	–	–	*0.1*	0.8	2.4	5.5	12.8	23.0	2.6
	F	–	*0*	–	*0.1*	*0.1*	*0.2*	*0.5*	0.9	2.3	0.3
141 Tongue	M	–	–	*0.1*	*0.1*	*0.4*	1.3	3.1	6.8	17.4	1.6
	F	–	–	*0.1*	*0*	*0.3*	0.8	1.2	2.4	6.0	0.9
142 Salivary gland	M	*0.1*	*0*	*0.1*	*0.5*	1.3	1.3	2.1	2.5	6.9	1.0
	F	–	*0.1*	*0.5*	1.0	1.2	1.6	2.0	1.6	2.6	1.1
143 Floor of mouth	M	–	–	–	–	*0.1*	*0.4*	1.8	4.0	7.2	0.8
	F	–	–	–	–	–	*0.2*	*0.3*	*0.7*	*1.0*	0.2
144 Other mouth (specified and unspecified)	M	–	*0.1*	*0*	*0*	*0.4*	0.6	2.0	5.3	14.5	1.2
	F	–	–	*0*	*0.1*	*0.4*	0.6	1.0	2.5	4.9	0.8
145 Oral mesopharynx	M	–	–	–	*0.1*	*0.1*	0.7	1.9	4.8	8.0	0.9
	F	–	–	*0*	*0*	*0.1*	*0.4*	*0.5*	*0.7*	2.0	0.3
146 Nasopharynx	M	*0.1*	*0.1*	*0.1*	*0.1*	*0.5*	1.0	1.0	2.3	*1.4*	0.5
	F	–	–	*0.1*	*0.1*	*0.2*	*0.2*	*0.3*	*0.7*	*0.9*	0.2
147 Hypopharynx	M	–	–	*0*	*0*	*0.1*	*0.5*	2.7	5.1	7.7	1.0
	F	–	–	–	*0.1*	*0.4*	1.6	2.8	3.3	3.0	1.1
148 Pharynx (unspecified)	M	–	–	*0*	*0*	*0.2*	*0.4*	1.1	1.6	*2.6*	0.4
	F	–	–	–	*0*	*0.1*	*0.4*	*0.5*	1.0	*0.8*	0.2
150 Oesophagus	M	–	–	*0.1*	*0.1*	0.8	3.8	11.5	26.6	49.5	5.2
	F	–	–	–	*0.2*	0.9	2.6	7.0	14.0	25.0	4.0
151 Stomach	M	*0.1*	–	*0.1*	1.1	6.7	24.7	77.7	146.2	174.8	28.1
	F	–	–	*0.2*	1.1	3.2	11.8	29.6	67.0	102.0	17.4
152 Small intestine, including duodenum	M	*0.1*	–	–	*0.2*	*0.3*	*0.5*	1.1	2.5	2.9	0.5
	F	–	–	–	*0*	*0.1*	0.6	1.1	1.5	2.4	0.5
153 Large intestine, except rectum	M	–	*0.1*	0.6	1.2	4.0	12.3	36.8	76.9	143.7	16.0
	F	–	*0.1*	0.8	1.5	5.9	17.0	40.4	73.4	119.7	21.4
154 Rectum	M	*0.1*	–	*0.2*	0.8	3.7	12.1	40.2	79.9	131.5	16.0
	F	–	–	*0.1*	0.8	3.1	9.8	22.6	42.5	62.2	11.8
155 Biliary passages and liver (specified primary)	M	*0.2*	*0*	*0.1*	*0.3*	0.7	2.2	6.8	13.2	23.0	2.8
	F	*0.2*	*0.1*	*0.2*	*0.1*	*0.4*	1.8	6.7	14.5	20.0	3.6
156 Liver (secondary and unspecified)	M	–	*0*	*0*	*0.1*	*0.3*	1.1	5.0	7.6	8.1	1.5
	F	–	*0*	*0*	–	*0.4*	0.9	2.8	4.6	5.9	1.3
157 Pancreas	M	–	–	*0*	*0.3*	1.4	6.3	18.9	39.0	53.0	7.4
	F	–	–	–	*0.2*	1.1	3.4	10.9	23.1	32.9	5.8
158 Peritoneum	M	*0.1*	*0.1*	*0.1*	*0.1*	*0.3*	*0.5*	1.2	*1.3*	*0.7*	0.4
	F	*0.1*	–	*0.1*	*0*	*0.3*	*0.5*	1.5	2.2	2.3	0.6
159 Unspecified digestive organs	M	–	–	–	*0*	*0.1*	–	*0.3*	*0.2*	*0.3*	0.1
	F	–	–	–	–	–	–	–	*0.1*	*0.3*	0
160 Nose, nasal cavities, middle ear, and accessory sinuses	M	*0.1*	–	*0*	*0*	*0.4*	0.8	2.3	2.7	3.3	0.7
	F	–	–	*0*	*0.1*	*0.4*	1.2	1.3	2.2	2.7	0.7
161 Larynx	M	*0.1*	–	*0*	*0.2*	1.3	5.1	13.6	25.0	19.8	4.7
	F	–	–	*0*	*0.1*	*0.4*	0.7	1.6	2.1	2.5	0.7
162–163 Lung (primary and unspecified)	M	*0.1*	*0.1*	*0.4*	2.2	17.6	96.0	294.6	392.3	254.1	82.5
	F	–	–	*0.2*	0.8	4.7	16.0	32.1	41.8	35.6	12.5
164 Mediastinum	M	*0.1*	*0*	*0*	–	*0.2*	*0.3*	*0.4*	*0.5*	*0.3*	0.2
	F	–	–	*0*	*0*	*0.1*	*0.2*	*0.2*	*0.1*	*0.2*	0.1
165 Thoracic organs (secondary)	M	–	–	–	*0.1*	*0.2*	*0.6*	1.3	2.3	*2.5*	0.5
	F	*0.1*	–	–	*0*	*0.2*	*0.5*	0.7	1.3	*0.8*	0.3
170 Breast	M	–	–	*0*	*0*	*0.3*	*0.6*	1.6	2.5	4.2	0.6
	F	–	*0*	*0.4*	11.2	56.6	105.5	125.7	145.6	176.8	61.2
171 Cervix uteri (including pre-malignant cases)	F	–	–	*0.3*	5.6	32.2	37.5	31.4	32.9	25.6	18.2

ICD (7th Revision) number and site description		Age-group									All ages
		0–	5–	15–	25–	35–	45–	55–	65–	75 and over	
172–174 Other parts of uterus (including pre-malignant cases)	F	–	*0.1*	*0.3*	0.9	4.8	21.1	38.8	36.2	26.2	**13.1**
171–174 Uterus (pre-malignant)	F	–	–	*0.1*	1.0	3.1	2.3	*0.5*	*0.5*	*0.2*	**1.0**
175 Ovary, Fallopian tube and broad ligament	F	*0.1*	*0.2*	1.1	2.9	9.0	24.6	31.9	32.3	24.5	**13.2**
176 Other and unspecified female genital organs	F	*0.1*	*0*	*0*	*0.2*	1.1	2.2	5.4	13.1	22.5	**3.5**
177 Prostate	M	–	*0*	–	–	*0.2*	3.2	27.1	122.0	166.6	**20.9**
178 Testis	M	*0.4*	*0.2*	1.8	4.6	4.0	2.4	1.4	*1.0*	*1.6*	**2.1**
179 Other and unspecified male genital organs	M	–	*0*	–	*0.1*	0.8	1.8	3.8	7.5	10.9	**1.6**
180 Kidney	M	1.3	*0.3*	*0.1*	*0.3*	1.9	5.8	11.6	14.9	16.8	**4.1**
	F	1.5	*0.2*	*0.1*	*0.2*	0.9	2.2	5.0	7.9	8.1	**2.4**
181 Bladder and other urinary organs	M	*0.1*	–	–	0.8	2.9	12.5	37.3	79.8	125.6	**15.4**
	F	–	*0*	–	*0.2*	1.0	3.0	8.7	21.3	34.9	**5.4**
190 Melanoma of skin	M	*0.1*	–	*0.5*	1.0	1.4	1.4	2.2	2.3	5.6	**1.2**
	F	–	*0.1*	1.0	2.2	3.1	3.7	3.2	3.2	5.5	**2.3**
191 Other malignant neoplasm of skin	M	–	*0.1*	*0.5*	2.9	12.7	33.4	64.0	122.0	251.1	**29.6**
	F	*0.1*	*0.2*	*0.3*	2.4	9.7	22.3	38.9	74.2	142.3	**23.8**
192 Eye	M	1.1	*0*	*0*	*0.1*	*0.5*	*0.6*	1.7	1.4	*2.5*	**0.6**
	F	*0.8*	*0.1*	*0*	*0.2*	*0.3*	0.6	1.1	1.7	*0.8*	**0.6**
193 Brain and other parts of nervous system (including benign neoplasm)	M	4.0	2.2	2.1	3.8	6.2	10.8	17.6	11.7	2.9	**6.7**
	F	3.0	1.6	2.0	3.4	5.7	8.3	10.7	8.3	3.0	**5.2**
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	3.5	1.8	1.6	3.3	5.4	8.7	14.6	8.6	*1.6*	**5.5**
	F	2.7	1.4	1.5	2.5	4.2	6.0	8.0	5.9	2.0	**3.9**
194 Thyroid gland	M	–	–	*0.1*	*0.2*	*0.4*	0.7	1.4	2.3	3.2	**0.6**
	F	–	–	*0.2*	1.0	0.9	2.1	3.1	4.9	7.4	**1.8**
195 Other endocrine glands (including benign neoplasm)	M	*0.8*	*0.3*	*0.3*	*0.3*	0.7	1.4	1.3	*1.0*	*0.7*	**0.7**
	F	*0.8*	*0.2*	*0.3*	*0.3*	*0.6*	0.8	0.9	1.0	*0.3*	**0.6**
195 Other endocrine glands (excluding benign neoplasm)	M	*0.6*	*0.2*	*0.2*	*0.1*	*0.4*	0.9	0.8	*0.7*	*0.7*	**0.5**
	F	*0.8*	*0.1*	*0.3*	*0.2*	*0.2*	*0.6*	*0.5*	*0.6*	*0.2*	**0.4**
196 Bone	M	*0.1*	0.6	1.1	*0.3*	0.8	0.9	1.8	3.1	4.3	**1.1**
	F	*0.2*	*0.5*	0.8	*0.4*	*0.2*	*0.4*	1.0	2.4	3.0	**0.8**
197 Connective tissue	M	*0.1*	*0.4*	0.7	0.8	1.4	1.3	2.0	3.8	5.4	**1.3**
	F	*0.3*	*0.2*	*0.5*	0.8	1.1	1.1	1.3	2.3	4.5	**1.1**
198 Lymph nodes (secondary and unspecified)	M	–	*0*	–	*0.3*	*0.3*	1.1	2.5	4.7	5.6	**1.0**
	F	–	*0*	*0.1*	*0*	*0.3*	0.9	1.3	2.0	3.5	**0.7**
199 Other and unspecified sites	M	*0.2*	*0.1*	*0.1*	*0.5*	1.1	4.4	12.5	21.3	23.9	**4.4**
	F	*0.1*	*0.2*	*0*	*0.4*	1.7	5.4	11.6	19.2	21.4	**5.3**
200 Lymphosarcoma and reticulosarcoma	M	*0.7*	0.7	1.7	1.6	2.4	4.4	7.8	12.6	14.9	**3.7**
	F	*0.3*	*0.5*	0.6	0.7	1.6	2.7	5.5	7.9	9.7	**2.7**
201 Hodgkin's disease	M	*0.3*	0.6	2.9	3.1	2.3	3.1	3.8	4.0	4.2	**2.5**
	F	*0.1*	*0.3*	2.0	1.8	1.0	1.5	1.9	3.8	2.9	**1.6**
202 Other forms of lymphoma (reticulosis)	M	*0.2*	*0.1*	*0.4*	*0.4*	0.8	1.0	1.6	1.9	*2.3*	**0.8**
	F	*0.2*	*0.1*	*0.3*	*0.1*	*0.3*	0.6	1.0	1.3	1.8	**0.5**
203 Multiple myeloma (plasmocytoma)	M	–	–	–	*0.1*	*0.6*	2.0	4.6	8.4	7.7	**1.7**
	F	–	–	*0*	*0*	*0.3*	1.7	4.0	6.6	5.3	**1.6**
204 Leukaemia and aleukaemia	M	4.1	2.5	2.3	1.8	2.9	5.1	11.4	21.1	33.7	**6.1**
	F	3.9	2.1	1.9	1.9	2.6	4.4	7.6	13.2	19.0	**5.2**
205 Mycosis fungoides	M	–	–	–	–	–	*0.1*	*0.4*	*0.5*	*0.4*	**0.1**
	F	–	–	–	–	*0*	*0*	*0.1*	*0.1*	*0.2*	**0**
All sites	**M**	**14.1**	**8.7**	**16.6**	**31.0**	**86.7**	**272.9**	**752.3**	**1312.0**	**1794.2**	**283.2**
	F	**11.7**	**6.8**	**14.7**	**43.6**	**159.0**	**325.7**	**508.0**	**745.8**	**987.4**	**256.8**

Table 6 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1962

Urban areas of England and Wales

(rates based on under 20 registrations are shown in italics)

ICD (7th Revision) number and site description		Age-group									All ages
		0-	5-	15-	25-	35-	45-	55-	65-	75 and over	
140 Lip	M	-	-	-	*0.1*	*0.8*	2.1	4.1	10.5	18.5	**2.1**
	F	-	*0*	-	*0*	*0.1*	*0.2*	*0.4*	*1.0*	2.5	**0.3**
141 Tongue	M	-	-	*0.1*	*0.1*	*0.5*	1.4	3.5	6.8	19.6	**1.7**
	F	-	-	*0.1*	*0*	*0.3*	*0.7*	1.1	2.6	5.9	**0.8**
142 Salivary gland	M	*0.1*	-	*0.1*	*0.6*	1.3	1.2	2.0	2.6	5.7	**1.0**
	F	-	*0*	*0.5*	1.2	1.2	1.6	2.2	1.6	2.5	**1.1**
143 Floor of mouth	M	-	-	-	-	*0.2*	*0.3*	2.0	4.1	8.2	**0.8**
	F	-	-	-	-	-	*0.3*	*0.3*	*0.7*	*1.0*	**0.2**
144 Other mouth (specified and unspecified)	M	-	*0.1*	*0*	-	*0.4*	*0.7*	2.3	5.5	15.8	**1.3**
	F	-	-	*0*	*0.1*	*0.4*	*0.7*	1.0	2.4	5.4	**0.8**
145 Oral mesopharynx	M	-	-	-	*0.1*	*0.2*	0.8	2.0	4.9	7.6	**0.9**
	F	-	-	*0*	*0*	*0.2*	*0.4*	*0.5*	*0.8*	2.0	**0.3**
146 Nasopharynx	M	*0.1*	*0.1*	*0.1*	*0*	*0.5*	1.1	1.1	2.6	*1.5*	**0.6**
	F	-	-	*0.1*	*0*	*0.2*	*0.2*	*0.3*	*0.8*	*1.0*	**0.2**
147 Hypopharynx	M	-	-	*0*	*0*	*0.2*	*0.5*	2.8	5.6	8.8	**1.0**
	F	-	-	-	*0.1*	*0.4*	1.4	2.8	3.2	2.5	**1.0**
148 Pharynx (unspecified)	M	-	-	-	*0*	*0.2*	*0.6*	1.2	1.9	*3.1*	**0.5**
	F	-	-	-	*0*	*0.1*	*0.5*	*0.5*	*1.0*	*0.6*	**0.3**
150 Oesophagus	M	-	-	*0*	*0.1*	*0.8*	3.9	11.8	27.2	49.8	**5.2**
	F	-	-	-	*0.2*	1.0	2.7	7.2	14.1	24.1	**4.0**
151 Stomach	M	*0.1*	-	*0.1*	1.1	6.9	26.5	81.9	151.0	181.7	**29.2**
	F	-	-	*0.2*	1.1	3.3	12.9	32.1	69.7	106.5	**18.3**
152 Small intestine, including duodenum	M	*0.1*	-	-	*0.2*	*0.4*	*0.6*	1.3	2.3	*3.4*	**0.6**
	F	-	-	-	*0*	*0.1*	*0.7*	1.2	1.3	2.6	**0.5**
153 Large intestine, except rectum	M	-	*0.1*	*0.7*	1.3	4.2	12.0	37.9	79.1	152.2	**16.4**
	F	-	*0.1*	0.8	1.4	6.3	17.6	41.7	74.5	125.6	**22.1**
154 Rectum	M	*0.1*	-	*0.2*	0.9	3.9	12.2	42.2	82.9	140.9	**16.7**
	F	-	-	*0.1*	*0.8*	3.1	10.0	24.3	44.9	65.5	**12.4**
155 Biliary passages and liver (specified primary)	M	*0.3*	*0*	*0.1*	*0.3*	*0.7*	2.4	7.0	13.8	24.4	**2.9**
	F	*0.2*	*0*	*0.2*	*0.1*	*0.5*	1.7	6.8	14.9	19.9	**3.6**
156 Liver (secondary and unspecified)	M	-	*0*	*0*	*0.1*	*0.3*	1.1	5.6	7.7	8.6	**1.6**
	F	-	-	-	-	*0.3*	0.9	2.7	4.9	6.3	**1.3**
157 Pancreas	M	-	-	*0*	*0.4*	1.5	6.6	19.9	42.4	55.1	**7.8**
	F	-	-	-	*0.2*	1.0	3.6	11.3	24.2	34.7	**6.1**
158 Peritoneum	M	*0.1*	*0.1*	*0.1*	*0.1*	*0.4*	*0.6*	1.3	*1.2*	*0.8*	**0.4**
	F	*0.1*	-	*0.1*	-	*0.3*	*0.6*	1.5	2.2	2.2	**0.6**
159 Unspecified digestive organs	M	-	-	-	*0*	*0*	-	*0.3*	*0.2*	*0.4*	**0.1**
	F	-	-	-	-	-	-	-	*0.2*	*0.2*	**0**
160 Nose, nasal cavities, middle ear, and accessory sinuses	M	-	-	*0*	-	*0.5*	0.8	2.5	3.0	3.8	**0.8**
	F	-	-	*0*	*0.1*	*0.4*	1.3	1.3	2.3	2.8	**0.8**
161 Larynx	M	*0.1*	-	*0*	*0.3*	1.4	5.2	14.7	27.6	19.8	**5.0**
	F	-	-	*0*	*0*	*0.4*	0.8	1.7	2.3	2.3	**0.7**
162-163 Lung (primary and unspecified)	M	-	*0.1*	*0.5*	2.1	19.3	102.4	314.7	428.3	289.1	**89.3**
	F	-	-	*0.2*	0.9	4.8	16.7	33.4	45.0	39.2	**13.3**
164 Mediastinum	M	*0.1*	*0*	-	-	*0.1*	*0.3*	*0.3*	*0.6*	*0.4*	**0.2**
	F	-	-	*0*	-	*0.2*	*0.2*	*0.3*	*0.1*	*0.2*	**0.1**
165 Thoracic organs (secondary)	M	-	-	-	*0*	*0.2*	*0.7*	1.4	2.5	*2.9*	**0.5**
	F	-	-	-	-	*0.2*	*0.5*	*0.6*	1.3	*0.9*	**0.3**
170 Breast	M	-	-	-	-	*0.4*	*0.7*	1.7	2.5	4.4	**0.6**
	F	-	*0*	*0.4*	11.0	59.1	107.0	127.9	149.4	185.1	**62.9**
171 Cervix uteri (including pre-malignant cases)	F	-	-	*0.4*	5.7	32.9	39.4	32.9	35.0	26.9	**19.1**

ICD (7th Revision) number and site description			Age-group								All ages
			0-	5-	15-	25-	35-	45-	55-	65-	75 and over	
172-174	Other parts of uterus (including pre-malignant cases)	F	-	*0.1*	*0.4*	0.9	5.1	21.1	39.3	36.4	26.7	**13.3**
171-174	Uterus (pre-malignant)	F	-	-	*0.1*	0.9	3.2	2.6	*0.4*	*0.3*	*0.1*	**1.0**
175	Ovary, Fallopian tube and broad ligament	F	*0.1*	*0.3*	1.2	3.0	9.0	25.1	32.5	33.0	26.3	**13.5**
176	Other and unspecified female genital organs	F	*0.1*	*0*	*0*	*0.2*	1.1	2.1	5.5	13.4	22.1	**3.5**
177	Prostate	M	-	*0*	-	-	*0.2*	2.9	27.7	127.0	321.9	**21.1**
178	Testis	M	*0.3*	*0.1*	2.0	4.4	3.7	2.2	*0.9*	*1.2*	*1.5*	**2.0**
179	Other and unspecified male genital organs	M	-	*0*	-	*0.2*	0.9	2.1	3.7	7.9	9.7	**1.7**
180	Kidney	M	1.4	*0.3*	*0*	*0.3*	2.0	5.9	12.6	16.1	18.3	**4.3**
		F	1.8	*0.2*	*0.2*	*0.3*	0.9	2.1	5.2	8.1	8.7	**2.4**
181	Bladder and other urinary organs	M	*0.1*	-	-	0.9	3.2	13.8	40.1	85.1	136.2	**16.5**
		F	-	*0*	-	*0.3*	1.2	3.3	9.4	22.7	37.3	**5.8**
190	Melanoma of skin	M	*0.1*	-	*0.5*	1.0	1.4	1.5	2.3	2.1	5.9	**1.2**
		F	-	*0.1*	1.1	2.1	3.0	3.6	3.3	3.3	5.5	**2.3**
191	Other malignant neoplasm of skin	M	-	*0.1*	*0.4*	3.0	13.3	34.9	65.0	123.6	251.9	**30.0**
		F	*0.1*	*0.2*	*0.3*	2.2	10.3	22.6	39.8	74.6	144.4	**24.2**
192	Eye	M	1.2	*0*	*0*	*0.2*	*0.6*	*0.5*	1.8	*1.7*	*2.9*	**0.7**
		F	*0.7*	*0.1*	*0*	*0.2*	*0.3*	*0.6*	1.2	1.7	*0.6*	**0.6**
193	Brain and other parts of nervous system (including benign neoplasm)	M	3.9	2.3	2.3	3.8	6.1	10.9	17.6	12.2	*3.4*	**6.8**
		F	3.2	1.8	2.0	3.3	5.4	8.5	11.4	7.8	2.9	**5.3**
193	Brain and other parts of nervous system (excluding benign neoplasm)	M	3.4	2.0	1.8	3.3	5.4	8.7	14.6	8.6	*1.9*	**5.6**
		F	2.8	1.6	1.7	2.4	4.0	6.3	8.7	5.6	2.0	**4.0**
194	Thyroid gland	M	-	-	*0.1*	*0.3*	*0.4*	*0.7*	1.4	2.0	*2.7*	**0.6**
		F	-	-	*0.2*	1.0	1.0	2.1	3.0	5.1	7.5	**1.8**
195	Other endocrine glands (including benign neoplasm)	M	*0.8*	*0.3*	*0.4*	*0.3*	*0.6*	1.4	1.6	*1.2*	*0.4*	**0.8**
		F	*0.9*	*0.3*	*0.2*	*0.3*	*0.7*	0.9	1.0	*1.0*	*0.3*	**0.6**
195	Other endocrine glands (excluding benign neoplasm)	M	*0.6*	*0.2*	*0.2*	*0.1*	*0.3*	1.0	1.0	*0.9*	*0.4*	**0.5**
		F	*0.9*	*0.1*	*0.2*	*0.3*	*0.2*	*0.6*	*0.5*	*0.5*	*0.1*	**0.4**
196	Bone	M	*0.1*	*0.6*	1.3	*0.3*	0.9	*0.7*	1.8	3.4	5.0	**1.1**
		F	*0.3*	*0.5*	0.9	*0.5*	*0.2*	*0.4*	1.0	2.4	3.3	**0.9**
197	Connective tissue	M	*0.1*	*0.4*	*0.8*	*0.8*	1.5	1.4	2.0	3.6	5.7	**1.3**
		F	*0.3*	*0.2*	*0.6*	*0.8*	1.1	1.1	1.3	2.4	4.8	**1.2**
198	Lymph nodes (secondary and unspecified)	M	-	*0*	-	*0.3*	*0.3*	1.2	2.6	5.1	6.1	**1.1**
		F	-	-	*0.1*	*0*	*0.3*	1.0	1.4	2.2	3.6	**0.8**
199	Other and unspecified sites	M	*0.1*	*0.1*	*0.1*	*0.4*	1.1	4.5	13.0	22.9	25.0	**4.6**
		F	*0.1*	*0.2*	*0*	*0.5*	1.7	5.5	12.4	20.0	22.0	**5.6**
200	Lymphosarcoma and reticulosarcoma	M	*0.6*	0.7	1.7	1.7	2.3	4.6	8.2	13.7	14.5	**3.8**
		F	*0.3*	*0.5*	*0.7*	*0.7*	1.6	2.9	5.6	8.0	10.1	**2.8**
201	Hodgkin's disease	M	*0.3*	*0.6*	3.1	3.2	2.4	3.1	3.9	4.4	4.4	**2.6**
		F	*0.1*	*0.3*	2.0	1.6	1.0	1.7	2.0	4.0	3.1	**1.6**
202	Other forms of lymphoma (reticulosis)	M	*0.1*	*0*	*0.4*	*0.4*	0.9	1.0	1.6	2.0	*2.7*	**0.8**
		F	*0.3*	*0.1*	*0.3*	*0.1*	*0.2*	*0.6*	1.1	1.5	*1.7*	**0.6**
203	Multiple myeloma (plasmocytoma)	M	-	-	-	*0*	*0.6*	2.1	4.8	8.6	7.6	**1.7**
		F	-	-	*0*	*0*	*0.3*	1.6	4.0	7.0	5.2	**1.7**
204	Leukaemia and aleukaemia	M	3.8	2.4	2.3	1.7	2.7	5.0	11.2	21.1	34.3	**6.0**
		F	3.4	2.0	1.8	1.8	2.4	4.4	7.7	13.4	19.8	**5.1**
205	Mycosis fungoides	M	-	-	-	-	-	*0.2*	*0.4*	*0.5*	*0.4*	**0.1**
		F	-	-	-	-	*0*	*0*	*0.1*	*0.1*	*0.3*	**0**
	All sites	**M**	**13.9**	**8.8**	**17.7**	**31.2**	**90.1**	**285.3**	**789.8**	**1382.2**	**1886.9**	**295.8**
		F	**11.9**	**7.2**	**15.3**	**43.2**	**163.6**	**333.9**	**524.2**	**768.3**	**1024.5**	**265.0**

Table 7 Rates per 100,000 population, by sex, site and age, of newly diagnosed cases of cancer. 1962 — Rural areas of England and Wales

(rates based on under 20 registrations are shown in italics)

ICD (7th Revision) number and site description		Age-group									All ages
		0-	5-	15-	25-	35-	45-	55-	65-	75 and over	
140 Lip	M	-	-	-	-	*1.1*	3.7	10.7	20.7	37.2	**4.5**
	F	-	-	-	*0.2*	*0.2*	-	*0.7*	*0.5*	*1.5*	**0.3**
141 Tongue	M	-	-	-	*0.2*	*0.2*	*0.8*	*1.7*	6.8	*10.2*	**1.1**
	F	-	-	-	-	*0.3*	*1.1*	*1.6*	*1.9*	*6.3*	**0.9**
142 Salivary gland	M	-	*0.1*	*0.2*	*0.2*	*0.9*	*1.8*	*2.5*	*2.5*	*4.8*	**1.0**
	F	-	*0.1*	*0.5*	*0.4*	*1.0*	*1.8*	*1.1*	*1.7*	*3.0*	**0.9**
143 Floor of mouth	M	-	-	-	-	-	*0.5*	*1.3*	*3.4*	*4.2*	**0.6**
	F	-	-	-	-	-	-	*0.5*	*1.0*	*0.7*	**0.2**
144 Other mouth (specified and unspecified)	M	-	-	-	*0.2*	*0.3*	*0.3*	*0.8*	*4.6*	*10.2*	**0.9**
	F	-	-	-	-	*0.2*	*0.3*	*1.1*	*2.9*	*3.0*	**0.6**
145 Oral mesopharynx	M	-	-	-	-	-	*0.5*	*1.5*	*4.3*	*9.0*	**0.8**
	F	-	-	-	-	-	*0.2*	*0.5*	*0.7*	*2.2*	**0.3**
146 Nasopharynx	M	-	-	-	*0.2*	*0.5*	*0.5*	*0.4*	*1.2*	*1.2*	**0.3**
	F	-	-	-	*0.2*	*0.2*	*0.2*	*0.2*	*0.2*	*0.7*	**0.1**
147 Hypopharynx	M	-	-	-	-	-	*0.5*	*2.5*	*3.1*	*4.2*	**0.7**
	F	-	-	-	-	*0.2*	*2.5*	*2.8*	*3.6*	*5.2*	**1.3**
148 Pharynx (unspecified)	M	-	-	*0.1*	-	*0.2*	-	*0.6*	*0.6*	*1.2*	**0.2**
	F	-	-	-	-	-	-	*0.4*	*1.0*	*1.5*	**0.2**
150 Oesophagus	M	-	-	*0.1*	*0.2*	*0.8*	3.4	10.3	24.5	48.6	**5.0**
	F	-	-	-	-	*0.5*	*2.1*	6.2	13.7	28.5	**3.9**
151 Stomach	M	-	-	*0.1*	*1.0*	5.8	17.4	61.3	129.4	153.1	**23.8**
	F	-	-	-	*0.9*	*3.0*	6.9	19.4	56.1	84.5	**13.5**
152 Small intestine, including duodenum	M	-	-	-	*0.2*	-	*0.2*	*0.4*	*3.1*	*1.2*	**0.3**
	F	-	-	-	-	*0.2*	*0.5*	*0.4*	*2.2*	*1.5*	**0.4**
153 Large intestine, except rectum	M	-	*0.1*	*0.5*	*1.0*	3.3	13.4	32.4	69.0	117.0	**14.6**
	F	-	-	*0.8*	*2.0*	4.3	14.2	34.7	68.6	96.7	**18.5**
154 Rectum	M	-	-	*0.1*	*0.3*	*2.8*	11.7	32.4	69.3	102.0	**13.7**
	F	-	-	*0.2*	*0.7*	*2.5*	8.5	15.5	32.7	49.6	**9.1**
155 Biliary passages and liver (specified primary)	M	-	-	*0.1*	*0.2*	*0.5*	*1.8*	5.7	11.1	18.6	**2.4**
	F	-	*0.1*	*0.2*	*0.2*	*0.3*	*1.8*	5.9	13.0	20.4	**3.4**
156 Liver (secondary and unspecified)	M	-	-	-	*0.2*	*0.2*	*0.8*	*2.7*	7.4	*6.6*	**1.2**
	F	-	*0.1*	*0.2*	-	*1.0*	*0.7*	*3.0*	*3.4*	*4.4*	**1.2**
157 Pancreas	M	-	-	-	-	*0.9*	5.1	14.9	26.9	46.2	**5.8**
	F	-	-	-	*0.4*	*1.3*	*2.8*	9.3	18.5	25.9	**4.8**
158 Peritoneum	M	-	-	-	-	*0.2*	*0.2*	*0.8*	*1.5*	*0.6*	**0.2**
	F	-	-	-	*0.2*	*0.7*	-	*1.8*	*2.6*	*2.6*	**0.7**
159 Unspecified digestive organs	M	-	-	-	-	*0.2*	-	*0.2*	*0.3*	-	**0.1**
	F	-	-	-	-	-	-	-	-	*0.7*	**0**
160 Nose, nasal cavities, middle ear, and accessory sinuses	M	*0.3*	-	-	*0.2*	*0.2*	*0.6*	*1.5*	*1.9*	*1.8*	**0.5**
	F	-	-	-	-	*0.5*	*1.0*	*1.2*	*1.9*	*2.2*	**0.6**
161 Larynx	M	-	-	-	-	*0.8*	4.8	9.0	15.8	19.8	**3.5**
	F	-	-	-	*0.2*	*0.2*	*0.5*	*1.4*	*1.2*	*3.3*	**0.6**
162-163 Lung (primary and unspecified)	M	*0.5*	-	*0.1*	*2.7*	11.1	70.4	216.0	266.2	144.1	**57.3**
	F	-	-	-	*0.4*	4.3	12.9	26.7	28.4	21.5	**9.2**
164 Mediastinum	M	-	-	*0.1*	-	*0.3*	*0.2*	*0.4*	*0.3*	-	**0.1**
	F	-	-	-	*0.2*	-	*0.2*	-	-	*0.4*	**0.1**
165 Thoracic organs (secondary)	M	-	-	-	*0.2*	-	*0.2*	*1.0*	*1.5*	*1.2*	**0.3**
	F	*0.3*	-	-	*0.2*	-	*0.2*	*1.1*	*1.2*	*0.7*	**0.3**
170 Breast	M	-	-	*0.1*	*0.2*	-	-	*1.1*	*2.5*	*3.6*	**0.5**
	F	-	-	*0.3*	12.1	45.8	99.3	116.2	129.5	144.5	**54.0**
171 Cervix uteri (including pre-malignant cases)	F	-	-	*0.2*	5.1	29.0	29.3	25.3	24.1	20.4	**14.5**

ICD (7th Revision) number and site description		Age-group									All ages
		0-	5-	15-	25-	35-	45-	55-	65-	75 and over	
172-174 Other parts of uterus (including pre-malignant cases)	F	-	-	0.2	0.7	3.8	21.3	36.8	35.4	24.1	**12.3**
171-174 Uterus (pre-malignant)	F	-	-	-	1.3	2.8	1.0	0.9	1.0	0.7	**0.9**
175 Ovary, Fallopian tube and broad ligament	F	0.3	-	0.6	2.7	8.9	22.4	29.2	29.4	17.4	**11.6**
176 Other and unspecified female genital organs	F	-	-	-	0.4	1.2	2.8	4.8	11.8	24.1	**3.6**
177 Prostate	M	-	-	-	-	0.2	4.3	24.7	104.6	277.9	**19.9**
178 Testis	M	0.8	0.3	1.2	5.4	5.2	3.0	3.1	0.3	1.8	**2.5**
179 Other and unspecified male genital organs	M	-	-	-	-	0.5	0.6	4.2	5.9	14.4	**1.5**
180 Kidney	M	0.8	0.4	0.1	0.2	1.6	5.3	7.9	10.8	12.0	**3.1**
	F	0.5	0.1	-	0.2	0.7	2.9	3.9	6.7	5.9	**2.0**
181 Bladder and other urinary organs	M	0.3	-	-	0.5	1.6	6.9	26.4	61.3	92.4	**11.4**
	F	-	-	-	-	0.2	1.6	5.7	15.4	25.6	**3.7**
190 Melanoma of skin	M	-	-	0.2	1.0	1.4	1.0	1.5	2.8	4.8	**1.0**
	F	-	-	0.6	2.9	3.6	4.4	2.7	2.6	5.6	**2.3**
191 Other malignant neoplasm of skin	M	-	-	0.7	2.4	10.6	27.7	60.0	116.7	248.5	**28.4**
	F	-	-	0.5	2.9	7.2	20.8	35.2	72.5	134.5	**22.4**
192 Eye	M	0.5	-	-	-	0.2	1.1	1.5	0.6	1.2	**0.5**
	F	0.8	-	-	-	0.5	0.8	0.9	1.4	1.9	**0.6**
193 Brain and other parts of nervous system (including benign neoplasm)	M	4.6	1.5	1.2	3.6	6.6	10.4	17.4	10.2	1.2	**6.1**
	F	2.4	0.7	1.8	3.8	7.1	7.4	8.0	10.1	3.3	**4.9**
193 Brain and other part of nervous system (excluding benign neoplasm)	M	3.8	1.2	1.0	3.2	5.2	8.8	14.8	8.7	0.6	**5.1**
	F	2.4	0.6	1.0	2.7	4.8	4.4	5.2	6.7	2.2	**3.3**
194 Thyroid gland	M	-	-	0.1	-	0.6	0.5	1.7	3.1	4.8	**0.7**
	F	-	-	0.2	1.1	0.7	1.8	3.6	3.9	7.0	**1.6**
195 Other endocrine glands (including benign neoplasm)	M	0.5	0.5	0.1	-	1.3	1.3	0.2	-	1.8	**0.6**
	F	0.5	0.1	0.6	0.4	0.2	0.5	0.7	0.7	0.4	**0.4**
195 Other endocrine glands (excluding benign neoplasm)	M	0.5	0.4	0.1	-	0.6	0.5	0.2	-	1.8	**0.4**
	F	0.5	0.1	0.6	0.2	0.2	0.2	0.7	0.7	0.4	**0.4**
196 Bone	M	-	0.5	0.6	0.7	0.5	1.4	1.5	1.9	2.4	**0.9**
	F	-	0.4	0.6	0.2	0.5	0.3	0.9	2.4	1.9	**0.7**
197 Connective tissue	M	-	0.5	0.6	0.8	1.1	1.1	2.1	4.3	4.2	**1.2**
	F	0.3	-	0.2	0.7	0.8	1.5	1.1	2.2	3.3	**0.9**
198 Lymph nodes (secondary and unspecified)	M	-	-	-	0.2	0.6	1.0	2.1	3.4	4.2	**0.8**
	F	-	0.1	0.2	-	-	0.3	0.9	1.2	3.0	**0.5**
199 Other and unspecified sites	M	0.5	-	-	0.7	1.3	3.8	10.2	15.5	20.4	**3.6**
	F	-	-	-	-	1.8	5.1	8.4	16.1	18.9	**4.4**
200 Lymphosarcoma and reticulosarcoma	M	0.8	0.5	1.6	1.2	2.8	3.5	6.3	9.0	16.2	**3.2**
	F	0.3	0.4	0.5	0.7	1.6	1.8	5.2	7.5	8.2	**2.4**
201 Hodgkin's disease	M	-	0.7	2.3	2.5	2.1	2.9	3.3	2.8	3.6	**2.1**
	F	-	-	1.6	2.6	0.8	0.7	1.8	3.1	2.2	**1.3**
202 Other forms of lymphoma (reticulosis)	M	0.5	0.1	0.2	0.5	0.6	1.0	1.7	1.5	1.2	**0.7**
	F	-	0.1	0.2	-	0.5	0.7	0.5	0.5	2.2	**0.4**
203 Multiple myeloma (plasmocytoma)	M	-	-	-	0.3	0.3	1.8	3.8	7.7	7.8	**1.5**
	F	-	-	-	-	0.2	2.0	3.9	5.1	5.6	**1.5**
204 Leukaemia and aleukaemia	M	5.1	2.8	2.3	2.5	3.6	5.4	12.3	21.4	31.8	**6.6**
	F	5.6	2.3	2.1	2.2	3.8	4.3	7.3	12.5	15.9	**5.3**
205 Mycosis fungoides	M	-	-	-	-	-	-	0.4	0.6	0.6	**0.1**
	F	-	-	-	-	-	-	0.2	0.2	-	**0**
All sites	**M**	**15.0**	**8.2**	**13.3**	**29.5**	**72.8**	**222.5**	**604.6**	**1062.5**	**1500.0**	**236.0**
	F	**11.0**	**4.9**	**12.1**	**44.9**	**139.4**	**290.1**	**438.5**	**651.4**	**842.9**	**222.8**

Table 8 **Rates per 100,000 population, by sex and site, of newly diagnosed cases of cancer. 1962**

Hospital region of residence

(rates based on under 20 registrations are shown in italics)

ICD (7th Revision) number and site description		Region of residence															
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool	**All regions**
140 Lip	M	2.7	1.6	2.3	7.7	1.4	1.5	2.7	1.5	3.0	4.2	4.5	4.1	2.4	1.8	2.0	**2.6**
	F	*0.2*	*0.4*	*0.4*	*0.3*	*0.5*	*0.4*	*0.5*	*0.2*	*0.7*	*0.5*	*0.1*	*0.2*	*0.1*	*0.2*	*0.2*	**0.3**
141 Tongue	M	2.1	1.3	1.5	*2.1*	1.7	1.4	2.3	*0.1*	*0.7*	*1.5*	*1.3*	*1.2*	1.8	1.8	*1.5*	**1.6**
	F	*0.8*	*0.8*	*0.8*	*0.8*	1.0	*0.8*	*0.7*	*0.9*	*0.8*	*0.8*	*0.1*	*0.9*	*0.7*	*0.7*	*0.9*	**0.9**
142 Salivary gland	M	*1.1*	*1.1*	1.2	*1.4*	*0.6*	*1.2*	1.4	*1.2*	*0.6*	*1.2*	1.8	*0.8*	1.0	*0.4*	*0.9*	**1.0**
	F	*1.2*	*1.1*	1.0	*1.1*	*0.6*	*1.1*	1.4	1.5	*0.7*	*0.7*	1.5	*1.1*	1.5	*0.5*	1.8	**1.1**
143 Floor of mouth	M	*1.2*	*0.9*	*0.5*	*0.4*	*0.3*	*0.4*	*0.6*	*0.9*	*0.7*	*0.5*	*0.6*	*0.6*	1.0	1.0	*1.7*	**0.8**
	F	*0.3*	*0.3*	*0.2*	*0.5*	*0.1*	*0.1*	*0.2*	*0.3*	–	*0.2*	*0.1*	*0.4*	*0.2*	–	*0.3*	**0.2**
144 Other mouth (specified and unspecified)	M	1.5	1.3	1.0	*1.5*	1.1	*0.8*	*0.9*	1.3	*1.6*	*0.6*	*1.0*	*1.4*	1.0	1.4	*1.5*	**1.2**
	F	*0.8*	*1.0*	*0.5*	*1.0*	*0.6*	*0.8*	*0.8*	*0.6*	*1.0*	*0.9*	*1.0*	*0.9*	*0.6*	*0.7*	*0.7*	**0.8**
145 Oral mesopharynx	M	*0.7*	*0.8*	*0.7*	*1.2*	1.1	*0.8*	*0.9*	*0.9*	*0.6*	*1.0*	*0.7*	*1.0*	1.0	1.1	*1.1*	**0.9**
	F	*0.3*	*0.2*	*0.3*	*0.6*	*0.3*	*0.1*	*0.3*	*0.4*	*0.6*	*0.1*	*0.6*	*0.2*	*0.3*	*0.3*	*0.3*	**0.3**
146 Nasopharynx	M	*0.2*	*0.7*	*0.6*	*0.6*	*0.3*	*0.9*	*0.9*	*0.5*	*0.2*	*0.6*	*0.5*	*0.3*	0.9	*0.2*	*0.8*	**0.5**
	F	–	*0.5*	*0.3*	–	*0.4*	*0.2*	*0.1*	*0.3*	*0.1*	*0.1*	*0.3*	*0.4*	*0.2*	*0.2*	–	**0.2**
147 Hypopharynx	M	*0.7*	*0.8*	*0.6*	*0.9*	*0.6*	*0.9*	*0.9*	*1.0*	*1.0*	*1.4*	1.7	1.5	1.1	0.9	*1.0*	**1.0**
	F	*1.0*	1.4	1.2	*1.6*	*0.6*	*0.1*	*0.5*	*0.7*	*1.1*	*0.9*	*1.3*	1.9	1.2	2.0	*0.9*	**1.1**
148 Pharynx (unspecified)	M	*0.1*	*0.1*	*0.4*	–	*0.6*	*0.3*	*0.4*	*0.8*	*0.5*	*0.1*	*0.2*	*0.5*	*0.5*	*0.4*	*1.0*	**0.4**
	F	*0.5*	*0.2*	*0.2*	*0.3*	*0.3*	*0.5*	*0.1*	*0.2*	*0.2*	*0.1*	*0.2*	*0.1*	*0.3*	*0.3*	*0.2*	**0.2**
150 Oesophagus	M	5.0	5.0	4.6	3.7	4.4	4.9	6.0	5.8	4.6	4.6	6.0	5.7	5.6	5.2	5.9	**5.2**
	F	4.6	4.0	3.1	5.7	2.6	3.5	3.0	3.7	4.2	4.0	5.9	5.5	3.4	3.6	6.4	**4.0**
151 Stomach	M	35.9	29.2	28.2	30.1	15.2	29.6	26.5	21.9	23.7	26.0	30.3	37.5	29.5	25.7	38.3	**28.1**
	F	21.8	20.4	16.5	19.9	11.3	16.4	14.9	14.1	12.1	16.4	18.1	24.0	18.3	16.9	23.8	**17.4**

152	Small intestine, including duodenum	M	0.6	0.8	0.4	0.3	0.5	0.7	1.0	0.3	0.3	0.6	0.5	0.4	0.6	0.3	0.4	**0.5**
		F	0.5	0.9	0.4	0.5	0.4	0.8	0.5	0.7	0.2	0.5	0.5	0.3	0.5	0.4	0.3	**0.5**
153	Large intestine, except rectum	M	18.4	17.5	14.9	20.4	10.6	16.4	16.7	13.5	12.3	17.7	20.0	16.6	17.3	13.7	19.4	**16.0**
		F	22.5	24.3	20.3	22.4	13.9	22.5	23.9	20.3	19.1	24.5	26.0	21.9	20.8	19.6	25.6	**21.4**
154	Rectum	M	18.7	16.3	17.9	18.1	10.4	16.8	15.2	13.6	13.9	16.8	19.1	15.5	18.5	14.4	16.1	**16.0**
		F	11.1	12.8	11.5	16.5	8.2	11.8	13.8	11.2	11.8	11.3	13.1	11.6	12.0	10.6	14.1	**11.8**
155	Biliary passages and liver (specified primary)	M	2.6	3.1	2.8	3.5	2.3	2.9	2.5	3.2	2.1	3.5	3.6	2.8	2.5	2.2	3.4	**2.8**
		F	3.6	3.9	3.7	3.9	2.1	4.0	3.6	3.6	2.8	5.3	4.6	3.4	3.8	2.5	4.4	**3.6**
156	Liver (secondary and unspecified)	M	2.6	1.8	1.4	1.0	1.2	1.8	1.8	0.7	1.2	1.8	0.9	1.1	1.8	1.4	1.9	**1.5**
		F	2.2	0.9	1.3	0.4	0.9	0.8	1.3	0.9	1.3	1.5	1.3	1.1	1.6	1.8	1.0	**1.3**
157	Pancreas	M	7.3	8.1	7.3	9.9	5.2	7.6	7.1	7.6	6.7	8.1	8.9	7.7	7.5	5.7	9.0	**7.4**
		F	7.2	6.4	5.3	6.4	3.5	5.9	6.1	5.9	5.8	7.0	6.7	5.8	5.6	4.6	8.4	**5.8**
158	Peritoneum	M	0.3	0.1	0.6	0.5	0.5	0.7	0.4	0.4	0.6	0.4	0.4	0.3	0.2	0.2	0.4	**0.4**
		F	0.7	0.2	0.9	0.6	0.6	0.8	0.7	0.6	1.2	1.7	0.9	0.4	0.2	0.4	0.5	**0.6**
159	Unspecified digestive organs	M	0.1	-	0.1	-	0.2	0.1	-	-	0.1	-	0.2	-	-	0	-	**0.1**
		F	0.1	0.1	0	-	0	-	-	-	0.2	-	-	-	-	-	-	**0**
160	Nose, nasal cavities, middle ear and accessory sinuses	M	0.7	0.7	0.4	0.8	0.6	0.7	0.8	0.3	0.5	1.0	1.0	0.8	1.2	0.7	0.8	**0.7**
		F	0.9	0.9	0.4	1.1	0.7	0.6	0.7	0.9	0.4	0.7	0.8	0.7	0.7	0.8	0.7	**0.7**
161	Larynx	M	4.4	5.8	4.7	4.8	4.1	5.2	5.4	4.0	3.8	3.4	4.6	5.6	3.9	5.4	4.7	**4.7**
		F	1.0	0.7	0.5	1.1	0.7	0.4	1.1	0.7	0.8	0.8	0.5	0.7	0.4	0.8	0.8	**0.7**
162-163	Lung (primary and unspecified)	M	86.0	85.4	76.8	81.2	75.1	97.5	96.0	82.8	68.4	74.7	76.1	73.7	84.6	76.2	102.9	**82.5**
		F	11.2	13.3	10.1	9.9	13.1	15.3	15.4	14.8	12.5	13.9	13.8	7.9	11.7	10.8	14.2	**12.5**
164	Mediastinum	M	0.1	0.1	0.2	0.4	0.2	0.3	0.3	0.4	-	0.1	0.1	0.1	0	0	0.1	**0.2**
		F	0.2	0.1	0.1	0.1	0.1	-	0.1	0.4	0.1	0.2	0.1	0.1	0	-	0.1	**0.1**
165	Thoracic organs (secondary)	M	0.4	0.9	0.4	0.5	0.5	0.6	0.4	0.2	0.1	0.6	0.3	0.3	0.6	0.8	0.4	**0.5**
		F	0.5	0.3	0.3	0.4	0.5	0.5	0.3	0.4	0.4	0.4	0.4	0.3	0.4	0.1	0.1	**0.3**
170	Breast	M	0.5	0.7	0.5	0.8	0.5	0.7	0.9	0.8	1.1	0.8	0.5	0.3	0.5	0.4	0.6	**0.6**
		F	54.0	61.7	57.7	70.0	55.3	67.7	66.0	64.0	64.5	62.9	75.5	56.2	65.8	52.6	51.4	**61.2**
171	Cervix uteri (including pre-malignant cases)	F	21.9	22.5	22.3	18.5	16.9	14.9	12.6	12.3	15.4	17.7	18.1	18.6	18.6	21.3	19.5	**18.2**
172-174	Other parts of uterus (including pre-malignant cases)	F	11.6	12.1	13.3	16.1	11.1	14.4	13.6	13.5	11.7	12.4	17.7	13.4	14.0	10.9	11.8	**13.1**

Table 8 – *continued*

Hospital region of residence, 1962

ICD (7th Revision) number and site description		Region of residence															
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool	All regions
171-174 Uterus (pre-malignant)	F	*0.8*	*0.5*	1.4	*0.5*	1.1	*0.6*	*0.2*	*0.7*	*0.1*	*2.0*	*0.1*	*0.6*	2.4	0.9	*1.5*	**1.0**
175 Ovary, Fallopian tube and broad ligament	F	12.3	16.0	14.2	13.9	10.5	11.2	13.5	14.5	12.1	10.8	16.4	11.7	16.0	11.4	10.7	**13.2**
176 Other and unspecified female genital organs	F	3.2	5.5	3.8	3.5	2.6	3.0	3.8	3.0	4.1	2.8	3.9	3.4	3.8	3.7	2.9	**3.5**
177 Prostate	M	18.7	23.1	19.3	28.1	13.7	21.9	23.4	19.7	21.1	25.0	31.0	19.5	21.3	17.9	18.5	**20.9**
178 Testis	M	*1.2*	2.6	2.0	2.8	1.9	1.8	2.1	3.4	2.7	2.4	2.3	2.4	1.7	1.6	2.9	**2.1**
179 Other and unspecified male genital organs	M	2.4	1.7	1.6	*1.9*	1.5	1.5	*1.1*	*0.9*	*1.1*	*1.6*	*1.3*	1.5	2.0	2.0	2.2	**1.6**
180 Kidney	M	5.1	4.7	3.8	3.9	3.4	4.0	4.0	4.2	3.7	2.9	4.7	4.5	4.4	4.1	2.8	**4.1**
	F	2.5	2.4	2.1	*1.5*	1.8	2.6	3.8	2.4	2.6	*2.3*	2.3	2.2	2.5	1.7	2.4	**2.4**
181 Bladder and other urinary organs	M	14.7	17.0	16.5	17.0	12.0	15.9	18.9	17.5	17.0	12.8	20.3	13.7	13.2	13.2	14.4	**15.4**
	F	3.9	6.4	5.4	5.3	5.0	6.7	7.1	6.8	5.1	5.5	7.0	3.3	4.2	4.5	6.1	**5.4**
190 Melanoma of skin	M	*1.2*	*0.9*	1.9	*1.4*	1.2	*1.2*	1.8	*0.9*	*1.0*	*0.8*	1.6	*1.0*	1.3	*0.8*	*1.1*	**1.2**
	F	2.1	1.8	2.0	3.1	1.9	1.8	3.0	2.3	2.8	2.5	3.2	2.5	2.4	2.1	2.0	**2.3**
191 Other malignant neoplasm of skin	M	31.0	27.5	25.1	40.6	22.8	28.4	32.3	26.6	32.6	27.1	41.4	31.7	28.0	28.3	34.4	**29.6**
	F	28.2	23.3	19.4	27.1	16.9	22.2	26.3	21.4	23.5	20.7	29.4	26.2	23.8	26.9	27.0	**23.8**
192 Eye	M	*0.5*	*0.5*	*0.6*	*0.6*	*0.7*	*0.9*	*0.6*	*0.6*	*0.7*	*1.1*	*0.5*	*0.8*	*0.8*	*0.3*	*0.7*	**0.6**
	F	*0.8*	*0.5*	*0.5*	*0.6*	*0.6*	*0.5*	*0.6*	*0.5*	*0.3*	*0.4*	*0.3*	*0.7*	0.9	*0.3*	*0.6*	**0.6**
193 Brain and other parts of nervous system (including benign neoplasm)	M	6.7	5.8	7.3	5.1	5.8	7.8	6.8	7.2	7.0	5.1	7.3	6.7	6.8	6.1	7.3	**6.7**
	F	4.8	3.5	4.9	7.2	4.7	4.7	5.5	6.6	7.0	5.6	6.2	5.1	5.1	4.4	5.4	**5.2**

193	Brain and other parts of nervous system (excluding benign neoplasm)	M	4.9	4.5	5.9	3.9	4.1	6.7	5.8	5.9	6.0	4.9	6.1	5.5	6.6	4.9	5.1	**5.5**
		F	2.9	3.0	3.2	4.8	3.5	3.7	4.5	4.6	5.0	4.7	4.3	3.2	4.8	3.5	3.5	**3.9**
194	Thyroid gland	M	0.4	0.7	0.5	0.8	0.5	0.7	1.0	0.5	0.7	0.7	0.4	0.8	0.7	0.4	0.6	**0.6**
		F	1.5	1.5	1.8	2.1	1.7	1.9	1.9	1.4	1.7	2.8	2.3	1.9	1.7	1.2	2.3	**1.8**
195	Other endocrine glands (including benign neoplasm)	M	0.4	0.9	0.5	0.8	0.7	0.7	0.8	0.5	0.7	0.6	0.8	0.7	1.3	0.6	0.8	**0.7**
		F	0.3	0.5	0.6	1.0	0.5	0.4	1.0	0.4	0.4	0.2	0.6	0.2	0.8	0.7	0.9	**0.6**
195	Other endocrine glands (excluding benign neoplasm)	M	0.4	0.3	0.4	0.6	0.4	0.3	0.4	0.5	0.5	0.5	0.4	0.5	1.1	0.2	0.5	**0.5**
		F	0.2	0.2	0.2	0.9	0.2	0.1	0.7	0.2	0.3	0.2	0.3	0.1	0.8	0.4	0.7	**0.4**
196	Bone	M	1.5	0.9	0.8	1.2	0.8	1.6	0.8	0.6	1.0	1.2	1.6	1.2	1.0	1.1	1.2	**1.1**
		F	0.6	1.2	0.9	0.8	0.6	0.6	1.0	0.8	1.0	1.1	1.1	0.7	0.8	0.8	0.7	**0.8**
197	Connective tissue	M	1.2	1.2	1.6	1.5	1.3	1.1	1.3	1.3	0.9	1.1	1.3	0.9	1.8	1.4	0.8	**1.3**
		F	0.8	0.9	1.0	1.3	1.1	1.2	1.3	0.9	0.7	1.2	1.3	0.4	1.6	1.1	1.7	**1.1**
198	Lymph nodes (secondary and unspecified)	M	1.9	1.3	1.0	0.6	0.7	0.8	0.6	0.7	1.0	0.1	0.7	1.2	1.7	1.4	1.1	**1.0**
		F	0.7	0.8	0.5	0.5	0.6	0.6	0.9	0.6	1.1	0.2	0.9	0.7	0.8	0.9	0.4	**0.7**
199	Other and unspecified sites	M	3.5	5.6	5.2	6.9	3.8	7.1	4.1	4.7	3.5	5.1	4.4	4.0	3.5	3.1	2.7	**4.4**
		F	5.0	6.1	5.4	9.3	4.6	7.9	5.0	6.1	4.5	5.3	5.8	4.3	5.0	3.5	5.0	**5.3**
200	Lymphosarcoma and reticulosarcoma	M	3.8	3.9	3.5	3.0	3.8	3.9	4.0	4.1	3.8	3.5	4.5	3.4	3.8	3.1	3.6	**3.7**
		F	2.1	2.5	1.7	2.1	3.0	3.0	2.9	3.9	2.3	3.0	4.2	2.0	3.1	2.3	2.8	**2.7**
201	Hodgkin's disease	M	2.4	2.4	2.5	2.2	2.3	3.1	2.6	2.8	1.4	2.8	2.1	2.3	3.0	2.1	2.9	**2.5**
		F	1.6	2.1	1.9	1.3	1.4	1.3	1.4	1.7	1.3	1.0	1.8	1.7	1.6	1.2	2.3	**1.6**
202	Other forms of lymphoma (reticulosis)	M	0.6	0.6	0.7	1.2	0.9	1.5	0.5	0.8	0.9	0.7	0.9	0.5	0.8	0.6	0.6	**0.8**
		F	0.4	0.2	0.7	0.9	0.7	0.5	0.5	0.6	0.6	0.6	0.5	0.4	0.7	0.3	0.6	**0.5**
203	Multiple myeloma (plasmocytoma)	M	1.8	1.8	1.6	2.3	1.8	1.6	2.0	1.3	2.0	0.8	2.4	1.8	1.8	1.1	0.8	**1.7**
		F	1.9	1.9	1.4	1.6	0.9	1.6	1.6	2.8	1.6	2.0	2.1	1.9	1.5	1.1	1.7	**1.6**
204	Leukaemia and aleukaemia	M	6.7	5.5	6.4	4.5	4.5	6.3	5.9	6.3	5.2	8.4	7.7	6.8	6.0	5.7	6.8	**6.1**
		F	5.2	5.2	7.4	5.2	3.8	4.8	4.9	5.5	3.6	5.3	5.7	4.6	5.3	4.3	5.8	**5.2**
205	Mycosis fungoides	M	–	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.3	–	0.1	–	0.1	0.2	0.3	**0.1**
		F	–	0.1	0	–	0	–	0.1	0.1	0.2	0.1	–	0.1	0	0	–	**0**
	All sites	M	299.7	292.9	271.6	318.4	222.8	306.5	306.8	268.1	256.8	275.0	322.1	285.0	289.4	256.5	322.1	**283.2**
		F	258.1	273.8	248.0	288.2	209.4	260.7	268.4	255.4	246.5	260.1	305.3	252.3	264.6	235.0	269.5	**256.8**

Table 9 Registrations of newly diagnosed cases of cancer by sex, site and age. 1963

England and Wales

ICD (7th Revision) number and site description		Age-group																		Age not stated	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over		
140 Lip	M	-	-	1	-	-	4	3	10	25	32	37	72	89	77	81	80	59	22	3	595
	F	-	-	-	-	-	-	1	-	1	2	4	5	11	8	7	16	8	6	-	69
	Persons	-	-	1	-	-	4	4	10	26	34	41	77	100	85	88	96	67	28	3	664
141 Tongue	M	-	-	-	-	-	2	1	5	8	11	23	29	47	39	61	50	39	22	-	337
	F	-	-	1	-	-	1	1	6	3	6	9	13	22	35	33	29	28	15	-	202
	Persons	-	-	1	-	-	3	2	11	11	17	32	42	69	74	94	79	67	37	-	539
142 Salivary gland	M	-	-	-	4	11	10	25	20	19	30	27	24	31	24	17	11	16	3	-	272
	F	-	1	2	2	8	9	14	22	25	29	25	37	29	22	16	21	19	9	1	291
	Persons	-	1	2	6	19	19	39	42	44	59	52	61	60	46	33	32	35	12	1	563
143 Floor of mouth	M	-	-	-	-	-	-	-	-	-	7	5	19	26	19	31	26	16	8	-	157
	F	-	-	-	-	-	-	-	-	2	3	4	8	6	5	5	8	4	5	-	50
	Persons	-	-	-	-	-	-	-	-	2	10	9	27	32	24	36	34	20	13	-	207
144 Other mouth (specified and unspecified)	M	-	-	-	-	1	-	4	-	12	6	12	23	33	45	44	39	29	18	1	267
	F	-	-	-	-	1	2	2	4	5	3	13	25	25	23	26	29	16	14	-	188
	Persons	-	-	-	-	2	2	6	4	17	9	25	48	58	68	70	68	45	32	1	455
145 Oral mesopharynx	M	1	-	-	2	-	1	2	1	5	5	19	17	38	30	26	27	21	15	1	211
	F	-	-	-	1	-	-	-	1	2	5	9	6	10	10	16	9	3	2	-	74
	Persons	1	-	-	3	-	1	2	2	7	10	28	23	48	40	42	36	24	17	1	285
146 Nasopharynx	M	-	1	1	4	2	4	1	4	11	7	11	16	21	13	9	1	1	2	-	109
	F	-	-	-	1	2	-	1	1	2	1	4	12	11	5	11	5	3	2	-	61
	Persons	-	1	1	5	4	4	2	5	13	8	15	28	32	18	20	6	4	4	-	170
147 Hypopharynx	M	-	1	-	1	-	1	-	1	2	3	13	33	31	44	44	35	12	7	-	228
	F	-	-	-	-	-	1	6	8	15	17	24	35	34	33	34	31	12	6	-	256
	Persons	-	1	-	1	-	2	6	9	17	20	37	68	65	77	78	66	24	13	-	484
148 Pharynx (unspecified)	M	-	-	-	-	-	1	-	2	-	1	8	14	14	16	12	11	9	4	-	92
	F	-	-	-	-	-	-	1	4	1	9	3	3	9	9	11	5	9	3	-	67
	Persons	-	-	-	-	-	1	1	6	1	10	11	17	23	25	23	16	18	7	-	159
150 Oesophagus	M	-	-	-	-	-	1	2	4	21	37	89	128	205	188	241	163	114	56	2	1,251
	F	-	-	-	-	1	-	2	5	16	43	56	80	122	167	161	157	117	59	2	988
	Persons	-	-	-	-	1	1	4	9	37	80	145	208	327	355	402	320	231	115	4	2,239
151 Stomach	M	-	-	-	1	3	6	22	74	126	284	556	887	1,126	1,186	1,056	780	380	140	3	6,630
	F	-	-	-	-	2	9	21	28	76	116	243	345	531	682	788	716	493	250	-	4,300
	Persons	-	-	-	1	5	15	43	102	202	400	799	1,232	1,657	1,868	1,844	1,496	873	390	3	10,930
152 Small intestine, including duodenum	M	-	-	-	2	-	-	4	4	4	9	12	10	26	16	13	9	3	-	-	112
	F	-	-	-	-	2	-	3	2	1	7	10	6	16	21	23	17	15	2	-	125
	Persons	-	-	-	2	2	-	7	6	5	16	22	16	42	37	36	26	18	2	-	237

153 Large intestine, except rectum	M	-	-	2	7	6	18	25	54	114	161	310	417	575	623	648	546	344	155	1	4,006
	F	-	1	5	14	10	21	34	59	135	221	339	525	658	841	909	809	555	310	8	5,454
	Persons	-	1	7	21	16	39	59	113	249	382	649	942	1,233	1,464	1,557	1,355	899	465	9	9,460
154 Rectum	M	-	-	-	2	5	6	18	34	72	135	274	428	630	631	672	533	307	147	4	3,898
	F	-	-	-	1	2	4	17	36	83	110	235	319	442	478	489	454	326	174	3	3,173
	Persons	-	-	-	3	7	10	35	70	155	245	509	747	1,072	1,109	1,161	987	633	321	7	7,071
155 Biliary passages and liver (specified primary)	M	5	-	-	-	2	1	4	6	18	30	53	67	106	128	97	76	47	17	-	657
	F	5	-	3	-	3	1	4	10	11	25	36	81	100	134	146	157	97	39	-	852
	Persons	10	-	3	-	5	2	8	16	29	55	89	148	206	262	243	233	144	56	-	1,509
156 Liver (secondary and unspecified)	M	1	-	-	-	-	-	3	6	9	17	42	61	81	85	67	39	22	7	1	441
	F	-	-	-	-	-	1	4	2	7	14	35	37	49	67	61	45	41	12	2	377
	Persons	1	-	-	-	-	1	7	8	16	31	77	98	130	152	128	84	63	19	3	818
157 Pancreas	M	1	-	-	-	-	-	7	13	47	87	140	269	327	305	303	228	125	51	1	1,904
	F	-	-	-	-	-	1	5	9	19	47	90	133	211	239	313	267	158	86	1	1,579
	Persons	1	-	-	-	-	1	12	22	66	134	230	402	538	544	616	495	283	137	2	3,483
158 Peritoneum	M	6	1	-	1	1	1	3	3	3	3	12	11	13	11	4	8	6	-	-	87
	F	2	-	-	1	-	-	2	2	6	5	11	15	21	27	17	17	6	2	-	134
	Persons	8	1	-	2	1	1	5	5	9	8	23	26	34	38	21	25	12	2	-	221
159 Unspecified digestive organs	M	-	-	-	-	-	-	-	-	1	-	3	4	5	1	4	2	1	1	-	22
	F	-	-	-	-	-	-	-	-	-	-	2	4	3	-	2	2	-	-	-	13
	Persons	-	-	-	-	-	-	-	-	1	-	5	8	8	1	6	4	1	1	-	35
160 Nose, nasal cavities, middle ear and accessory sinuses	M	-	-	1	-	1	-	-	7	4	12	20	33	30	32	29	14	9	5	-	197
	F	1	-	1	1	2	2	1	6	10	5	11	19	28	23	21	22	13	5	-	171
	Persons	1	-	2	1	3	2	1	13	14	17	31	52	58	55	50	36	22	10	-	368
161 Larynx	M	-	-	-	-	1	1	1	12	30	48	85	160	225	190	137	80	49	22	1	1,042
	F	-	-	-	-	-	-	-	3	8	7	25	25	25	31	23	9	13	2	1	172
	Persons	-	-	-	-	1	1	1	15	38	55	110	185	250	221	160	89	62	24	2	1,214
162-163 Lung (primary and unspecified)	M	2	-	-	3	4	16	67	177	432	949	2,106	3,391	4,457	3,771	2,518	1,367	491	125	28	19,904
	F	-	-	3	2	1	4	15	43	113	242	368	471	579	551	427	319	164	65	4	3,371
	Persons	2	-	3	5	5	20	82	220	545	1,191	2,474	3,862	5,036	4,322	2,945	1,686	655	190	32	23,275
164 Mediastinum	M	2	-	1	-	2	-	-	1	1	3	4	4	4	7	3	3	-	-	-	35
	F	-	-	-	-	-	-	1	1	-	-	1	3	4	3	1	2	-	-	-	16
	Persons	2	-	1	-	2	-	1	2	1	3	5	7	8	10	4	5	-	-	-	51
165 Thoracic organs (secondary)	M	-	-	-	1	-	1	1	-	5	6	9	19	18	28	14	14	4	2	-	122
	F	-	-	-	-	1	-	-	-	4	4	8	8	17	12	12	12	6	2	-	86
	Persons	-	-	-	1	1	1	1	-	9	10	17	27	35	40	26	26	10	4	-	208
170 Breast	M	-	-	-	-	-	-	1	3	3	9	12	18	21	19	27	18	9	5	-	145
	F	-	-	-	2	16	78	245	637	1,363	1,740	1,881	1,980	2,073	1,811	1,645	1,217	765	404	23	15,880
	Persons	-	-	-	2	16	78	246	640	1,366	1,749	1,893	1,998	2,094	1,830	1,672	1,235	774	409	23	16,025
171 Cervix uteri (including pre-malignant cases)	F	-	-	-	2	13	57	177	389	698	691	631	542	459	383	302	213	112	60	2	4,731

ICD (7th Revision) number and site description		Age-group																	Age not stated	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	
172-174 Other parts of uterus (including pre-malignant cases)	F	1	-	-	1	6	9	17	40	110	255	458	615	583	470	335	177	97	31	3	3,208
171-174 Uterus (pre-malignant)	F	-	-	-	1	8	24	55	62	94	75	48	17	13	14	2	1	-	2	-	416
175 Ovary, Fallopian tube and broad ligament	F	3	2	2	24	16	28	50	94	232	336	465	513	514	446	328	212	110	43	6	3,424
176 Other and unspecified female genital organs	F	1	-	-	-	1	3	9	19	31	28	48	77	110	144	146	134	117	55	1	924
177 Prostate	M	-	1	-	1	1	-	-	2	5	28	83	242	488	747	1,071	1,019	745	399	8	4,840
178 Testis	M	9	1	-	16	40	68	83	74	45	42	33	31	18	8	11	3	2	-	-	484
179 Other and unspecified male genital organs	M	-	-	-	1	-	-	1	3	9	16	25	41	45	47	45	35	25	16	-	309
180 Kidney	M	42	8	1	2	1	6	9	18	46	81	127	161	151	137	120	56	38	16	2	1,022
	F	26	8	2	-	2	3	4	7	23	28	45	61	73	93	70	68	40	21	-	574
	Persons	68	16	3	2	3	9	13	25	69	109	172	222	224	230	190	124	78	37	2	1,596
181 Bladder and other urinary organs	M	4	-	-	2	4	3	11	29	57	127	250	456	654	660	623	482	268	149	14	3,793
	F	1	-	-	1	1	1	5	13	20	35	81	125	152	184	236	205	159	76	4	1,299
	Persons	5	-	-	3	5	4	16	42	77	162	331	581	806	844	859	687	427	225	18	5,092
190 Melanoma of skin	M	-	2	-	9	9	11	19	14	32	23	20	25	17	28	31	11	19	7	-	277
	F	1	1	2	16	20	21	29	50	52	48	57	50	51	39	41	38	23	13	2	554
	Persons	1	3	2	25	29	32	48	64	84	71	77	75	68	67	72	49	42	20	2	831
191 Other malignant neoplasm of skin	M	-	-	1	3	7	25	58	163	345	445	734	925	1,036	991	953	860	499	370	42	7,457
	F	-	2	-	3	10	15	63	113	220	313	458	556	681	786	908	852	635	436	30	6,081
	Persons	-	2	1	6	17	40	121	276	565	758	1,192	1,481	1,717	1,777	1,861	1,712	1,134	806	72	13,538
192 Eye	M	18	3	-	3	-	5	2	7	8	14	15	14	14	15	7	11	1	3	-	140
	F	15	3	-	1	1	1	-	7	9	6	15	13	15	5	8	10	4	-	-	113
	Persons	33	6	-	4	1	6	2	14	17	20	30	27	29	20	15	21	5	3	-	253
193 Brain and other parts of nervous system (including benign neoplasm)	M	67	56	40	37	32	47	76	81	115	135	215	245	195	128	63	16	7	4	1	1,560
	F	56	41	37	25	19	29	50	63	88	110	165	172	149	125	67	23	13	3	4	1,239
	Persons	123	97	77	62	51	76	126	144	203	245	380	417	344	253	130	39	20	7	5	2,799
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	66	55	37	29	26	40	63	65	96	121	194	222	172	112	55	10	4	4	1	1,372
	F	54	39	36	24	16	22	41	43	63	75	116	129	112	92	44	11	9	2	2	930
	Persons	120	94	73	53	42	62	104	108	159	196	310	351	284	204	99	21	13	6	3	2,302
194 Thyroid gland	M	1	-	1	3	-	6	6	4	8	12	15	21	11	15	21	15	8	2	1	150
	F	-	-	3	5	12	12	16	17	16	24	39	48	46	45	52	40	30	11	1	417
	Persons	1	-	4	8	12	18	22	21	24	36	54	69	57	60	73	55	38	13	2	567

195 Other endocrine glands (including benign neoplasm)	M	13	4	6	3	11	7	11	14	14	16	25	17	14	5	6	2	2	-	-	170
	F	10	5	1	5	5	10	8	8	13	8	21	18	14	18	5	5	1	-	-	155
	Persons	23	9	7	8	16	17	19	22	27	24	46	35	28	23	11	7	3	-	-	325
195 Other endocrine glands (excluding benign neoplasm)	M	13	3	4	2	5	2	5	5	7	6	9	8	7	4	1	2	2	-	-	85
	F	9	3	-	1	3	4	4	2	5	2	6	9	7	9	3	3	1	-	-	71
	Persons	22	6	4	3	8	6	9	7	12	8	15	17	14	13	4	5	3	-	-	156
196 Bone	M	3	4	12	31	27	9	7	13	11	16	16	25	26	14	25	13	10	9	-	271
	F	8	3	23	20	8	6	4	1	13	9	12	13	15	30	20	20	16	5	-	226
	Persons	11	7	35	51	35	15	11	14	24	25	28	38	41	44	45	33	26	14	-	497
197 Connective tissue	M	10	5	7	20	9	11	21	25	19	26	27	44	57	39	36	26	14	3	-	399
	F	11	3	6	11	9	6	9	8	18	14	25	31	35	31	24	18	15	5	1	280
	Persons	21	8	13	31	18	17	30	33	37	40	52	75	92	70	60	44	29	8	1	679
198 Lymph nodes (secondary and unspecified)	M	1	-	-	1	1	3	1	5	6	17	21	32	47	45	36	32	20	5	1	274
	F	-	-	-	1	2	1	4	4	14	13	25	21	28	31	33	22	16	7	-	222
	Persons	1	-	-	2	3	4	5	9	20	30	46	53	75	76	69	54	36	12	1	496
199 Other and unspecified sites	M	7	2	3	2	5	1	6	12	27	44	82	125	151	155	126	99	43	20	1	911
	F	7	1	1	-	3	8	9	19	26	44	91	152	219	220	191	152	87	58	5	1,293
	Persons	14	3	4	2	8	9	15	31	53	88	173	277	370	375	317	251	130	78	6	2,204
200 Lymphosarcoma and reticulosarcoma	M	8	21	26	28	25	25	35	30	42	61	86	122	103	93	82	53	21	16	-	877
	F	6	3	7	14	10	12	18	13	34	54	66	78	89	94	94	72	56	15	2	737
	Persons	14	24	33	42	35	37	53	43	76	115	152	200	192	187	176	125	77	31	2	1,614
201 Hodgkin's Disease	M	3	15	18	48	67	58	46	42	58	58	58	55	63	40	27	21	11	-	-	688
	F	-	1	10	35	35	38	28	21	29	13	25	39	30	19	27	26	16	5	-	397
	Persons	3	16	28	83	102	96	74	63	87	71	83	94	93	59	54	47	27	5	-	1,085
202 Other forms of Lymphoma (reticulosis)	M	3	-	2	4	9	6	11	10	13	18	19	19	23	18	19	10	4	1	1	190
	F	6	-	1	2	2	5	4	3	13	7	16	25	20	20	12	9	4	5	1	155
	Persons	9	-	3	6	11	11	15	13	26	25	35	44	43	38	31	19	8	6	2	345
203 Multiple myeloma (plasmocytoma)	M	-	-	-	-	1	-	-	6	17	24	49	63	76	60	53	29	19	6	1	404
	F	-	-	-	-	-	5	1	3	1	10	41	42	55	68	51	38	25	7	1	348
	Persons	-	-	-	-	1	5	1	9	18	34	90	105	131	128	104	67	44	13	2	752
204 Leukaemia and aleukaemia	M	90	61	37	38	30	29	44	47	54	65	124	147	174	171	167	133	73	36	2	1,522
	F	71	42	33	28	12	24	22	40	45	65	81	104	146	122	146	124	87	54	2	1,248
	Persons	161	103	70	66	42	53	66	87	99	130	205	251	320	293	313	257	160	90	4	2,770
205 Mycosis fungoides	M	-	-	-	-	-	-	-	1	-	1	-	3	2	1	-	2	-	-	-	10
	F	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	5	-	1	-	14
	Persons	-	-	-	-	-	-	-	1	-	1	-	4	5	2	3	7	-	1	-	24
All sites	M	297	186	160	280	318	394	641	1,041	1,903	3,161	5,906	8,967	11,544	10,945	9,680	7,088	3,942	1,896	120	68,469
	F	231	117	143	219	238	428	907	1,821	3,613	4,772	6,311	7,491	8,523	8,611	8,296	6,838	4,534	2,385	110	65,588
	Persons	528	303	303	499	556	822	1,548	2,862	5,516	7,933	12,217	16,458	20,067	19,556	17,976	13,926	8,476	4,281	230	134,057

Table 10 Registrations of newly diagnosed cases of cancer by sex, site and age. 1963

Urban areas of England and Wales

ICD (7th Revision) number and site description		Age-group																		Age not stated	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over		
140 Lip	M	-	-	1	-	-	3	3	8	19	23	30	50	65	51	53	48	34	16	1	405
	F	-	-	-	-	-	-	1	-	-	2	3	3	6	6	6	14	7	3	-	51
	Persons	-	-	1	-	-	3	4	8	19	25	33	53	71	57	59	62	41	19	1	456
141 Tongue	M	-	-	-	-	-	2	1	3	7	9	21	24	41	34	54	41	35	19	-	291
	F	-	-	1	-	-	1	-	5	3	6	8	12	19	29	23	24	25	13	-	169
	Persons	-	-	1	-	-	3	1	8	10	15	29	36	60	63	77	65	60	32	-	460
142 Salivary gland	M	-	-	-	4	10	9	22	15	13	22	24	17	28	19	10	9	11	2	-	215
	F	-	1	1	1	8	7	12	20	19	24	19	26	26	19	14	16	15	7	1	236
	Persons	-	1	1	5	18	16	34	35	32	46	43	43	54	38	24	25	26	9	1	451
143 Floor of mouth	M	-	-	-	-	-	-	-	-	-	5	3	13	22	18	23	19	10	6	-	119
	F	-	-	-	-	-	-	-	-	2	3	3	8	6	3	5	6	3	5	-	44
	Persons	-	-	-	-	-	-	-	-	2	8	6	21	28	21	28	25	13	11	-	163
144 Other mouth (specified and unspecified)	M	-	-	-	-	1	-	4	-	10	6	11	20	29	34	33	32	25	14	1	220
	F	-	-	-	-	1	2	2	3	3	3	9	21	17	20	23	27	11	14	-	156
	Persons	-	-	-	-	2	2	6	3	13	9	20	41	46	54	56	59	36	28	1	376
145 Oral mesopharynx	M	1	-	-	2	-	1	2	1	5	4	18	15	36	27	23	22	16	12	1	186
	F	-	-	-	1	-	-	-	1	1	2	8	2	8	8	8	9	2	1	-	51
	Persons	1	-	-	3	-	1	2	2	6	6	26	17	44	35	31	31	18	13	1	237
146 Nasopharynx	M	-	1	-	1	1	4	1	3	11	6	11	14	18	9	8	1	1	2	-	92
	F	-	-	-	1	1	-	1	1	1	1	4	12	11	5	10	4	3	1	-	56
	Persons	-	1	-	2	2	4	2	4	12	7	15	26	29	14	18	5	4	3	-	148
147 Hypopharynx	M	-	1	-	1	-	1	-	-	1	3	9	26	24	37	33	30	10	6	-	182
	F	-	-	-	-	-	1	3	8	11	15	18	28	24	27	22	24	9	5	-	195
	Persons	-	1	-	1	-	2	3	8	12	18	27	54	48	64	55	54	19	11	-	377
148 Pharynx (unspecified)	M	-	-	-	-	-	1	-	2	-	1	7	13	12	11	12	9	8	4	-	80
	F	-	-	-	-	-	-	1	4	1	7	3	3	9	7	8	4	8	2	-	57
	Persons	-	-	-	-	-	1	1	6	1	8	10	16	21	18	20	13	16	6	-	137
150 Oesophagus	M	-	-	-	-	-	1	2	2	14	34	73	102	175	151	191	125	87	47	2	1,006
	F	-	-	-	-	1	-	2	5	11	36	50	70	95	141	121	128	97	47	1	805
	Persons	-	-	-	-	1	1	4	7	25	70	123	172	270	292	312	253	184	94	3	1,811
151 Stomach	M	-	-	-	-	3	4	18	65	114	257	461	759	935	988	877	618	307	111	2	5,519
	F	-	-	-	-	2	8	16	21	63	91	216	300	455	584	659	606	412	218	-	3,651
	Persons	-	-	-	-	5	12	34	86	177	348	677	1,059	1,390	1,572	1,536	1,224	719	329	2	9,170
152 Small intestine, including duodenum	M	-	-	-	2	-	-	3	4	3	6	9	8	22	12	8	9	2	-	-	88
	F	-	-	-	-	2	-	3	2	-	5	7	5	14	20	18	15	11	1	-	103
	Persons	-	-	-	2	2	-	6	6	3	11	16	13	36	32	26	24	13	1	-	191

153	Large intestine, except rectum	M	-	-	2	7	5	17	21	46	90	136	262	337	483	508	516	437	263	124	1	3,255
		F	-	1	2	10	10	21	29	44	117	181	280	449	559	700	755	696	465	270	8	4,597
		Persons	-	1	4	17	15	38	50	90	207	317	542	786	1,042	1,208	1,271	1,133	728	394	9	7,852
154	Rectum	M	-	-	-	1	5	6	17	28	64	103	221	364	520	517	562	430	235	117	4	3,194
		F	-	-	-	1	2	4	16	31	67	94	196	274	375	397	416	391	275	137	3	2,679
		Persons	-	-	-	2	7	10	33	59	131	197	417	638	895	914	978	821	510	254	7	5,873
155	Biliary passages and liver (specified primary)	M	4	-	-	-	2	-	2	6	13	25	49	55	86	104	83	67	41	16	-	553
		F	3	-	2	-	2	1	3	9	10	21	31	71	83	102	117	132	75	30	-	692
		Persons	7	-	2	-	4	1	5	15	23	46	80	126	169	206	200	199	116	46	-	1,245
156	Liver (secondary and unspecified)	M	-	-	-	-	-	-	3	6	6	15	33	52	65	69	48	30	20	7	1	355
		F	-	-	-	-	-	-	3	1	6	9	29	27	44	53	54	35	37	10	2	310
		Persons	-	-	-	-	-	-	6	7	12	24	62	79	109	122	102	65	57	17	3	665
157	Pancreas	M	1	-	-	-	-	-	5	12	45	74	111	225	276	254	250	193	98	39	1	1,584
		F	-	-	-	-	-	1	4	8	18	43	79	109	186	200	262	225	132	69	1	1,337
		Persons	1	-	-	-	-	1	9	20	63	117	190	334	462	454	512	418	230	108	2	2,921
158	Peritoneum	M	4	1	-	-	1	1	1	3	2	3	9	10	13	11	4	5	4	-	-	72
		F	2	-	-	1	-	-	2	1	5	4	7	15	15	22	17	13	6	-	-	110
		Persons	6	1	-	1	1	1	3	4	7	7	16	25	28	33	21	18	10	-	-	182
159	Unspecified digestive organs	M	-	-	-	-	-	-	-	-	1	-	3	3	5	1	4	2	1	1	-	21
		F	-	-	-	-	-	-	-	-	-	-	2	4	2	-	2	2	-	-	-	12
		Persons	-	-	-	-	-	-	-	-	1	-	5	7	7	1	6	4	1	1	-	33
160	Nose, nasal cavities, middle ear and accessory sinuses	M	-	-	1	-	1	-	-	4	4	9	15	30	20	30	24	7	6	4	-	155
		F	1	-	1	1	2	1	1	5	10	5	10	18	22	20	16	18	13	4	-	148
		Persons	1	-	2	1	3	1	1	9	14	14	25	48	42	50	40	25	19	8	-	303
161	Larynx	M	-	-	-	-	1	1	1	11	26	39	69	137	202	161	109	70	41	21	1	890
		F	-	-	-	-	-	-	-	3	6	6	23	24	20	26	22	8	12	2	1	153
		Persons	-	-	-	-	1	1	1	14	32	45	92	161	222	187	131	78	53	23	2	1,043
162-163	Lung (primary and unspecified)	M	1	-	-	3	4	14	60	141	356	813	1,844	2,883	3,817	3,222	2,143	1,170	416	107	26	17,020
		F	-	-	2	2	1	3	14	40	105	198	323	417	496	473	366	269	142	57	4	2,912
		Persons	1	-	2	5	5	17	74	181	461	1,011	2,167	3,300	4,313	3,695	2,509	1,439	558	164	30	19,932
164	Mediastinum	M	1	-	1	-	2	-	-	1	1	2	4	4	4	7	2	2	-	-	-	31
		F	-	-	-	-	-	-	1	-	-	-	1	3	4	3	1	2	-	-	-	15
		Persons	1	-	1	-	2	-	1	1	1	2	5	7	8	10	3	4	-	-	-	46
165	Thoracic organs (secondary)	M	-	-	-	-	-	1	1	-	4	6	9	18	16	16	13	13	3	2	-	102
		F	-	-	-	-	1	-	-	-	3	3	7	4	15	6	10	10	6	2	-	67
		Persons	-	-	-	-	1	1	1	-	7	9	16	22	31	22	23	23	9	4	-	169
170	Breast	M	-	-	-	-	-	-	1	2	2	7	10	12	16	17	22	14	7	5	-	115
		F	-	-	-	2	14	66	205	531	1,124	1,440	1,557	1,657	1,696	1,544	1,375	1,008	652	332	19	13,222
		Persons	-	-	-	2	14	66	206	533	1,126	1,447	1,567	1,669	1,712	1,561	1,397	1,022	659	337	19	13,337
171	Cervix uteri (including pre-malignant cases)	F	-	-	-	1	12	55	145	322	559	580	540	464	390	328	259	179	96	51	2	3,983

ICD (7th Revision) number and site description		Age-group																		Age not stated	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over		
172-174 Other parts of uterus (including pre-malignant cases)	F	1	-	-	1	6	6	14	37	89	219	368	494	467	387	261	142	85	27	3	2,607
171-174 Uterus (pre-malignant)	F	-	-	-	-	8	23	45	50	78	61	42	15	12	12	2	-	-	2	-	350
175 Ovary, Fallopian tube and broad ligament	F	3	1	2	16	14	24	43	81	203	277	389	412	419	366	268	166	99	37	5	2,825
176 Other and unspecified female genital organs	F	1	-	-	-	-	2	7	15	26	24	42	68	88	126	117	104	100	39	1	760
177 Prostate	M	-	-	-	-	1	-	-	2	5	22	68	203	403	616	863	790	561	314	5	3,853
178 Testis	M	7	1	-	14	31	52	68	61	35	35	28	21	15	4	8	3	1	-	-	384
179 Other and unspecified male genital organs	M	-	-	-	1	-	-	1	3	7	15	19	36	37	40	36	30	20	13	-	258
	M	28	6	1	1	1	6	9	15	34	60	111	131	121	118	103	49	32	12	2	840
180 Kidney	F	19	7	1	-	2	1	4	7	22	24	35	50	63	81	59	62	33	18	-	488
	Persons	47	13	2	1	3	7	13	22	56	84	146	181	184	199	162	111	65	30	2	1,328
	M	4	-	-	2	4	2	10	27	50	107	204	395	550	554	521	395	222	115	12	3,174
181 Bladder and other urinary organs	F	1	-	-	1	1	1	5	11	17	28	67	106	129	157	201	168	139	64	3	1,099
	Persons	5	-	-	3	5	3	15	38	67	135	271	501	679	711	722	563	361	179	15	4,273
	M	-	1	-	8	8	7	16	11	27	19	16	22	14	27	24	7	15	5	-	227
190 Melanoma of skin	F	1	1	2	12	15	15	20	42	42	44	45	44	43	33	30	28	19	9	1	446
	Persons	1	2	2	20	23	22	36	53	69	63	61	66	57	60	54	35	34	14	1	673
	M	-	-	1	1	7	19	46	142	278	369	617	768	823	795	757	663	378	284	24	5,972
191 Other malignant neoplasm of skin	F	-	2	-	3	6	15	49	91	176	263	382	480	569	681	759	716	521	339	24	5,076
	Persons	-	2	1	4	13	34	95	233	454	632	999	1,248	1,392	1,476	1,516	1,379	899	623	48	11,048
	M	13	2	-	3	-	4	2	4	5	12	11	12	13	13	5	9	1	2	-	111
192 Eye	F	13	2	-	-	1	1	-	5	8	6	13	10	13	5	6	7	4	-	-	94
	Persons	26	4	-	3	1	5	2	9	13	18	24	22	26	18	11	16	5	2	-	205
193 Brain and other parts of nervous system (including benign neoplasm)	M	53	44	35	33	29	40	67	58	93	111	184	203	165	106	54	13	4	4	1	1,297
	F	46	30	28	20	14	19	38	52	67	83	139	146	126	111	56	21	12	3	4	1,015
	Persons	99	74	63	53	43	59	105	110	160	194	323	349	291	217	110	34	16	7	5	2,312
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	52	43	32	25	23	34	56	47	78	98	169	185	145	90	47	8	3	4	1	1,140
	F	44	28	27	19	11	15	29	36	47	54	98	108	96	80	35	9	8	2	2	748
	Persons	96	71	59	44	34	49	85	83	125	152	267	293	241	170	82	17	11	6	3	1,888
	M	-	-	1	2	-	5	3	2	6	11	14	17	10	15	19	12	7	2	1	127
194 Thyroid gland	F	-	-	2	4	12	10	14	14	15	19	29	42	37	40	47	33	21	10	1	350
	Persons	-	-	3	6	12	15	17	16	21	30	43	59	47	55	66	45	28	12	2	477

195 Other endocrine glands (including benign neoplasm)	M	11	3	6	1	10	7	10	9	12	14	22	16	13	5	6	2	2	-	-	149
	F	8	4	1	4	5	9	8	5	11	5	16	18	11	15	5	4	1	-	-	130
	Persons	19	7	7	5	15	16	18	14	23	19	38	34	24	20	11	6	3	-	-	279
195 Other endocrine glands (excluding benign neoplasm)	M	11	3	4	1	4	2	5	4	7	6	8	8	6	4	1	2	2	-	-	78
	F	7	2	-	1	3	3	4	2	4	1	4	9	5	8	3	3	1	-	-	60
	Persons	18	5	4	2	7	5	9	6	11	7	12	17	11	12	4	5	3	-	-	138
196 Bone	M	3	4	10	28	24	6	7	12	9	13	15	21	21	14	18	11	9	7	-	232
	F	8	3	18	16	6	6	3	1	13	7	10	13	11	27	11	16	15	5	-	189
	Persons	11	7	28	44	30	12	10	13	22	20	25	34	32	41	29	27	24	12	-	421
197 Connective tissue	M	8	5	5	16	8	9	18	23	16	21	24	36	49	35	28	21	10	3	-	335
	F	9	2	6	9	9	6	8	7	16	10	19	26	31	27	22	13	13	4	1	238
	Persons	17	7	11	25	17	15	26	30	32	31	43	62	80	62	50	34	23	7	1	573
198 Lymph nodes (secondary and unspecified)	M	1	-	-	1	-	3	1	4	6	14	19	27	35	34	26	28	18	4	1	222
	F	-	-	-	1	2	1	3	3	12	12	23	19	26	26	28	17	15	6	-	194
	Persons	1	-	-	2	2	4	4	7	18	26	42	46	61	60	54	45	33	10	1	416
199 Other and unspecified sites	M	6	2	3	2	5	1	6	9	24	38	65	104	125	127	103	82	35	18	1	756
	F	6	1	-	-	3	6	7	16	26	34	73	123	182	186	158	127	73	51	5	1,077
	Persons	12	3	3	2	8	7	13	25	50	72	138	227	307	313	261	209	108	69	6	1,833
200 Lymphosarcoma and reticulosarcoma	M	7	17	19	22	20	19	30	27	31	48	69	98	86	72	62	40	17	14	-	698
	F	5	3	4	10	9	10	12	12	23	40	57	66	81	68	79	63	42	12	1	597
	Persons	12	20	23	32	29	29	42	39	54	88	126	164	167	140	141	103	59	26	1	1,295
201 Hodgkin's disease	M	3	11	15	35	51	48	36	35	51	47	42	45	57	32	21	16	9	-	-	554
	F	-	1	7	25	28	29	22	13	24	9	23	34	20	15	24	21	11	4	-	310
	Persons	3	12	22	60	79	77	58	48	75	56	65	79	77	47	45	37	20	4	-	864
202 Other forms of lymphoma (reticulosis)	M	3	-	2	3	7	5	9	8	10	16	15	13	18	17	16	9	3	1	-	155
	F	6	-	-	2	2	4	4	2	8	7	10	20	17	17	11	7	3	5	-	125
	Persons	9	-	2	5	9	9	13	10	18	23	25	33	35	34	27	16	6	6	-	280
203 Multiple myeloma (plasmocytoma)	M	-	-	-	-	1	-	-	5	15	19	44	47	54	45	41	23	17	5	1	317
	F	-	-	-	-	-	3	1	3	-	10	31	36	46	58	46	32	19	4	1	290
	Persons	-	-	-	-	1	3	1	8	15	29	75	83	100	103	87	55	36	9	2	607
204 Leukaemia and aleukaemia	M	68	49	33	25	25	24	36	37	44	51	107	117	145	147	136	101	53	33	2	1,233
	F	58	35	26	22	12	20	19	34	40	49	64	79	121	98	125	105	70	44	1	1,022
	Persons	126	84	59	47	37	44	55	71	84	100	171	196	266	245	261	206	123	77	3	2,255
205 Mycosis fungoides	M	-	-	-	-	-	-	-	1	-	-	-	2	2	1	-	2	-	-	-	8
	F	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	3	-	1	-	10
	Persons	-	-	-	-	-	-	-	1	-	-	-	3	4	2	2	5	-	1	-	18
All sites	M	227	148	136	219	268	323	543	858	1,569	2,650	5,010	7,525	9,686	9,125	7,952	5,709	3,095	1,518	91	56,652
	F	191	94	106	167	206	359	745	1,516	2,983	3,949	5,268	6,313	7,099	7,268	6,904	5,720	3,809	1,963	93	54,753
	Persons	418	242	242	386	474	682	1,288	2,374	4,552	6,599	10,278	13,838	16,785	16,393	14,856	11,429	6,904	3,481	184	111,405

Table II Registrations of newly diagnosed cases of cancer by sex, site and age. 1963

Rural areas of England and Wales

ICD (7th Revision) number and site description		Age-group																	Age not stated	All ages
		0–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
140 Lip	M	–	–	–	–	–	1	–	2	6	9	7	22	24	26	28	32	25	6	2	190
	F	–	–	–	–	–	–	–	–	1	–	1	2	5	2	1	2	1	3	–	18
	Persons	–	–	–	–	–	1	–	2	7	9	8	24	29	28	29	34	26	9	2	208
141 Tongue	M	–	–	–	–	–	–	–	2	1	2	2	5	6	5	7	9	4	3	–	46
	F	–	–	–	–	–	–	1	1	–	–	1	1	3	6	10	5	3	2	–	33
	Persons	–	–	–	–	–	–	1	3	1	2	3	6	9	11	17	14	7	5	–	79
142 Salivary gland	M	–	–	–	–	1	1	3	5	6	8	3	7	3	5	7	2	5	1	–	57
	F	–	–	1	1	–	2	2	2	6	5	6	11	3	3	2	5	4	2	–	55
	Persons	–	–	1	1	1	3	5	7	12	13	9	18	6	8	9	7	9	3	–	112
143 Floor of mouth	M	–	–	–	–	–	–	–	–	–	2	2	6	4	1	8	7	6	2	–	38
	F	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	2	1	–	–	6
	Persons	–	–	–	–	–	–	–	–	–	2	3	6	4	3	8	9	7	2	–	44
144 Other mouth (specified and unspecified)	M	–	–	–	–	–	–	–	–	2	–	1	3	4	11	11	7	4	4	–	47
	F	–	–	–	–	–	–	–	1	2	–	4	4	8	3	3	2	5	–	–	32
	Persons	–	–	–	–	–	–	–	1	4	–	5	7	12	14	14	9	9	4	–	79
145 Oral mesopharynx	M	–	–	–	–	–	–	–	–	–	1	1	2	2	3	3	5	5	3	–	25
	F	–	–	–	–	–	–	–	–	1	3	1	4	2	2	8	–	1	1	–	23
	Persons	–	–	–	–	–	–	–	–	1	4	2	6	4	5	11	5	6	4	–	48
146 Nasopharynx	M	–	–	1	3	1	–	–	1	–	1	–	2	3	4	1	–	–	–	–	17
	F	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	1	–	1	–	5
	Persons	–	–	1	3	2	–	–	1	1	1	–	2	3	4	2	1	–	1	–	22
147 Hypopharynx	M	–	–	–	–	–	–	–	1	1	–	4	7	7	7	11	5	2	1	–	46
	F	–	–	–	–	–	–	3	–	4	2	6	7	10	6	12	7	3	1	–	61
	Persons	–	–	–	–	–	–	3	1	5	2	10	14	17	13	23	12	5	2	–	107
148 Pharynx (unspecified)	M	–	–	–	–	–	–	–	–	–	–	1	1	2	5	–	2	1	–	–	12
	F	–	–	–	–	–	–	–	–	–	2	–	–	–	2	3	1	1	1	–	10
	Persons	–	–	–	–	–	–	–	–	–	2	1	1	2	7	3	3	2	1	–	22
150 Oesophagus	M	–	–	–	–	–	–	–	2	7	3	16	26	30	37	50	38	27	9	–	245
	F	–	–	–	–	–	–	–	–	5	7	6	10	27	26	40	29	20	12	1	183
	Persons	–	–	–	–	–	–	–	2	12	10	22	36	57	63	90	67	47	21	1	428
151 Stomach	M	–	–	–	1	–	2	4	9	12	27	95	128	191	198	179	162	73	29	1	1,111
	F	–	–	–	–	–	1	5	7	13	25	27	45	76	98	129	110	81	32	–	649
	Persons	–	–	–	1	–	3	9	16	25	52	122	173	267	296	308	272	154	61	1	1,760
152 Small intestine, including duodenum	M	–	–	–	–	–	–	1	–	1	3	3	2	4	4	5	–	1	–	–	24
	F	–	–	–	–	–	–	–	–	1	2	3	1	2	1	5	2	4	1	–	22
	Persons	–	–	–	–	–	–	1	–	2	5	6	3	6	5	10	2	5	1	–	46

153	Large intestine, except rectum	M	–	–	–	–	1	1	4	8	24	25	48	80	92	115	132	109	81	31	–	751
		F	–	–	3	4	–	–	5	15	18	40	59	76	99	141	154	113	90	40	–	857
		Persons	–	–	3	4	1	1	9	23	42	65	107	156	191	256	286	222	171	71	–	1,608
154	Rectum	M	–	–	–	1	–	–	1	6	8	32	53	64	110	114	110	103	72	30	–	704
		F	–	–	–	–	–	–	1	5	16	16	39	45	67	81	73	63	51	37	–	494
		Persons	–	–	–	1	–	–	2	11	24	48	92	109	177	195	183	166	123	67	–	1,198
155	Biliary passages and liver (specified primary)	M	1	–	–	–	–	1	2	–	5	5	4	12	20	24	14	9	6	1	–	104
		F	2	–	1	–	1	–	1	1	1	4	5	10	17	32	29	25	22	9	–	160
		Persons	3	–	1	–	1	1	3	1	6	9	9	22	37	56	43	34	28	10	–	264
156	Liver (secondary and unspecified)	M	1	–	–	–	–	–	–	–	3	2	9	9	16	16	19	9	2	–	–	86
		F	–	–	–	–	–	1	1	1	1	5	6	10	5	14	7	10	4	2	–	67
		Persons	1	–	–	–	–	1	1	1	4	7	15	19	21	30	26	19	6	2	–	153
157	Pancreas	M	–	–	–	–	–	–	2	1	2	13	29	44	51	51	53	35	27	12	–	320
		F	–	–	–	–	–	–	1	1	1	4	11	24	25	39	51	42	26	17	–	242
		Persons	–	–	–	–	–	–	3	2	3	17	40	68	76	90	104	77	53	29	–	562
158	Peritoneum	M	2	–	–	1	–	–	2	–	1	–	3	1	–	–	–	3	2	–	–	15
		F	–	–	–	–	–	–	–	1	1	1	4	–	6	5	–	4	–	2	–	24
		Persons	2	–	–	1	–	–	2	1	2	1	7	1	6	5	–	7	2	2	–	39
159	Unspecified digestive organs	M	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1
		Persons	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	2
160	Nose, nasal cavities, middle ear and accessory sinuses	M	–	–	–	–	–	–	–	3	–	3	5	3	10	2	5	7	3	1	–	42
		F	–	–	–	–	–	1	–	1	–	–	1	1	6	3	5	4	–	1	–	23
		Persons	–	–	–	–	–	1	–	4	–	3	6	4	16	5	10	11	3	2	–	65
161	Larynx	M	–	–	–	–	–	–	–	1	4	9	16	23	23	29	28	10	8	1	–	152
		F	–	–	–	–	–	–	–	–	2	1	2	1	5	5	1	1	1	–	–	19
		Persons	–	–	–	–	–	–	–	1	6	10	18	24	28	34	29	11	9	1	–	171
162-163	Lung (primary and unspecified)	M	1	–	–	–	–	2	7	36	76	136	262	508	640	549	375	197	75	18	2	2,884
		F	–	–	1	–	–	1	1	3	8	44	45	54	83	78	61	50	22	8	–	459
		Persons	1	–	1	–	–	3	8	39	84	180	307	562	723	627	436	247	97	26	2	3,343
164	Mediastinum	M	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	4
		F	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
		Persons	1	–	–	–	–	–	–	1	–	1	–	–	–	–	1	1	–	–	–	5
165	Thoracic organs (secondary)	M	–	–	–	1	–	–	–	–	1	–	–	1	2	12	1	1	1	–	–	20
		F	–	–	–	–	–	–	–	–	1	1	1	4	2	6	2	2	–	–	–	19
		Persons	–	–	–	1	–	–	–	–	2	1	1	5	4	18	3	3	1	–	–	39
170	Breast	M	–	–	–	–	–	–	–	1	1	2	2	6	5	2	5	4	2	–	–	30
		F	–	–	–	–	2	12	40	106	239	300	324	323	377	267	270	209	113	72	4	2,658
		Persons	–	–	–	–	2	12	40	107	240	302	326	329	382	269	275	213	115	72	4	2,688
171	Cervix uteri (including pre-malignant cases)	F	–	–	–	1	1	2	32	67	139	111	91	78	69	55	43	34	16	9	–	748
172-174	Other parts of uterus (including pre-malignant cases)	F	–	–	–	–	–	3	3	3	21	36	90	121	116	83	74	35	12	4	–	601

ICD (7th Revision) number and site description		Age-group																	Age not stated	All ages
		0–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
171–174 Uterus (pre-malignant)	F	–	–	–	1	–	1	10	12	16	14	6	2	1	2	–	1	–	–	–	66
175 Ovary, Fallopian tube and broad ligament	F	–	1	–	8	2	4	7	13	29	59	76	101	95	80	60	46	11	6	1	599
176 Other and unspecified female genital organs	F	–	–	–	–	1	1	2	4	5	4	6	9	22	18	29	30	17	16	–	164
177 Prostate	M	–	1	–	1	–	–	–	–	–	6	15	39	85	131	208	229	184	85	3	987
178 Testis	M	2	–	–	2	9	16	15	13	10	7	5	10	3	4	3	–	1	–	–	100
179 Other and unspecified male genital organs	M	–	–	–	–	–	–	–	–	2	1	6	5	8	7	9	5	5	3	–	51
180 Kidney	M	14	2	–	1	–	–	–	3	12	21	16	30	30	19	17	7	6	4	–	182
	F	7	1	1	–	–	2	–	–	1	4	10	11	10	12	11	6	7	3	–	86
	Persons	21	3	1	1	–	2	–	3	13	25	26	41	40	31	28	13	13	7	–	268
181 Bladder and other urinary organs	M	–	–	–	–	–	1	1	2	7	20	46	61	104	106	102	87	46	34	2	619
	F	–	–	–	–	–	–	–	2	3	7	14	19	23	27	35	37	20	12	1	200
	Persons	–	–	–	–	–	1	1	4	10	27	60	80	127	133	137	124	66	46	3	819
190 Melanoma of skin	M	–	1	–	1	1	4	3	3	5	4	4	3	3	1	7	4	4	2	–	50
	F	–	–	–	4	5	6	9	8	10	4	12	6	8	6	11	10	4	4	1	108
	Persons	–	1	–	5	6	10	12	11	15	8	16	9	11	7	18	14	8	6	1	158
191 Other malignant neoplasm of skin	M	–	–	–	2	–	6	12	21	67	76	117	157	213	196	196	197	121	86	18	1,485
	F	–	–	–	–	4	–	14	22	44	50	76	76	112	105	149	136	114	97	6	1,005
	Persons	–	–	–	2	4	6	26	43	111	126	193	233	325	301	345	333	235	183	24	2,490
192 Eye	M	5	1	–	–	–	1	–	3	3	2	4	2	1	2	2	2	–	1	–	29
	F	2	1	–	1	–	–	–	2	1	–	2	3	2	–	2	3	–	–	–	19
	Persons	7	2	–	1	–	1	–	5	4	2	6	5	3	2	4	5	–	1	–	48
193 Brain and other parts of nervous system (including benign neoplasm)	M	14	12	5	4	3	7	9	23	22	24	31	42	30	22	9	3	3	–	–	263
	F	10	11	9	5	5	10	12	11	21	27	26	26	23	14	11	2	1	–	–	224
	Persons	24	23	14	9	8	17	21	34	43	51	57	68	53	36	20	5	4	–	–	487
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	14	12	5	4	3	6	7	18	18	23	25	37	27	22	8	2	1	–	–	232
	F	10	11	9	5	5	7	12	7	16	21	18	21	16	12	9	2	1	–	–	182
	Persons	24	23	14	9	8	13	19	25	34	44	43	58	43	34	17	4	2	–	–	414
194 Thyroid gland	M	1	–	–	1	–	1	3	2	2	1	1	4	1	–	2	3	1	–	–	23
	F	–	–	1	1	–	2	2	3	1	5	10	6	9	5	5	7	9	1	–	67
	Persons	1	–	1	2	–	3	5	5	3	6	11	10	10	5	7	10	10	1	–	90
195 Other endocrine glands (including benign neoplasm)	M	2	1	–	2	1	–	1	5	2	2	3	1	1	–	–	–	–	–	–	21
	F	2	1	–	1	–	1	–	3	2	3	5	–	3	3	–	1	–	–	–	25
	Persons	4	2	–	3	1	1	1	8	4	5	8	1	4	3	–	1	–	–	–	46

195	Other endocrine glands (excluding benign neoplasm)	M	2	–	–	1	1	–	–	1	–	–	1	–	1	–	–	–	–	–	–	7
		F	2	1	–	–	–	1	–	–	1	1	2	–	2	1	–	–	–	–	–	11
		Persons	4	1	–	1	1	1	–	1	1	1	3	–	3	1	–	–	–	–	–	18
196	Bone	M	–	–	2	3	3	3	–	1	2	3	1	4	5	–	7	2	1	2	–	39
		F	–	–	5	4	2	–	1	–	–	2	2	–	4	3	9	4	1	–	–	37
		Persons	–	–	7	7	5	3	1	1	2	5	3	4	9	3	16	6	2	2	–	76
197	Connective tissue	M	2	–	2	4	1	2	3	2	3	5	3	8	8	4	8	5	4	–	–	64
		F	2	1	–	2	–	–	1	1	2	4	6	5	4	4	2	5	2	1	–	42
		Persons	4	1	2	6	1	2	4	3	5	9	9	13	12	8	10	10	6	1	–	106
198	Lymph nodes (secondary and unspecified)	M	–	–	–	–	1	–	–	1	–	3	2	5	12	11	10	4	2	1	–	52
		F	–	–	–	–	–	–	1	1	2	1	2	2	2	5	5	5	1	1	–	28
		Persons	–	–	–	–	1	–	1	2	2	4	4	7	14	16	15	9	3	2	–	80
199	Other and unspecified sites	M	1	–	–	–	–	–	–	3	3	6	17	21	26	28	23	17	8	2	–	155
		F	1	–	1	–	–	2	2	3	–	10	18	29	37	34	33	25	14	7	–	216
		Persons	2	–	1	–	–	2	2	6	3	16	35	50	63	62	56	42	22	9	–	371
200	Lymphosarcoma and reticulosarcoma	M	1	4	7	6	5	6	5	3	11	13	17	24	17	21	20	13	4	2	–	179
		F	1	–	3	4	1	2	6	1	11	14	9	12	8	26	15	9	14	3	1	140
		Persons	2	4	10	10	6	8	11	4	22	27	26	36	25	47	35	22	18	5	1	319
201	Hodgkin's disease	M	–	4	3	13	16	10	10	7	7	11	16	10	6	8	6	5	2	–	–	134
		F	–	–	3	10	7	9	6	8	5	4	2	5	10	4	3	5	5	1	–	87
		Persons	–	4	6	23	23	19	16	15	12	15	18	15	16	12	9	10	7	1	–	221
202	Other forms of lymphoma (reticulosis)	M	–	–	–	1	2	1	2	2	3	2	4	6	5	1	3	1	1	–	1	35
		F	–	–	1	–	–	1	–	1	5	–	6	5	3	3	1	2	1	–	1	30
		Persons	–	–	1	1	2	2	2	3	8	2	10	11	8	4	4	3	2	–	2	65
203	Multiple myeloma (plasmocytoma)	M	–	–	–	–	–	–	–	1	2	5	5	16	22	15	12	6	2	1	–	87
		F	–	–	–	–	–	2	–	–	1	–	10	6	9	10	5	6	6	3	–	58
		Persons	–	–	–	–	–	2	–	1	3	5	15	22	31	25	17	12	8	4	–	145
204	Leukaemia and aleukaemia	M	22	12	4	13	5	5	8	10	10	14	17	30	29	24	31	32	20	3	–	289
		F	13	7	7	6	–	4	3	6	5	16	17	25	25	24	21	19	17	10	1	226
		Persons	35	19	11	19	5	9	11	16	15	30	34	55	54	48	52	51	37	13	1	515
205	Mycosis fungoides	M	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	4
		Persons	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	2	–	–	–	6
	All sites	M	70	38	24	61	50	71	98	183	334	511	896	1,442	1,858	1,820	1,728	1,379	847	378	29	11,817
		F	40	23	37	52	32	69	162	305	630	823	1,043	1,178	1,424	1,343	1,392	1,118	725	422	17	10,835
		Persons	110	61	61	113	82	140	260	488	964	1,334	1,939	2,620	3,282	3,163	3,120	2,497	1,572	800	46	22,652

Table 12 Registrations of newly diagnosed cases of cancer by sex and site. 1963

Hospital region of residence

ICD (7th Revision) number and site description		Region of residence															
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool	All regions
140 Lip	M	33	26	53	59	29	27	52	41	37	33	68	39	46	37	15	595
	F	2	4	4	5	2	9	7	8	4	2	9	5	3	1	4	69
	Persons	35	30	57	64	31	36	59	49	41	35	77	44	49	38	19	664
141 Tongue	M	25	38	24	7	27	19	15	28	10	7	30	17	30	43	17	337
	F	9	18	22	9	10	14	17	12	5	9	13	13	18	22	11	202
	Persons	34	56	46	16	37	33	32	40	15	16	43	30	48	65	28	539
142 Salivary gland	M	23	13	29	13	19	15	19	22	10	16	15	12	39	9	18	272
	F	32	15	25	8	24	20	25	27	7	13	14	17	34	12	18	291
	Persons	55	28	54	21	43	35	44	49	17	29	29	29	73	21	36	563
143 Floor of mouth	M	15	17	12	7	9	7	12	7	7	2	18	16	9	14	5	157
	F	3	4	3	2	4	-	9	2	3	3	1	1	5	6	4	50
	Persons	18	21	15	9	13	7	21	9	10	5	19	17	14	20	9	207
144 Other mouth (specified and unspecified)	M	22	22	23	10	12	12	13	21	12	4	20	20	27	34	15	267
	F	7	15	24	4	15	22	8	11	9	8	4	13	24	19	5	188
	Persons	29	37	47	14	27	34	21	32	21	12	24	33	51	53	20	455
145 Oral mesopharynx	M	16	16	26	1	29	6	12	20	7	2	13	6	28	21	8	211
	F	6	3	6	6	2	2	8	8	3	7	7	8	2	3	3	74
	Persons	22	19	32	7	31	8	20	28	10	9	20	14	30	24	11	285
146 Nasopharynx	M	8	8	10	5	9	6	9	8	8	2	3	6	17	8	2	109
	F	2	6	7	2	4	4	7	6	4	2	2	2	5	6	2	61
	Persons	10	14	17	7	13	10	16	14	12	4	5	8	22	14	4	170
147 Hypopharynx	M	9	18	17	6	19	11	22	17	17	4	18	10	19	28	13	228
	F	16	12	25	11	8	11	14	15	14	7	20	28	21	40	14	256
	Persons	25	30	42	17	27	22	36	32	31	11	38	38	40	68	27	484
148 Pharynx (unspecified)	M	8	7	2	-	14	7	5	13	-	4	8	4	13	6	1	92
	F	5	3	3	-	6	9	6	7	2	-	2	5	8	4	7	67
	Persons	13	10	5	-	20	16	11	20	2	4	10	9	21	10	8	159
150 Oesophagus	M	83	81	96	50	81	83	105	80	57	39	89	82	147	125	53	1,251
	F	70	65	68	29	60	63	76	63	41	32	92	79	108	96	46	988
	Persons	153	146	164	79	141	146	181	143	98	71	181	161	255	221	99	2,239
151 Stomach	M	555	444	638	207	369	474	471	374	223	229	425	505	680	674	362	6,630
	F	394	333	371	122	261	276	320	259	139	140	265	295	404	451	270	4,300
	Persons	949	777	1,009	329	630	750	791	633	362	369	690	800	1,084	1,125	632	10,930
152 Small intestine, including duodenum	M	6	8	10	-	8	10	8	9	7	4	8	6	14	12	2	112
	F	7	4	7	4	11	8	7	13	5	7	9	13	13	13	4	125
	Persons	13	12	17	4	19	18	15	22	12	11	17	19	27	25	6	237

153	Large intestine, except rectum	M	291	245	358	145	292	259	314	279	160	148	280	202	435	401	197	4,006
		F	363	336	444	219	392	416	520	408	201	229	398	308	508	468	244	5,454
		Persons	654	581	802	364	684	675	834	687	361	377	678	510	943	869	441	9,460
154	Rectum	M	282	226	395	183	247	269	272	287	115	153	259	226	471	322	191	3,898
		F	185	244	268	115	233	244	271	253	123	116	193	169	340	261	158	3,173
		Persons	467	470	663	298	480	513	543	540	238	269	452	395	811	583	349	7,071
155	Biliary passages and liver (specified primary	M	43	32	63	18	56	57	52	47	23	24	60	28	54	59	41	657
		F	65	48	88	31	63	72	69	64	20	32	63	46	79	85	27	852
		Persons	108	80	151	49	119	129	121	111	43	56	123	74	133	144	68	1,509
156	Liver (secondary and unspecified)	M	41	28	31	20	15	27	34	25	16	24	19	32	60	43	26	441
		F	43	21	36	20	27	26	26	24	15	16	18	14	44	29	18	377
		Persons	84	49	67	40	42	53	60	49	31	40	37	46	104	72	44	818
157	Pancreas	M	113	148	199	67	134	131	174	135	58	52	148	109	189	170	77	1,904
		F	113	131	152	47	110	97	146	119	72	60	119	76	127	133	77	1,579
		Persons	226	279	351	114	244	228	320	254	130	112	267	185	316	303	154	3,483
158	Peritoneum	M	3	2	7	10	4	7	16	5	6	2	8	3	2	4	8	87
		F	3	3	19	8	11	19	19	11	13	6	7	4	4	5	2	134
		Persons	6	5	26	18	15	26	35	16	19	8	15	7	6	9	10	221
159	Unspecified digestive organs	M	3	2	-	-	1	1	2	3	-	-	1	-	-	9	-	22
		F	-	1	-	1	-	1	2	1	-	-	2	1	-	4	-	13
		Persons	3	3	-	1	1	2	4	4	-	-	3	1	-	13	-	35
160	Nose, nasal cavities, middle ear and accessory sinuses	M	13	12	23	7	12	7	21	11	8	7	9	12	24	16	15	197
		F	9	13	17	6	19	17	16	10	8	3	9	1	20	16	7	171
		Persons	22	25	40	13	31	24	37	21	16	10	18	13	44	32	22	368
161	Larnyx	M	71	70	108	25	83	89	93	80	48	21	68	56	109	73	48	1,042
		F	10	18	11	5	16	17	13	15	4	2	8	12	22	10	9	172
		Persons	81	88	119	30	99	106	106	95	52	23	76	68	131	83	57	1,214
162-163	Lung (primary and unspecified)	M	1,371	1,343	1,682	610	1,651	1,622	1,742	1,518	684	605	1,079	987	2,034	1,890	1,086	19,904
		F	190	250	239	96	354	268	340	342	120	101	190	114	282	304	181	3,371
		Persons	1,561	1,593	1,921	706	2,005	1,890	2,082	1,860	804	706	1,269	1,101	2,316	2,194	1,267	23,275
164	Mediastinum	M	1	2	4	1	3	1	3	6	1	1	5	-	3	2	2	35
		F	-	-	2	1	2	-	3	4	-	1	-	1	1	-	1	16
		Persons	1	2	6	2	5	1	6	10	1	2	5	1	4	2	3	51
165	Thoracic organs (secondary)	M	12	6	13	6	6	12	10	7	4	3	3	15	10	9	6	122
		F	10	3	6	2	10	9	1	7	3	4	8	4	6	9	4	86
		Persons	22	9	19	8	16	21	11	14	7	7	11	19	16	18	10	208
170	Breast	M	9	7	9	5	8	12	15	14	13	5	13	8	13	10	4	145
		F	876	1,041	1,454	519	1,347	1,188	1,479	1,340	657	522	1,143	815	1,660	1,179	660	15,880
		Persons	885	1,048	1,463	524	1,355	1,200	1,494	1,354	670	527	1,156	823	1,673	1,189	664	16,025
171	Cervix uteri (including pre-malignant cases)	F	362	372	516	136	400	255	332	297	179	141	273	251	475	488	254	4,731
172-174	Other parts of uterus (including pre-malignant cases)	F	168	198	267	128	247	236	303	253	101	96	279	175	358	267	132	3,208
171-174	Uterus (pre-malignant)	F	19	25	70	4	43	14	11	24	4	28	5	21	82	36	30	416
175	Ovary, Fallopian tube and broad ligament	F	183	260	269	132	263	261	319	281	135	116	245	151	358	293	158	3,424

Table 12 - *continued*

Hospital region of residence, 1963

ICD (7th Revision) number and site description		Region of residence															
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool	All regions
176 Other and unspecified female genital organs	F	61	72	80	37	62	65	80	67	35	29	64	54	92	93	33	**924**
177 Prostate	M	310	309	400	211	339	362	402	317	190	189	467	243	483	421	197	**4,840**
178 Testis	M	20	45	43	26	37	36	37	40	20	15	30	16	56	36	27	**484**
179 Other and unspecified male genital organs	M	25	18	29	15	18	16	22	15	12	13	17	16	27	52	14	**309**
180 Kidney	M	68	88	90	38	71	92	71	69	45	29	82	62	104	72	41	**1,022**
	F	33	37	44	24	34	36	49	55	18	19	47	29	65	47	37	**574**
	Persons	101	125	134	62	105	128	120	124	63	48	129	91	169	119	78	**1,596**
181 Bladder and other urinary organs	M	230	242	359	126	309	271	327	355	198	121	246	185	346	316	162	**3,793**
	F	81	92	127	45	97	100	128	135	63	38	91	40	95	100	67	**1,299**
	Persons	311	334	486	171	406	371	455	490	261	159	337	225	441	416	229	**5,092**
190 Melanoma of skin	M	17	8	27	16	24	20	32	26	8	6	27	11	32	17	6	**277**
	F	28	22	45	26	49	34	50	53	23	19	62	29	56	33	25	**554**
	Persons	45	30	72	42	73	54	82	79	31	25	89	40	88	50	31	**831**
191 Other malignant neoplasm of skin	M	516	441	583	304	489	488	694	496	349	258	586	476	753	625	399	**7,457**
	F	434	407	494	204	403	375	569	411	273	200	420	385	566	636	304	**6,081**
	Persons	950	848	1,077	508	892	863	1,263	907	622	458	1,006	861	1,319	1,261	703	**13,538**
192 Eye	M	11	11	13	4	15	5	11	13	5	7	12	7	16	8	2	**140**
	F	6	6	9	3	9	12	10	11	2	5	9	5	15	7	4	**113**
	Persons	17	17	22	7	24	17	21	24	7	12	21	12	31	15	6	**253**
193 Brain and other parts of nervous system (including benign neoplasm)	M	102	72	138	51	130	110	117	137	70	53	104	88	156	147	85	**1,560**
	F	88	53	94	59	110	91	91	105	61	37	101	52	115	115	67	**1,239**
	Persons	190	125	232	110	240	201	208	242	131	90	205	140	271	262	152	**2,799**
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	91	65	126	47	108	103	96	120	62	50	87	76	135	124	82	**1,372**
	F	68	47	68	45	71	72	73	80	50	33	68	38	88	82	47	**930**
	Persons	159	112	194	92	179	175	169	200	112	83	155	114	223	206	129	**2,302**
194 Thyroid gland	M	11	8	13	10	7	19	15	6	6	3	10	9	16	9	8	**150**
	F	19	31	31	13	46	37	37	31	15	9	23	21	51	34	19	**417**
	Persons	30	39	44	23	53	56	52	37	21	12	33	30	67	43	27	**567**
195 Other endocrine glands (including benign neoplasm)	M	5	2	15	4	18	12	18	18	11	3	7	12	17	19	9	**170**
	F	9	8	12	6	14	12	20	16	8	2	7	3	14	15	9	**155**
	Persons	14	10	27	10	32	24	38	34	19	5	14	15	31	34	18	**325**

195	Other endocrine glands (excluding benign neoplasm)	M	3	2	4	3	11	6	9	9	3	2	5	4	11	10	3	**85**
		F	5	2	3	2	5	6	12	4	8	2	3	2	8	5	4	**71**
		Persons	8	4	7	5	16	12	21	13	11	4	8	6	19	15	7	**156**
196	Bone	M	15	22	14	8	23	25	22	18	9	11	21	17	29	27	10	**271**
		F	13	21	12	10	15	23	19	27	9	8	14	8	22	12	13	**226**
		Persons	28	43	26	18	38	48	41	45	18	19	35	25	51	39	23	**497**
197	Connective tissue	M	25	19	30	7	35	35	37	41	14	15	31	19	39	35	17	**399**
		F	6	14	26	9	21	30	26	21	7	7	11	17	36	40	9	**280**
		Persons	31	33	56	16	56	65	63	62	21	22	42	36	75	75	26	**679**
198	Lymph nodes (secondary and unspecified)	M	26	24	19	11	21	20	21	20	11	10	17	18	20	24	12	**274**
		F	22	13	29	5	20	14	12	25	7	6	9	17	21	16	6	**222**
		Persons	48	37	48	16	41	34	33	45	18	16	26	35	41	40	18	**496**
199	Other and unspecified sites	M	56	45	131	18	52	85	74	73	30	39	79	50	71	74	34	**911**
		F	86	80	132	49	104	112	136	101	50	41	92	53	113	97	47	**1,293**
		Persons	142	125	263	67	156	197	210	174	80	80	171	103	184	171	81	**2,204**
200	Lymphosarcoma and reticulosarcoma	M	52	69	74	28	75	65	70	65	34	39	80	50	81	60	35	**877**
		F	39	42	48	30	70	55	67	62	26	30	58	39	60	61	50	**737**
		Persons	91	111	122	58	145	120	137	127	60	69	138	89	141	121	85	**1,614**
201	Hodgkin's disease	M	31	41	94	19	57	58	46	66	21	19	47	29	71	66	23	**688**
		F	30	27	30	17	37	21	35	36	9	11	29	20	33	41	21	**397**
		Persons	61	68	124	36	94	79	81	102	30	30	76	49	104	107	44	**1,085**
202	Other forms of Lymphoma (reticulosis)	M	16	11	17	13	12	18	14	12	8	9	11	6	27	6	10	**190**
		F	11	8	16	10	14	13	6	13	1	7	10	10	18	11	7	**155**
		Persons	27	19	33	23	26	31	20	25	9	16	21	16	45	17	17	**345**
203	Multiple myeloma (plasmocytoma)	M	33	23	49	9	31	27	31	35	14	19	28	17	39	36	13	**404**
		F	24	17	32	21	25	30	28	27	10	9	34	22	32	20	17	**348**
		Persons	57	40	81	30	56	57	59	62	24	28	62	39	71	56	30	**752**
204	Leukaemia and aleukaemia	M	102	93	143	57	123	102	140	138	62	53	100	70	129	132	78	**1,522**
		F	66	90	120	31	105	73	114	109	48	49	100	76	99	117	51	**1,248**
		Persons	168	183	263	88	228	175	254	247	110	102	200	146	228	249	129	**2,770**
205	Mycosis fungoides	M	1	–	2	–	1	–	2	1	–	–	1	2	–	–	–	**10**
		F	–	–	1	–	1	–	2	–	1	1	2	1	2	–	3	**14**
		Persons	1	–	3	–	2	–	4	1	1	1	3	3	2	–	3	**24**
	All sites	**M**	**4,728**	**4,412**	**6,115**	**2,437**	**5,024**	**5,037**	**5,694**	**5,018**	**2,648**	**2,302**	**4,670**	**3,804**	**6,985**	**6,201**	**3,394**	**68,469**
		F	**4,189**	**4,461**	**5,735**	**2,267**	**5,137**	**4,697**	**5,842**	**5,165**	**2,553**	**2,202**	**4,576**	**3,502**	**6,434**	**5,719**	**3,109**	**65,588**
		Persons	**8,917**	**8,873**	**11,850**	**4,704**	**10,161**	**9,734**	**11,536**	**10,183**	**5,201**	**4,504**	**9,246**	**7,306**	**13,419**	**11,920**	**6,503**	**134,057**

Table 13 Rates per 100,000 population by sex, site and age, of newly diagnosed cases of cancer. 1963

England and Wales

(rates based on under 20 registrations are shown in italics)

ICD (7th Revision) number and site description		Age-group									All ages
		0-	5-	15-	25-	35-	45-	55-	65-	75 and over	
140 Lip	M	–	*0*	–	*0.2*	1.1	2.3	6.2	10.9	23.7	**2.6**
	F	–	–	–	*0*	*0*	*0.2*	*0.5*	*0.7*	2.2	**0.3**
141 Tongue	M	–	–	–	*1.0*	*0.4*	1.1	2.9	6.8	16.2	**1.5**
	F	–	*0*	–	*0.1*	*0.3*	*0.5*	1.2	3.1	5.4	**0.8**
142 Salivary gland	M	–	–	*0.4*	1.2	1.2	1.9	2.1	2.8	4.4	**1.2**
	F	–	*0.1*	*0.3*	0.8	1.5	1.7	2.3	1.8	3.7	**1.2**
143 Floor of mouth	M	–	–	–	–	–	*0.4*	1.7	3.4	7.3	**0.7**
	F	–	–	–	–	*0.1*	*0.2*	*0.5*	*0.5*	*1.3*	**0.2**
144 Other mouth (specified and unspecified)	M	–	–	*0*	*0.1*	*0.4*	*0.6*	2.1	6.2	12.6	**1.2**
	F	–	–	*0*	*0.1*	*0.3*	*0.5*	1.7	2.3	4.4	**0.8**
145 Oral mesopharynx	M	*0*	–	*0.1*	*0.1*	*0.2*	0.8	2.1	3.8	9.2	**0.9**
	F	–	–	*0*	–	*0.1*	*0.4*	*0.5*	1.2	*1.0*	**0.3**
146 Nasopharynx	M	–	*0.1*	*0.2*	*0.2*	*0.5*	*0.6*	1.4	1.5	*0.6*	**0.5**
	F	–	–	*0.1*	*0*	*0.1*	*0.2*	0.8	*0.7*	*0.7*	**0.3**
147 Hypopharynx	M	–	*0*	*0*	*0*	*0.1*	*0.5*	2.4	6.0	7.9	**1.0**
	F	–	–	–	*0.2*	0.7	1.3	2.3	3.1	3.7	**1.1**
148 Pharynx (unspecified)	M	–	–	–	*0*	*0.1*	*0.3*	1.1	1.9	3.5	**0.4**
	F	–	–	–	*0*	*0.2*	*0.4*	*0.4*	0.9	*1.3*	**0.3**
150 Oesophagus	M	–	–	–	*0.1*	0.8	4.1	12.7	29.5	48.7	**5.5**
	F	–	–	*0*	*0.1*	0.7	3.1	6.8	15.2	24.9	**4.1**
151 Stomach	M	–	–	*0.1*	0.9	6.2	27.6	77.1	153.5	190.0	**29.0**
	F	–	–	*0.1*	1.0	3.2	11.3	29.6	68.0	108.9	**17.8**
152 Small intestine, including duodenum	M	–	–	*0.1*	*0.1*	*0.2*	0.7	1.4	2.0	*1.8*	**0.5**
	F	–	–	*0.1*	*0.1*	*0.1*	*0.5*	0.7	2.0	2.5	**0.5**
153 Large intestine, except rectum	M	–	*0.1*	*0.4*	1.4	5.2	15.5	38.0	87.0	152.7	**17.5**
	F	–	*0.2*	0.7	1.9	6.1	17.7	40.0	81.1	125.1	**22.5**
154 Rectum	M	–	–	*0.2*	0.8	3.3	13.5	40.6	89.2	144.3	**17.1**
	F	–	–	*0.1*	0.7	3.7	10.9	25.8	44.8	71.2	**13.1**
155 Biliary passages and liver (specified primary)	M	*0.2*	–	*0.1*	*0.2*	0.7	2.7	6.6	15.4	20.5	**2.9**
	F	*0.3*	*0.1*	*0.1*	*0.2*	0.7	1.9	6.1	12.9	21.9	**3.5**
156 Liver (secondary and unspecified)	M	*0*	–	–	*0.1*	*0.5*	1.9	5.4	10.5	9.9	**1.9**
	F	–	–	–	*0.2*	*0.3*	1.5	2.9	5.9	7.4	**1.6**
157 Pancreas	M	*0*	–	–	*0.2*	1.9	7.5	22.8	41.6	59.0	**8.3**
	F	–	–	–	*0.2*	0.9	4.3	11.6	25.5	38.2	**6.5**
158 Peritoneum	M	*0.3*	*0*	*0.1*	*0.1*	*0.2*	*0.5*	0.9	*1.0*	*2.0*	**0.4**
	F	*0.1*	–	*0*	*0.1*	*0.2*	*0.5*	1.2	2.0	1.9	**0.6**
159 Unspecified digestive organs	M	–	–	–	–	*0*	*0.1*	*0.3*	*0.3*	*0.6*	**0.1**
	F	–	–	–	–	–	*0.1*	*0.2*	*0.1*	*0.1*	**0.1**
160 Nose, nasal cavities, middle ear and accessory sinuses	M	–	*0*	*0*	–	*0.3*	1.1	2.4	4.2	4.1	**0.9**
	F	*0.1*	*0*	*0.1*	*0.1*	*0.5*	*0.5*	1.6	2.0	3.0	**0.7**
161 Larynx	M	–	–	*0*	*0.1*	1.3	4.4	14.8	22.4	22.1	**4.6**
	F	–	–	–	–	*0.3*	1.0	1.7	2.5	1.8	**0.7**
162-163 Lung (primary and unspecified)	M	*0.1*	–	*0.2*	2.8	19.0	100.5	301.3	430.5	289.8	**87.2**
	F	–	*0.1*	*0.1*	*0.7*	4.9	19.3	35.6	45.3	40.9	**13.9**
164 Mediastinum	M	*0.1*	*0*	*0.1*	–	*0.1*	*0.2*	*0.3*	*0.7*	*0.4*	**0.2**
	F	–	–	–	*0*	*0*	*0*	*0.2*	*0.2*	*0.1*	**0.1**
165 Thoracic organs (secondary)	M	–	–	*0*	*0.1*	*0.2*	*0.5*	1.4	2.9	2.9	**0.5**
	F	–	–	*0*	–	*0.1*	*0.4*	0.8	1.1	1.5	**0.4**
170 Breast	M	–	–	–	*0*	*0.2*	0.7	1.5	3.1	4.7	**0.6**
	F	–	–	*0.5*	11.2	62.5	114.5	137.3	160.2	178.1	**65.6**
171 Cervix uteri (including pre-malignant cases)	F	–	–	*0.5*	8.1	34.0	41.8	33.9	31.7	28.7	**19.6**

ICD (7th Revision) number	Site description		Age-group 0-	5-	15-	25-	35-	45-	55-	65-	75 and over	All ages
172-174	Other parts of uterus (including pre-malignant cases)	F	*0.1*	-	*0.2*	0.9	4.7	22.5	40.6	37.2	22.8	**13.3**
171-174	Uterus (pre-malignant)	F	-	-	*0.3*	2.7	4.9	3.9	1.0	*0.7*	*0.2*	**1.7**
175	Ovary, Fallopian tube and broad ligament	F	*0.2*	*0.1*	1.2	2.7	10.2	25.4	34.9	35.8	27.2	**14.2**
176	Other and unspecified female genital organs	F	*0.1*	-	*0*	*0.4*	1.6	2.4	6.3	13.4	22.9	**3.8**
177	Prostate	M	-	*0*	*0.1*	-	*0.2*	3.7	27.9	124.5	316.9	**21.2**
178	Testis	M	*0.4*	*0*	1.7	5.0	3.7	2.5	1.9	*1.3*	*0.7*	**2.1**
179	Other and unspecified male genital organs	M	-	-	*0*	*0*	*0.4*	1.3	3.3	6.3	11.1	**1.4**
180	Kidney	M	2.1	*0.3*	*0.1*	*0.5*	2.0	6.8	12.0	17.6	16.1	**4.5**
		F	1.4	*0.3*	*0.1*	*0.2*	0.9	2.3	4.5	7.5	9.6	**2.4**
181	Bladder and other urinary organs	M	*0.2*	-	*0.2*	*0.5*	2.7	12.4	42.7	88.3	131.5	**16.6**
		F	*0.1*	-	*0.1*	*0.2*	1.0	3.7	9.4	19.4	33.1	**5.4**
190	Melanoma of skin	M	-	*0.1*	*0.5*	1.0	1.4	1.4	1.6	4.0	5.4	**1.2**
		F	*0.1*	*0.1*	1.1	1.7	3.2	3.3	3.4	3.7	5.5	**2.3**
191	Other malignant neoplasm of skin	M	-	*0*	*0.3*	2.8	15.9	38.8	75.7	134.2	253.6	**32.7**
		F	-	*0.1*	*0.4*	2.7	10.4	24.4	41.9	79.1	144.3	**25.1**
192	Eye	M	*0.9*	*0.1*	*0.1*	*0.2*	*0.5*	1.0	1.1	1.5	*2.2*	**0.6**
		F	*0.8*	*0.1*	*0.1*	*0*	*0.5*	0.7	0.9	*0.6*	*1.0*	**0.5**
193	Brain and other parts of nervous system (including benign neoplasm)	M	3.3	2.8	2.1	4.1	6.1	11.5	16.9	13.1	3.9	**6.8**
		F	3.0	2.4	1.3	2.7	4.7	8.7	10.9	8.9	2.9	**5.1**
193	Brain and other parts of nervous system (excluding benign neoplasm)	M	3.3	2.6	1.6	3.4	5.0	10.4	15.1	11.4	*2.6*	**6.0**
		F	2.8	2.3	1.2	2.2	3.3	6.0	8.2	6.3	1.6	**3.8**
194	Thyroid gland	M	*0*	*0*	*0.1*	*0.4*	*0.4*	0.9	1.2	2.5	3.7	**0.7**
		F	-	*0.1*	*0.5*	1.0	1.0	2.0	3.2	4.5	6.1	**1.7**
195	Other endocrine glands (including benign neoplasm)	M	*0.6*	*0.3*	*0.4*	*0.6*	0.9	1.3	1.2	*0.8*	*0.6*	**0.7**
		F	*0.5*	*0.2*	*0.3*	*0.6*	0.7	0.9	1.1	1.1	*0.4*	**0.6**
195	Other endocrine glands (excluding benign neoplasm)	M	*0.6*	*0.2*	*0.2*	*0.2*	*0.4*	*0.5*	*0.6*	*0.3*	*0.6*	**0.4**
		F	*0.5*	*0.1*	*0.1*	*0.3*	*0.2*	*0.3*	*0.5*	*0.6*	*0.3*	**0.3**
196	Bone	M	*0.1*	*0.5*	1.7	*0.5*	0.7	1.1	2.0	2.7	4.7	**1.2**
		F	*0.4*	0.8	0.9	*0.3*	*0.4*	0.7	0.9	2.3	3.1	**0.9**
197	Connective tissue	M	*0.5*	*0.3*	0.9	1.1	1.4	1.7	3.9	5.1	6.3	**1.7**
		F	*0.6*	*0.3*	0.6	*0.5*	0.8	1.2	2.3	2.5	2.8	**1.2**
198	Lymph nodes (secondary and unspecified)	M	*0*	-	*0.1*	*0.1*	*0.3*	1.3	3.0	5.6	8.3	**1.2**
		F	-	-	*0.1*	*0.2*	*0.6*	1.2	1.7	3.0	3.4	**0.9**
199	Other and unspecified sites	M	*0.3*	*0.1*	*0.2*	*0.2*	1.2	4.1	10.6	19.2	23.7	**4.0**
		F	*0.4*	*0.1*	*0.1*	*0.6*	1.4	4.3	12.6	19.1	22.2	**5.3**
200	Lymphosarcoma and reticulosarcoma	M	*0.4*	1.4	1.6	2.0	2.2	4.8	8.6	12.0	13.2	**3.8**
		F	*0.3*	*0.3*	0.7	1.0	1.5	3.8	5.7	8.7	10.7	**3.0**
201	Hodgkin's disease	M	*0.1*	0.9	3.4	3.5	3.1	3.8	4.5	4.6	4.7	**3.0**
		F	-	*0.3*	2.1	2.3	1.6	1.2	2.3	2.1	3.5	**1.6**
202	Other forms of lymphoma (reticulosis)	M	*0.1*	*0.1*	*0.4*	*0.6*	0.7	1.2	1.6	2.5	*2.2*	**0.8**
		F	*0.3*	*0*	*0.1*	*0.3*	*0.5*	0.8	1.5	1.5	*1.3*	**0.6**
203	Multiple myeloma (plasmocytoma)	M	-	-	*0*	-	0.7	2.4	5.4	7.7	7.9	**1.8**
		F	-	-	-	*0.2*	*0.1*	1.6	3.3	5.5	5.2	**1.4**
204	Leukaemia and aleukaemia	M	4.5	2.8	2.0	2.4	3.2	6.2	12.3	23.3	35.4	**6.7**
		F	3.7	2.3	1.2	1.6	2.7	4.6	8.4	12.5	19.8	**5.2**
205	Mycosis fungoides	M	-	-	-	-	*0*	*0*	*0.2*	*0.1*	*0.3*	**0**
		F	-	-	-	-	-	-	*0.1*	*0.2*	*0.4*	**0.1**
	All sites	M	**14.8**	**10.0**	**17.9**	**34.4**	**91.9**	**298.3**	**787.3**	**1414.0**	**1891.1**	**299.9**
		F	**12.2**	**7.9**	**13.9**	**46.3**	**169.8**	**350.5**	**542.4**	**783.5**	**1028.4**	**271.1**

Table 14 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1963

Urban areas of England and Wales

(rates based on under 20 registrations are shown in italics)

ICD (7th Revision) number and site description		Age-group									All ages
		0–	5–	15–	25–	35–	45–	55–	65–	75 and over	
140 Lip	M	–	*0*	–	*0.2*	1.1	2.2	5.5	9.1	19.0	**2.3**
	F	–	–	–	*0*	–	*0.2*	*0.4*	*0.7*	2.3	**0.3**
141 Tongue	M	–	–	–	*0.1*	*0.4*	1.2	3.1	7.7	18.3	**1.6**
	F	–	*0*	–	*0*	*0.3*	*0.5*	1.3	3.0	5.8	**0.9**
142 Salivary gland	M	–	–	*0.6*	1.3	1.1	1.9	2.2	2.5	4.2	**1.2**
	F	–	*0.1*	*0.3*	*0.8*	1.5	1.7	2.2	1.9	3.6	**1.2**
143 Floor of mouth	M	–	–	–	–	–	*0.3*	1.7	3.6	6.7	**0.7**
	F	–	–	–	–	*0.1*	*0.2*	*0.6*	*0.5*	*1.3*	**0.2**
144 Other mouth (specified and unspecified)	M	–	–	*0*	*0.2*	*0.4*	*0.7*	2.4	6.0	13.7	**1.2**
	F	–	–	*0*	*0.2*	*0.2*	*0.5*	1.6	2.5	4.9	**0.8**
145 Oral mesopharynx	M	*0.1*	–	*0.1*	*0.1*	*0.2*	0.9	2.5	4.4	9.6	**1.0**
	F	–	–	*0*	–	*0.1*	*0.4*	*0.4*	*0.9*	*1.1*	**0.3**
146 Nasopharynx	M	–	*0*	*0.1*	*0.2*	*0.5*	*0.7*	1.5	*1.5*	*0.8*	**0.5**
	F	–	–	*0.1*	*0*	*0.1*	*0.2*	1.0	*0.9*	*0.8*	**0.3**
147 Hypopharynx	M	–	*0*	*0*	*0*	*0*	*0.5*	2.4	6.2	8.9	**1.0**
	F	–	–	–	*0.2*	*0.7*	1.3	2.2	2.8	3.6	**1.0**
148 Pharynx (unspecified)	M	–	–	–	*0*	*0.1*	*0.3*	1.2	2.0	4.0	**0.4**
	F	–	–	–	*0*	*0.2*	*0.4*	*0.5*	*0.9*	*1.3*	**0.3**
150 Oesophagus	M	–	–	–	*0.1*	*0.6*	4.4	13.3	30.2	49.8	**5.6**
	F	–	–	*0*	*0.1*	*0.6*	3.4	6.9	15.1	25.5	**4.1**
151 Stomach	M	–	–	*0.1*	0.9	7.0	29.6	81.6	164.1	199.3	**30.8**
	F	–	–	*0.1*	1.0	3.3	12.0	31.6	71.3	115.9	**18.8**
152 Small intestine, including duodenum	M	–	–	*0.1*	*0.1*	*0.3*	*0.6*	1.4	1.8	*2.1*	**0.5**
	F	–	–	*0.1*	*0.1*	*0.1*	*0.5*	*0.8*	2.2	2.5	**0.5**
153 Large intestine, except rectum	M	–	*0.1*	*0.5*	1.6	5.3	16.4	39.5	90.1	158.6	**18.1**
	F	–	*0.1*	0.8	2.1	6.2	18.0	42.2	83.7	134.5	**23.7**
154 Rectum	M	–	–	*0.2*	1.0	3.6	13.3	42.7	95.0	150.5	**17.8**
	F	–	–	*0.1*	0.9	3.8	11.3	27.2	46.7	75.3	**13.8**
155 Biliary passages and liver (specified primary)	M	*0.3*	–	*0.1*	*0.1*	*0.7*	3.0	6.8	16.4	23.9	**3.1**
	F	*0.2*	*0.1*	*0.1*	*0.2*	*0.7*	2.0	6.4	12.6	22.2	**3.6**
156 Liver (secondary and unspecified)	M	–	–	–	*0.1*	*0.5*	2.0	5.6	10.4	11.0	**2.0**
	F	–	–	–	*0.1*	*0.3*	1.5	3.0	6.1	7.8	**1.6**
157 Pancreas	M	*0.1*	–	–	*0.2*	2.2	7.6	24.1	44.4	63.5	**8.8**
	F	–	–	–	*0.2*	1.0	4.8	12.3	26.5	40.1	**6.9**
158 Peritoneum	M	*0.3*	*0*	*0*	*0.1*	*0.2*	*0.5*	1.1	*1.3*	*1.7*	**0.4**
	F	*0.1*	–	*0*	*0.1*	*0.2*	*0.4*	1.3	2.2	*1.8*	**0.6**
159 Unspecified digestive organs	M	–	–	–	–	*0*	*0.1*	*0.4*	*0.4*	*0.8*	**0.1**
	F	–	–	–	–	–	*0.1*	*0.3*	*0.1*	*0.2*	**0.1**
160 Nose, nasal cavities, middle ear, and accessory sinuses	M	–	*0*	*0*	–	*0.3*	1.0	2.4	4.7	*3.3*	**0.9**
	F	*0.1*	*0*	*0.1*	*0.1*	*0.6*	*0.6*	1.7	2.1	3.3	**0.8**
161 Larynx	M	–	–	*0*	*0.1*	1.4	4.4	16.4	23.7	25.4	**5.0**
	F	–	–	–	–	*0.3*	1.1	1.9	2.8	2.1	**0.8**
162-163 Lung (primary and unspecified)	M	*0.1*	–	*0.3*	3.1	19.5	109.5	323.7	472.2	325.8	**94.8**
	F	–	*0.1*	*0.1*	*0.7*	5.6	20.3	38.3	48.2	43.9	**15.0**
164 Mediastinum	M	*0.1*	*0*	*0.1*	–	*0.1*	*0.2*	*0.4*	*0.8*	*0.4*	**0.2**
	F	–	–	–	*0*	–	*0*	*0.3*	*0.2*	*0.2*	**0.1**
165 Thoracic organs (secondary)	M	–	–	–	*0.1*	*0.2*	*0.6*	1.6	2.5	*3.5*	**0.6**
	F	–	–	*0*	–	*0.1*	*0.4*	*0.8*	*0.9*	*1.7*	**0.3**
170 Breast	M	–	–	–	*0*	*0.2*	*0.7*	1.3	3.4	5.0	**0.6**
	F	–	–	*0.6*	11.6	64.1	117.1	140.7	167.9	187.0	**68.1**
171 Cervix uteri (including pre-malignant cases)	F	–	–	*0.5*	8.6	34.1	43.7	35.8	33.7	30.6	**20.5**

Table 14 - *continued*

Urban areas of England and Wales, 1963

ICD (7th Revision) number and site description			Age-group								All ages
			0–	5–	15–	25–	35–	45–	55–	65–	75 and over	
172-174	Other parts of uterus (including pre-malignant cases)	F	*0.1*	–	*0.3*	0.9	4.9	22.9	40.3	37.2	23.8	**13.4**
171-174	Uterus (pre-malignant)	F	–	–	*0.3*	2.9	5.0	4.0	1.1	*0.8*	*0.2*	**1.8**
175	Ovary, Fallopian tube and broad ligament	F	*0.2*	*0.1*	1.1	2.9	11.0	26.0	34.9	36.4	28.3	**14.5**
176	Other and unspecified female genital organs	F	*0.1*	–	–	*0.4*	1.6	2.6	6.5	13.9	22.9	**3.9**
177	Prostate	M	–	–	*0*	–	*0.3*	3.7	29.2	130.3	320.8	**21.5**
178	Testis	M	*0.4*	*0*	1.8	5.0	3.8	2.6	1.7	*1.1*	*0.8*	**2.1**
179	Other and unspecified male genital organs	M	–	–	*0*	*0*	*0.4*	1.4	3.5	6.7	12.1	**1.4**
180	Kidney	M	1.8	*0.3*	*0.1*	*0.6*	1.9	7.0	12.2	19.4	17.9	**4.7**
		F	*1.3*	*0.3*	*0.1*	*0.2*	1.1	2.3	4.7	8.0	10.6	**2.5**
181	Bladder and other urinary organs	M	*0.3*	–	*0.2*	*0.5*	3.0	12.8	45.8	95.0	141.0	**17.7**
		F	*0.1*	–	*0.1*	*0.3*	1.1	3.7	9.8	20.5	35.1	**5.7**
190	Melanoma of skin	M	–	*0*	*0.6*	1.0	1.5	1.4	1.7	4.5	5.2	**1.3**
		F	*0.1*	*0.1*	1.0	1.5	3.3	3.5	3.6	3.6	5.3	**2.3**
191	Other malignant neoplasm of skin	M	–	*0*	*0.3*	2.7	16.4	40.6	77.2	137.4	255.3	**33.3**
		F	–	*0.1*	*0.3*	2.7	10.3	25.2	44.0	83.4	148.7	**26.1**
192	Eye	M	*0.8*	*0.1*	*0.1*	*0.2*	*0.4*	0.9	1.2	*1.6*	*2.3*	**0.6**
		F	*0.9*	*0.1*	*0*	*0*	*0.5*	*0.7*	1.0	*0.6*	*1.0*	**0.5**
193	Brain and other parts of nervous system (including benign neoplasm)	M	3.3	2.9	2.5	4.4	5.9	12.2	17.8	14.1	4.0	**7.2**
		F	3.0	2.2	1.3	2.4	4.6	8.7	11.5	9.6	3.4	**5.2**
193	Brain and other parts of nervous system (excluding benign neoplasm)	M	3.3	2.8	1.9	3.7	4.9	11.0	15.9	12.0	*2.9*	**6.4**
		F	2.9	2.1	1.1	1.9	3.2	5.9	8.6	6.7	*1.8*	**3.9**
194	Thyroid gland	M	–	*0*	*0.1*	*0.3*	*0.3*	1.0	1.3	3.1	4.0	**0.7**
		F	–	*0.1*	*0.6*	1.0	1.1	1.9	3.3	5.0	6.1	**1.8**
195	Other endocrine glands (including benign neoplasm)	M	*0.7*	*0.3*	*0.4*	*0.7*	0.8	1.5	1.4	*1.0*	*0.8*	**0.8**
		F	*0.5*	*0.2*	*0.3*	*0.7*	*0.6*	0.8	1.2	1.1	*0.5*	**0.7**
195	Other endocrine glands (excluding benign neoplasm)	M	*0.7*	*0.3*	*0.2*	*0.3*	*0.4*	*0.6*	*0.7*	*0.4*	*0.8*	**0.4**
		F	*0.5*	*0.1*	*0.2*	*0.3*	*0.2*	*0.2*	*0.6*	*0.6*	*0.4*	**0.3**
196	Bone	M	*0.2*	*0.5*	2.1	*0.5*	0.8	1.2	2.0	2.8	5.2	**1.3**
		F	*0.5*	0.8	0.8	*0.4*	*0.5*	*0.7*	1.0	2.2	3.4	**1.0**
197	Connective tissue	M	*0.5*	*0.4*	1.0	1.1	1.5	1.9	4.1	5.5	6.5	**1.9**
		F	*0.6*	*0.3*	*0.7*	*0.6*	0.9	1.1	2.4	2.8	2.8	**1.2**
198	Lymph nodes (secondary and unspecified)	M	*0.1*	–	*0*	*0.2*	*0.4*	1.4	3.0	5.4	9.6	**1.2**
		F	–	–	*0.1*	*0.2*	*0.6*	1.4	1.9	3.1	3.6	**1.0**
199	Other and unspecified sites	M	*0.4*	*0.2*	*0.3*	*0.3*	1.3	4.2	11.1	20.2	28.0	**4.2**
		F	*0.4*	*0*	*0.1*	*0.6*	1.6	4.2	12.8	19.9	23.5	**5.5**
200	Lymphosarcoma and reticulosarcoma	M	*0.4*	1.3	1.7	2.0	2.3	4.8	8.9	11.8	13.7	**3.9**
		F	*0.3*	*0.3*	*0.7*	0.9	1.4	3.8	6.2	8.4	11.0	**3.1**
201	Hodgkin's disease	M	*0.2*	1.0	3.4	3.5	3.4	3.7	4.9	4.7	4.8	**3.1**
		F	–	*0.3*	2.0	2.2	1.4	1.2	2.3	2.2	3.4	**1.6**
202	Other forms of lymphoma (reticulosis)	M	*0.2*	*0.1*	*0.4*	*0.6*	*0.7*	1.3	1.5	2.9	*2.5*	**0.9**
		F	*0.4*	–	*0.2*	*0.3*	*0.4*	*0.7*	1.5	1.8	*1.4*	**0.6**
203	Multiple myeloma (plasmocytoma)	M	–	–	*0*	–	0.8	2.6	4.9	7.8	8.7	**1.8**
		F	–	–	–	*0.2*	*0.1*	1.6	3.4	6.0	5.2	**1.5**
204	Leukaemia and aleukaemia	M	4.3	3.0	2.0	2.5	3.2	6.5	12.6	25.1	36.0	**6.9**
		F	3.8	2.4	1.3	1.7	2.9	4.4	8.4	12.9	20.5	**5.3**
205	Mycosis fungoides	M	–	–	–	–	*0*	–	*0.2*	*0.1*	*0.4*	**0**
		F	–	–	–	–	–	–	*0.1*	*0.2*	*0.4*	**0.1**
	All sites	M	**14.3**	**10.4**	**19.4**	**36.0**	**95.0**	**315.6**	**831.2**	**1504.8**	**1987.3**	**315.7**
		F	**12.7**	**7.7**	**14.1**	**47.3**	**174.2**	**360.0**	**562.7**	**814.9**	**1079.9**	**282.0**

Table 15 Rates per 100,000 population, by sex, site and age, of newly diagnosed cases of cancer. 1963

Rural areas of England and Wales

(rates based on under 20 registrations are shown in italics)

ICD (7th Revision) number and site description		Age-group									All ages
		0-	5-	15-	25-	35-	45-	55-	65	75 and over	
140 Lip	M	-	-	-	*0.2*	*1.2*	*2.6*	8.8	16.9	38.3	**3.9**
	F	-	-	-	-	*0.2*	*0.2*	*1.2*	*0.7*	*2.2*	**0.4**
141 Tongue	M	-	-	-	-	*0.5*	*0.7*	*2.1*	*3.7*	*9.7*	**0.9**
	F	-	-	-	*0.2*	*0.2*	*0.2*	*0.7*	*3.8*	*3.6*	**0.7**
142 Salivary gland	M	-	-	*0.1*	*0.7*	*1.7*	*1.8*	*1.9*	*3.7*	*4.9*	**1.2**
	F	-	*0.1*	*0.2*	*0.7*	*1.3*	*1.8*	*2.5*	*1.2*	*4.0*	**1.2**
143 Floor of mouth	M	-	-	-	-	-	*0.7*	*1.9*	*2.8*	*9.1*	**0.8**
	F	-	-	-	-	-	*0.2*	-	*0.5*	*1.1*	**0.1**
144 Other mouth (specified and unspecified)	M	-	-	-	-	*0.3*	*0.2*	*1.3*	6.8	*9.1*	**1.0**
	F	-	-	-	-	*0.5*	*0.7*	*2.1*	*1.4*	*2.6*	**0.7**
145 Oral mesopharynx	M	-	-	-	-	-	*0.3*	*0.7*	*1.8*	*7.9*	**0.5**
	F	-	-	-	-	*0.2*	*0.7*	*1.1*	*2.4*	*0.7*	**0.5**
146 Nasopharynx	M	-	*0.1*	*0.5*	-	*0.2*	*0.2*	*0.9*	*1.5*	-	**0.3**
	F	-	-	*0.2*	-	*0.2*	-	-	*0.2*	*0.7*	**0.1**
147 Hypopharynx	M	-	-	-	-	*0.3*	*0.7*	*2.6*	*5.5*	*4.9*	**0.9**
	F	-	-	-	*0.5*	*0.6*	*1.3*	*3.0*	*4.3*	*4.0*	**1.3**
148 Pharynx (unspecified)	M	-	-	-	-	-	*0.2*	*0.6*	*1.5*	*1.8*	**0.2**
	F	-	-	-	-	-	*0.3*	-	*1.2*	*1.1*	**0.2**
150 Oesophagus	M	-	-	-	-	*1.4*	*3.1*	10.4	26.8	45.0	**5.0**
	F	-	-	-	-	*0.8*	*2.2*	6.5	15.7	22.6	**3.8**
151 Stomach	M	-	-	*0.1*	*1.0*	3.2	19.9	59.5	116.4	160.5	**22.7**
	F	-	-	-	*1.1*	3.2	8.6	21.2	54.1	81.4	**13.6**
152 Small intestine, including duodenum	M	-	-	-	*0.2*	*0.2*	*1.0*	*1.1*	*2.8*	*0.6*	**0.5**
	F	-	-	-	-	*0.2*	*0.8*	*0.5*	*1.4*	*2.6*	**0.5**
153 Large intestine, except rectum	M	-	-	*0.1*	*0.8*	4.9	11.9	32.1	76.0	134.3	**15.4**
	F	-	*0.4*	*0.6*	*0.9*	5.3	16.4	30.7	70.3	88.7	**18.0**
154 Rectum	M	-	-	*0.1*	*0.2*	*2.2*	13.9	32.5	69.0	124.6	**14.4**
	F	-	-	-	*0.2*	3.4	9.1	19.6	36.7	55.1	**10.3**
155 Biliary passages and liver (specified primary)	M	*0.2*	-	-	*0.5*	*0.8*	*1.5*	6.0	11.7	*9.7*	**2.1**
	F	*0.5*	*0.1*	*0.2*	*0.2*	*0.3*	*1.5*	4.7	14.5	20.4	**3.4**
156 Liver (secondary and unspecified)	M	*0.2*	-	-	-	*0.5*	*1.8*	4.7	10.8	*6.7*	**1.8**
	F	-	-	-	*0.4*	*0.3*	*1.8*	*2.6*	5.0	*5.8*	**1.4**
157 Pancreas	M	-	-	-	*0.3*	*0.5*	6.9	17.7	32.0	45.0	**6.6**
	F	-	-	-	*0.2*	*0.3*	*2.5*	8.6	21.4	31.0	**5.1**
158 Peritoneum	M	*0.5*	-	*0.1*	*0.3*	*0.2*	*0.5*	*0.2*	-	*3.0*	**0.3**
	F	-	-	-	-	*0.3*	*0.8*	*1.1*	*1.2*	*2.2*	**0.5**
159 Unspecified digestive organs	M	-	-	-	-	-	-	*0.2*	-	-	**0**
	F	-	-	-	-	-	-	*0.2*	-	-	**0**
160 Nose, nasal cavities, middle ear and accessory sinuses	M	-	-	-	-	*0.5*	*1.3*	*2.4*	*2.2*	*6.7*	**0.9**
	F	-	-	-	*0.2*	*0.2*	*0.2*	*1.2*	*1.9*	*1.8*	**0.5**
161 Larynx	M	-	-	-	-	*0.8*	4.1	8.6	17.5	*11.6*	**3.1**
	F	-	-	-	-	*0.3*	*0.5*	*1.1*	*1.4*	*0.7*	**0.4**
162-163 Lung (primary and unspecified)	M	*0.2*	-	-	*1.5*	17.3	65.0	214.5	284.5	176.3	**59.0**
	F	-	*0.1*	-	*0.4*	*1.8*	14.8	24.0	33.1	29.2	**9.6**
164 Mediastinum	M	*0.2*	-	-	-	-	*0.2*	-	*0.3*	*0.6*	**0.1**
	F	-	-	-	-	*0.2*	-	-	-	-	**0**
165 Thoracic organs (secondary)	M	-	-	*0.1*	-	*0.2*	-	*0.6*	*4.0*	*1.2*	**0.4**
	F	-	-	-	-	*0.2*	*0.3*	*1.1*	*1.9*	*0.7*	**0.4**
170 Breast	M	-	-	-	-	*0.3*	*0.7*	*2.1*	*2.2*	*3.6*	**0.6**
	F	-	-	*0.3*	9.4	55.9	103.6	123.2	128.4	143.8	**55.7**
171 Cervix uteri (including pre-malignant cases)	F	-	-	*0.3*	6.2	33.4	33.5	25.8	23.3	21.5	**15.7**

Table 15 - *continued*

Rural areas of England and Wales, 1963

ICD (7th Revision) number	Site description		Age-group 0-	5-	15-	25-	35-	45-	55-	65-	75 and over	All ages
172-174	Other parts of uterus (including pre-malignant cases)	F	-	-	-	*1.1*	3.9	20.9	41.6	37.4	18.6	**12.6**
171-174	Uterus (pre-malignant)	F	-	-	*0.2*	*2.0*	4.5	3.3	*0.5*	*0.5*	*0.4*	**1.4**
175	Ovary, Fallopian tube and broad ligament	F	-	*0.1*	*1.5*	*2.0*	6.8	22.4	34.6	33.3	23.0	**12.5**
176	Other and unspecified female genital organs	F	-	-	*0.2*	*0.5*	*1.5*	*1.7*	5.4	11.2	23.0	**3.4**
177	Prostate	M	-	*0.1*	*0.1*	-	-	3.4	23.1	104.4	304.6	**20.2**
178	Testis	M	*0.5*	-	*1.3*	5.2	3.5	*2.0*	*2.4*	*2.2*	*0.6*	**2.0**
179	Other and unspecified male genital organs	M	-	-	-	-	*0.3*	*1.1*	*2.4*	*4.9*	*7.9*	**1.0**
180	Kidney	M	*3.4*	*0.3*	*0.1*	-	*2.3*	6.0	11.2	11.1	*10.3*	**3.7**
		F	*1.8*	*0.3*	-	*0.4*	*0.2*	*2.3*	3.7	5.5	*5.8*	**1.8**
181	Bladder and other urinary organs	M	-	-	-	*0.3*	*1.4*	10.8	30.8	64.7	101.5	**12.7**
		F	-	-	-	-	*0.8*	3.5	7.4	14.8	25.5	**4.2**
190	Melanoma of skin	M	-	*0.1*	*0.2*	*1.2*	*1.2*	*1.3*	*1.1*	*2.5*	*6.1*	**1.0**
		F	-	-	*1.4*	*2.7*	*2.9*	*2.7*	*2.6*	*4.0*	*6.6*	**2.3**
191	Other malignant neoplasm of skin	M	-	-	*0.2*	*3.0*	13.6	31.5	70.1	123.2	248.0	**30.4**
		F	-	-	*0.6*	*2.5*	10.7	20.9	33.2	61.2	127.4	**21.1**
192	Eye	M	*1.2*	*0.1*	-	*0.2*	*0.9*	*1.0*	*0.6*	*1.2*	*1.8*	**0.6**
		F	*0.5*	*0.1*	*0.2*	-	*0.5*	*0.3*	*0.9*	*0.5*	*1.1*	**0.4**
193	Brain and other parts of nervous system (including benign neoplasm)	M	*3.4*	*2.3*	*0.8*	*2.7*	6.9	9.0	13.4	9.5	*3.6*	**5.4**
		F	*2.6*	2.9	*1.5*	4.0	5.2	8.8	8.6	6.0	*1.1*	**4.7**
193	Brain and other parts of nervous system (excluding benign neoplasm)	M	*3.4*	*2.3*	*0.8*	*2.2*	5.6	7.8	11.9	9.2	*1.8*	**4.7**
		F	*2.6*	2.9	*1.5*	*3.4*	3.7	6.5	6.5	5.0	*1.1*	**3.8**
194	Thyroid gland	M	*0.2*	-	*0.1*	*0.7*	*0.6*	*0.3*	*0.9*	*0.6*	*2.4*	**0.5**
		F	-	*0.1*	*0.2*	*0.7*	*0.6*	*2.5*	*2.6*	*2.4*	*6.2*	**1.4**
195	Other endocrine glands (including benign neoplasm)	M	*0.5*	*0.1*	*0.4*	*0.2*	*1.1*	*0.8*	*0.4*	-	-	**0.4**
		F	*0.5*	*0.1*	*0.2*	*0.2*	*0.8*	*1.3*	*0.5*	*0.7*	*0.4*	**0.5**
195	Other endocrine glands (excluding benign neoplasm)	M	*0.5*	-	*0.2*	-	*0.2*	*0.2*	*0.2*	-	-	**0.1**
		F	*0.5*	*0.1*	-	*0.2*	*0.2*	*0.5*	*0.4*	*0.2*	-	**0.2**
196	Bone	M	-	*0.3*	*0.7*	*0.5*	*0.5*	*0.7*	*1.7*	*2.2*	*3.0*	**0.8**
		F	-	*0.7*	*0.9*	*0.2*	-	*0.7*	*0.7*	*2.9*	*1.8*	**0.8**
197	Connective tissue	M	*0.5*	*0.3*	*0.6*	*0.8*	*0.8*	*1.3*	*3.0*	*3.7*	*5.5*	**1.3**
		F	*0.5*	*0.1*	*0.3*	*0.2*	*0.5*	*1.7*	*1.6*	*1.4*	*2.9*	**0.9**
198	Lymph nodes (secondary and unspecified)	M	-	-	*0.1*	-	*0.2*	*0.8*	*3.2*	6.5	*4.3*	**1.1**
		F	-	-	-	*0.2*	*0.5*	*0.5*	*0.7*	*2.4*	*2.6*	**0.6**
199	Other unspecified sites	M	*0.2*	-	-	-	*0.9*	3.8	8.8	15.7	16.4	**3.2**
		F	*0.3*	*0.1*	-	*0.7*	*0.5*	4.6	11.6	16.0	16.8	**4.5**
200	Lymphosarcoma and reticulosarcoma	M	*0.2*	*1.5*	*1.3*	*1.8*	*2.2*	4.9	7.6	12.6	*11.6*	**3.7**
		F	*0.3*	*0.4*	*0.8*	*1.4*	*1.9*	3.8	3.5	10.0	9.5	**2.9**
201	Hodgkin's disease	M	-	*0.9*	3.5	3.3	*2.2*	4.4	*3.0*	*4.3*	*4.3*	**2.7**
		F	-	*0.4*	*2.6*	*2.7*	*2.1*	*1.0*	*2.6*	*1.7*	*4.0*	**1.8**
202	Other forms of Lymphoma (reticulosis)	M	-	-	*0.4*	*0.5*	*0.8*	*1.0*	*2.2*	*1.2*	*1.2*	**0.7**
		F	-	*0.1*	-	*0.2*	*1.0*	*1.2*	*1.4*	*1.0*	*1.1*	**0.6**
203	Multiple myeloma (plasmocytoma)	M	-	-	-	-	*0.5*	*1.6*	7.1	8.3	*5.5*	**1.8**
		F	-	-	-	*0.4*	*0.2*	*1.7*	*2.6*	*3.6*	*5.5*	**1.2**
204	Leukaemia and aleukaemia	M	5.4	*2.1*	*2.2*	*2.2*	3.1	5.1	11.0	16.9	33.4	**5.9**
		F	*3.3*	*2.0*	*0.9*	*1.3*	*1.8*	5.5	8.8	11.0	16.8	**4.7**
205	Mycosis fungoides	M	-	-	-	-	-	*0.2*	*0.2*	-	-	**0**
		F	-	-	-	-	-	-	*0.2*	*0.2*	*0.7*	**0.1**
	All sites	**M**	**17.0**	**8.2**	**13.3**	**28.3**	**79.7**	**229.7**	**617.4**	**1096.1**	**1587.2**	**241.9**
		F	**10.3**	**8.6**	**13.0**	**41.8**	**151.5**	**309.9**	**457.4**	**653.0**	**828.1**	**227.0**

Table 16 Rates per 100,000 population, by sex and site, of newly diagnosed cases of cancer. 1963

Hospital region of residence

(rates based on under 20 registrations are shown in italics)

ICD (7th Revision) number and site description		Region of residence															All regions
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool	
140 Lip	M	2.2	1.7	2.4	7.5	1.5	1.7	3.3	2.7	4.1	3.9	4.8	3.0	1.9	1.7	*1.4*	**2.6**
	F	*0.1*	*0.2*	*0.2*	*0.6*	*0.1*	*0.5*	*0.4*	*0.5*	*0.4*	*0.2*	*0.6*	*0.4*	*0.1*		*0.3*	**0.3**
141 Tongue	M	1.7	2.5	1.1	*0.9*	1.4	*1.2*	*0.9*	1.8	*1.1*	*0.8*	2.1	*1.3*	1.2	2.0	*1.6*	**1.5**
	F	*0.6*	*1.1*	1.0	*1.1*	*0.5*	*0.8*	*1.0*	*0.7*	*0.5*	*1.0*	*0.9*	*1.0*	*0.7*	0.9	*1.0*	**0.8**
142 Salivary gland	M	1.5	*0.8*	1.3	*1.7*	*1.0*	*1.0*	*1.2*	1.5	*1.1*	*1.9*	*1.0*	*0.9*	1.6	*0.4*	*1.7*	**1.2**
	F	2.1	*0.9*	1.1	*1.0*	1.1	1.2	1.4	1.6	*0.8*	*1.5*	*0.9*	*1.3*	1.4	*0.5*	*1.6*	**1.2**
143 Floor of mouth	M	*1.0*	*1.1*	*0.5*	*0.9*	*0.5*	*0.5*	*0.8*	*0.5*	*0.8*	*0.2*	*1.3*	*1.2*	*0.4*	*0.6*	*0.5*	**0.7**
	F	*0.2*	*0.2*	*0.1*	*0.3*	*0.2*	-	*0.5*	*0.1*	*0.3*	*0.3*	*0.1*	*0.1*	*0.2*	*0.3*	*0.3*	**0.2**
144 Other mouth (specified and unspecified)	M	1.5	1.4	1.0	*1.3*	*0.6*	*0.8*	*0.8*	1.4	*1.3*	*0.5*	1.4	1.5	1.1	1.6	*1.4*	**1.2**
	F	*0.5*	*0.9*	1.1	*0.5*	*0.7*	1.3	*0.4*	*0.7*	*1.0*	*0.9*	*0.3*	*1.0*	1.0	*0.8*	*0.4*	**0.8**
145 Oral mesopharynx	M	*1.1*	*1.0*	1.2	*0.1*	1.5	*0.4*	*0.8*	1.3	*0.8*	*0.2*	*0.9*	*0.5*	1.2	1.0	*0.8*	**0.9**
	F	*0.4*	*0.2*	*0.3*	*0.8*	*0.1*	*0.1*	*0.4*	*0.5*	*0.3*	*0.8*	*0.5*	*0.6*	*0.1*	*0.1*	*0.3*	**0.3**
146 Nasopharynx	M	*0.5*	*0.5*	*0.4*	*0.6*	*0.5*	*0.4*	*0.6*	*0.5*	*0.9*	*0.2*	*0.2*	*0.5*	*0.7*	*0.4*	*0.2*	**0.5**
	F	*0.1*	*0.4*	*0.3*	*0.3*	*0.2*	*0.2*	*0.4*	*0.4*	*0.4*	*0.2*	*0.1*	*0.1*	*0.2*	*0.3*	*0.2*	**0.3**
147 Hypopharynx	M	*0.6*	*1.2*	*0.8*	*0.8*	*1.0*	*0.7*	1.4	*1.1*	*1.9*	*0.5*	*1.3*	*0.8*	*0.8*	1.3	*1.2*	**1.0**
	F	*1.0*	*0.7*	1.1	*1.4*	*0.4*	*0.6*	*0.8*	*0.9*	*1.5*	*0.8*	1.3	2.1	0.8	1.7	*1.2*	**1.1**
148 Pharynx (unspecified)	M	*0.5*	*0.5*	*0.1*	-	*0.7*	*0.5*	*0.3*	*0.9*	-	*0.5*	*0.6*	*0.3*	*0.5*	*0.3*	*0.1*	**0.4**
	F	*0.3*	*0.2*	*0.1*	-	*0.3*	*0.5*	*0.3*	*0.4*	*0.2*	-	*0.1*	*0.4*	*0.3*	*0.2*	*0.6*	**0.3**
150 Oesophagus	M	5.5	5.3	4.3	6.4	4.1	5.4	6.6	5.3	6.3	4.6	6.2	6.3	6.1	5.8	5.0	**5.5**
	F	4.5	4.0	3.0	3.6	2.7	3.7	4.3	3.7	4.5	3.7	6.1	5.8	4.4	4.1	4.0	**4.1**
151 Stomach	M	36.7	29.0	28.7	26.3	18.6	30.6	29.4	24.7	24.6	26.8	29.7	38.5	28.1	31.3	34.3	**29.0**
	F	25.6	20.6	16.5	15.3	11.8	16.0	18.0	15.4	15.3	16.3	17.7	21.8	16.3	19.3	23.3	**17.8**

152	Small intestine, including duodenum	M	0.4	0.5	0.4	-	0.4	0.6	0.5	0.6	0.8	0.5	0.6	0.5	0.6	0.6	0.2	**0.5**
		F	0.5	0.2	0.3	0.5	0.5	0.5	0.4	0.8	0.5	0.8	0.6	1.0	0.5	0.6	0.3	**0.5**
153	Large intestine, except rectum	M	19.2	16.0	16.1	18.4	14.7	16.7	19.6	18.4	17.6	17.3	19.6	15.4	18.0	18.6	18.7	**17.5**
		F	23.6	20.8	19.7	27.4	17.8	24.2	29.2	24.2	22.1	26.7	26.5	22.8	20.5	20.0	21.1	**22.5**
154	Rectum	M	18.6	14.8	17.8	23.3	12.5	17.4	17.0	18.9	12.7	17.9	18.1	17.2	19.5	14.9	18.1	**17.1**
		F	12.0	15.1	11.9	14.4	10.6	14.2	15.2	15.0	13.5	13.5	12.9	12.5	13.7	11.2	13.7	**13.1**
155	Biliary passages and liver (specified primary)	M	2.8	2.1	2.8	2.3	2.8	3.7	3.3	3.1	2.5	2.8	4.2	2.1	2.2	2.7	3.9	**2.9**
		F	4.2	3.0	3.9	3.9	2.9	4.2	3.9	3.8	2.2	3.7	4.2	3.4	3.2	3.6	2.3	**3.5**
156	Liver (secondary and unspecified)	M	2.7	1.8	1.4	2.5	0.8	1.7	2.1	1.6	1.8	2.8	1.3	2.4	2.5	2.0	2.5	**1.9**
		F	2.8	1.3	1.6	2.5	1.2	1.5	1.5	1.4	1.6	1.9	1.2	1.0	1.8	1.2	1.6	**1.6**
157	Pancreas	M	7.5	9.7	9.0	8.5	6.8	8.5	10.9	8.9	6.4	6.1	10.3	8.3	7.8	7.9	7.3	**8.3**
		F	7.3	8.1	6.7	5.9	5.0	5.6	8.2	7.1	7.9	7.0	7.9	5.6	5.1	5.7	6.7	**6.5**
158	Peritoneum	M	0.2	0.1	0.3	1.3	0.2	0.5	1.0	0.3	0.7	0.2	0.6	0.2	0.1	0.2	0.8	**0.4**
		F	0.2	0.2	0.8	1.0	0.5	1.1	1.1	0.7	1.4	0.7	0.5	0.3	0.2	0.2	0.2	**0.6**
159	Unspecified digestive organs	M	0.2	0.1	-	-	0.1	0.1	0.1	0.2	-	-	0.1	-	-	0.4	-	**0.1**
		F	-	0.1	-	0.1	-	0.1	0.1	0.1	-	-	0.1	0.1	-	0.2	-	**0.1**
160	Nose, nasal cavities, middle ear and accessory sinuses	M	0.9	0.8	1.0	0.9	0.6	0.5	1.3	0.7	0.9	0.8	0.6	0.9	1.0	0.7	1.4	**0.9**
		F	0.6	0.8	0.8	0.8	0.9	1.0	0.9	0.6	0.9	0.3	0.6	0.1	0.8	0.7	0.6	**0.7**
161	Larynx	M	4.7	4.6	4.9	3.2	4.2	5.7	5.8	5.3	5.3	2.5	4.8	4.3	4.5	3.4	4.5	**4.6**
		F	0.6	1.1	0.5	0.6	0.7	1.0	0.7	0.9	0.4	0.2	0.5	0.9	0.9	0.4	0.8	**0.7**
162-163	Lung (primary and unspecified)	M	90.6	87.7	75.7	77.6	83.4	104.7	108.9	100.1	75.4	70.8	75.4	75.3	84.0	87.6	102.9	**87.2**
		F	12.3	15.5	10.6	12.0	16.1	15.6	19.1	20.3	13.2	11.8	12.7	8.4	11.4	13.0	15.6	**13.9**
164	Mediastinum	M	0.1	0.1	0.2	0.1	0.2	0.1	0.2	0.4	0.1	0.1	0.3	-	0.1	0.1	0.2	**0.2**
		F	-	-	0.1	0.1	0.1	-	0.2	0.2	-	0.1	-	0.1	0	-	0.1	**0.1**
165	Thoracic organs (secondary)	M	0.8	0.4	0.6	0.8	0.3	0.8	0.6	0.5	0.4	0.4	0.2	1.1	0.4	0.4	0.6	**0.5**
		F	0.6	0.2	0.3	0.3	0.5	0.5	0.1	0.4	0.3	0.5	0.5	0.3	0.2	0.4	0.3	**0.4**
170	Breast	M	0.6	0.5	0.4	0.6	0.4	0.8	0.9	0.9	1.4	0.6	0.9	0.6	0.5	0.5	0.4	**0.6**
		F	56.8	64.4	64.5	64.9	61.1	69.0	83.1	79.5	72.1	60.9	76.1	60.3	67.1	50.4	57.1	**65.6**
171	Cervix uteri (including pre-malignant cases)	F	23.5	23.0	22.9	17.0	18.2	14.8	18.7	17.6	19.7	16.4	18.2	18.6	19.2	20.9	22.0	**19.6**
172-174	Other parts of uterus (including pre-malignant cases)	F	10.9	12.2	11.8	16.0	11.2	13.7	17.0	15.0	11.1	11.2	18.6	12.9	14.5	11.4	11.4	**13.3**

Table 16 - *continued*

Hospital region of residence. 1963

ICD (7th Revision) number and site description		Region of Residence															All regions
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool	
171-174 Uterus (pre-malignant)	F	*1.2*	1.5	3.1	*0.5*	2.0	*0.8*	*0.6*	1.4	*0.4*	3.3	*0.3*	1.6	3.3	1.5	2.6	**1.7**
175 Ovary, Fallopian tube and broad ligament	F	11.9	16.1	11.9	16.5	11.9	15.2	17.9	16.7	14.8	13.5	16.3	11.2	14.5	12.5	13.7	**14.2**
176 Other and unspecified female genital organs	F	4.0	4.5	3.5	4.6	2.8	3.8	4.5	4.0	3.8	3.4	4.3	4.0	3.7	4.0	2.9	**3.8**
177 Prostate	M	20.5	20.2	18.0	26.8	17.1	23.4	25.1	20.9	21.0	22.1	32.6	18.5	20.0	19.5	18.7	**21.2**
178 Testis	M	1.3	2.9	1.9	3.3	1.9	2.3	2.3	2.6	2.2	*1.8*	2.1	*1.2*	2.3	1.7	2.6	**2.1**
179 Other and unspecified male genital organs	M	1.7	*1.2*	1.3	*1.9*	*0.9*	*1.0*	1.4	*1.0*	*1.3*	*1.5*	*1.2*	*1.2*	1.1	2.4	*1.3*	**1.4**
180 Kidney	M	4.5	5.7	4.0	4.8	3.6	5.9	4.4	4.6	5.0	3.4	5.7	4.7	4.3	3.3	3.9	**4.5**
	F	2.1	2.3	2.0	3.0	1.5	2.1	2.8	3.3	*2.0*	*2.2*	3.1	2.1	2.6	2.0	3.2	**2.4**
181 Bladder and other urinary organs	M	15.2	15.8	16.2	16.0	15.6	17.5	20.4	23.4	21.8	14.2	17.2	14.1	14.3	14.7	15.3	**16.6**
	F	5.3	5.7	5.6	5.6	4.4	5.8	7.2	8.0	6.9	4.4	6.1	3.0	3.8	4.3	5.8	**5.4**
190 Melanoma of skin	M	*1.1*	*0.5*	1.2	*2.0*	1.2	1.3	2.0	1.7	*0.9*	*0.7*	1.9	*0.8*	1.3	*0.8*	*0.6*	**1.2**
	F	1.8	1.4	2.0	3.3	2.2	2.0	2.8	3.1	2.5	*2.2*	4.1	2.1	2.3	1.4	2.2	**2.3**
191 Other malignant neoplasm of skin	M	34.1	28.8	26.2	38.7	24.7	31.5	43.4	32.7	38.5	30.2	41.0	36.3	31.1	29.0	37.8	**32.7**
	F	28.2	25.2	21.9	25.5	18.3	21.8	32.0	24.4	30.0	23.3	28.0	28.5	22.9	27.2	26.3	**25.1**
192 Eye	M	*0.7*	*0.7*	*0.6*	*0.5*	*0.8*	*0.3*	*0.7*	*0.9*	*0.6*	*0.8*	*0.8*	*0.5*	*0.7*	*0.4*	*0.2*	**0.6**
	F	*0.4*	*0.4*	*0.4*	*0.4*	*0.4*	*0.7*	*0.6*	*0.7*	*0.2*	*0.6*	*0.6*	*0.4*	*0.6*	*0.3*	*0.3*	**0.5**
193 Brain and other parts of nervous system (including benign neoplasm)	M	6.7	4.7	6.2	6.5	6.6	7.1	7.3	9.0	7.7	6.2	7.3	6.7	6.4	6.8	8.1	**6.8**
	F	5.7	3.3	4.2	7.4	5.0	5.3	5.1	6.2	6.7	4.3	6.7	3.8	4.6	4.9	5.8	**5.1**

193	Brain and other parts of nervous system (excluding benign neoplasm)	M	6.0	4.2	5.7	6.0	5.5	6.7	6.0	7.9	6.8	5.9	6.1	5.8	5.6	5.8	7.8	**6.0**
		F	4.4	2.9	3.0	5.6	3.2	4.2	4.1	4.7	5.5	3.8	4.5	2.8	3.6	3.5	4.1	**3.8**
194	Thyroid gland	M	0.7	0.5	0.6	1.3	0.4	1.2	0.9	0.4	0.7	0.4	0.7	0.7	0.7	0.4	0.8	**0.7**
		F	1.2	1.9	1.4	1.6	2.1	2.1	2.1	1.8	1.6	1.0	1.5	1.6	2.1	1.5	1.6	**1.7**
195	Other endocrine glands (including benign neoplasm)	M	0.3	0.1	0.7	0.5	0.9	0.8	1.1	1.2	1.2	0.4	0.5	0.9	0.7	0.9	0.9	**0.7**
		F	0.6	0.5	0.5	0.8	0.6	0.7	1.1	0.9	0.9	0.2	0.5	0.2	0.6	0.6	0.8	**0.6**
195	Other endocrine glands (excluding benign neoplasm)	M	0.2	0.1	0.2	0.4	0.6	0.4	0.6	0.6	0.3	0.2	0.3	0.3	0.5	0.5	0.3	**0.4**
		F	0.3	0.1	0.1	0.3	0.2	0.3	0.7	0.2	0.9	0.2	0.2	0.1	0.3	0.2	0.3	**0.3**
196	Bone	M	1.0	1.4	0.6	1.0	1.2	1.6	1.4	1.2	1.0	1.3	1.5	1.3		1.3	0.9	**1.2**
		F	0.8	1.3	0.5	1.3	0.7	1.3	1.1	1.6	1.0	0.9	0.9	0.6	0.9	0.5	1.1	**0.9**
197	Connective tissue	M	1.7	1.2	1.3	0.9	1.8	2.3	2.3	2.7	1.5	1.8	2.2	1.5	1.6	1.6	1.6	**1.7**
		F	0.4	0.9	1.2	1.1	1.0	1.7	1.5	1.2	0.8	0.8	0.7	1.3	1.5	1.7	0.8	**1.2**
198	Lymph nodes (secondary and unspecified)	M	1.7	1.6	0.9	1.4	1.1	1.3	1.3	1.3	1.2	1.2	1.2	1.4	0.8	1.1	1.1	**1.2**
		F	1.4	0.8	1.3	0.6	0.9	0.8	0.7	1.5	0.8	0.7	0.6	1.3	0.8	0.7	0.5	**0.9**
199	Other and unspecified sites	M	3.7	2.9	5.9	2.3	2.6	5.5	4.6	4.8	3.3	4.6	5.5	3.8	2.9	3.4	3.2	**4.0**
		F	5.6	4.9	5.9	6.1	4.7	6.5	7.6	6.0	5.5	4.8	6.1	3.9	4.6	4.2	4.1	**5.3**
200	Lymphosarcoma and reticulosarcoma	M	3.4	4.5	3.3	3.6	3.8	4.2	4.4	4.3	3.7	4.6	5.6	3.8	3.3	2.8	3.3	**3.8**
		F	2.5	2.6	2.1	3.8	3.2	3.2	3.8	3.7	2.9	3.5	3.9	2.9	2.4	2.6	4.3	**3.0**
201	Hodgkin's disease	M	2.0	2.7	4.2	2.4	2.9	3.7	2.9	4.4	2.3	2.2	3.3	2.2	2.9	3.1	2.2	**3.0**
		F	1.9	1.7	1.3	2.1	1.7	1.2	2.0	2.1	1.0	1.3	1.9	1.5	1.3	1.8	1.8	**1.6**
202	Other forms of lymphoma (reticulosis)	M	1.1	0.7	0.8	1.7	0.6	1.2	0.9	0.8	0.9	1.1	0.8	0.5	1.1	0.3	0.9	**0.8**
		F	0.7	0.5	0.7	1.3	0.6	0.8	0.3	0.8	0.1	0.8	0.7	0.7	0.7	0.5	0.6	**0.6**
203	Multiple myeloma (plasmocytoma)	M	2.2	1.5	2.2	1.1	1.6	1.7	1.9	2.3	1.5	2.2	2.0	1.3	1.6	1.7	1.2	**1.8**
		F	1.6	1.1	1.4	2.6	1.1	1.7	1.6	1.6	1.1	1.0	2.3	1.6	1.3	0.9	1.5	**1.4**
204	Leukaemia and aleukaemia	M	6.7	6.1	6.4	7.3	6.2	6.6	8.8	9.1	6.8	6.2	7.0	5.3	5.3	6.1	7.4	**6.7**
		F	4.3	5.6	5.3	3.9	4.8	4.2	6.4	6.5	5.3	5.7	6.7	5.6	4.0	5.0	4.4	**5.2**
205	Mycosis fungoides	M	0.1	-	0.1	-	0.1	-	0.1	0.1	-	-	0.1	0.2	-	-	-	**0**
		F	-	-	0	-	0	-	0.1	-	0.1	0.1	0.1	0.1	0.1	-	0.3	**0.1**
	All sites	**M**	**312.5**	**288.1**	**275.1**	**310.0**	**253.7**	**325.3**	**356.0**	**339.9**	**292.0**	**269.6**	**326.5**	**290.3**	**288.6**	**287.5**	**321.6**	**299.9**
		F	**271.8**	**275.8**	**254.4**	**283.7**	**233.2**	**272.7**	**328.3**	**306.3**	**280.3**	**256.7**	**304.8**	**259.1**	**260.1**	**244.7**	**268.8**	**271.1**

Table 17 Registrations of newly diagnosed cases of cancer by sex, site and age. 1964

England and Wales

ICD (7th Revision) number and site description		Age-group																		Age not stated	All ages
		0–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over		
140 Lip	M	–	–	–	1	1	–	4	7	21	21	50	74	61	70	82	74	50	20	2	538
	F	–	–	–	–	–	–	–	–	6	4	5	11	7	7	18	11	6	6	–	81
	Persons	–	–	–	1	1	–	4	7	27	25	55	85	68	77	100	85	56	26	2	619
141 Tongue	M	–	–	–	–	–	3	1	7	10	10	13	24	44	47	50	64	50	25	1	349
	F	–	–	–	–	–	–	2	4	5	11	14	19	28	35	25	32	28	7	–	210
	Persons	–	–	–	–	–	3	3	11	15	21	27	43	72	82	75	96	78	32	1	559
142 Salivary gland	M	–	–	2	9	14	17	7	14	26	9	28	32	26	26	15	17	10	12	2	266
	F	–	–	1	10	5	13	24	26	19	23	41	26	26	32	25	17	11	8	–	307
	Persons	–	–	3	19	19	30	31	40	45	32	69	58	52	58	40	34	21	20	2	573
143 Floor of mouth	M	–	–	–	–	–	–	1	–	2	8	6	14	21	22	28	18	16	13	–	149
	F	–	–	–	–	–	–	–	–	1	2	3	3	5	6	7	9	5	3	–	44
	Persons	–	–	–	–	–	–	1	–	3	10	9	17	26	28	35	27	21	16	–	193
144 Other mouth (specified and unspecified)	M	–	–	–	1	–	2	–	5	8	6	20	30	38	40	38	45	34	23	1	291
	F	–	–	–	–	1	–	1	3	5	11	15	20	24	23	26	25	20	12	1	187
	Persons	–	–	–	1	1	2	1	8	13	17	35	50	62	63	64	70	54	35	2	478
145 Oral mesopharynx	M	–	1	–	–	2	–	2	1	5	5	11	15	30	29	33	17	21	14	–	186
	F	–	–	–	1	–	–	–	1	2	6	2	7	11	6	8	4	5	3	–	56
	Persons	–	1	–	1	2	–	2	2	7	11	13	22	41	35	41	21	26	17	–	242
146 Nasopharynx	M	1	2	–	3	1	1	1	4	5	7	26	13	17	17	10	4	1	1	–	114
	F	1	–	–	1	–	–	2	–	3	2	3	10	5	7	11	1	5	1	–	52
	Persons	2	2	–	4	1	1	3	4	8	9	29	23	22	24	21	5	6	2	–	166
147 Hypopharynx	M	–	–	–	–	–	–	1	4	3	10	18	15	40	49	46	26	9	7	–	228
	F	–	–	–	–	–	1	1	6	10	18	25	31	52	39	39	25	17	7	–	271
	Persons	–	–	–	–	–	1	2	10	13	28	43	46	92	88	85	51	26	14	–	499
148 Pharynx (unspecified)	M	1	–	–	–	–	1	–	–	2	1	1	7	22	15	22	10	10	6	–	98
	F	–	–	–	–	–	–	1	1	2	1	8	6	9	17	5	7	12	2	–	71
	Persons	1	–	–	–	–	1	1	1	4	2	9	13	31	32	27	17	22	8	–	169
150 Oesophagus	M	–	–	–	–	–	1	3	11	21	44	91	158	234	206	222	191	124	56	1	1,363
	F	–	–	–	–	–	–	3	8	17	44	66	97	128	153	189	185	135	89	1	1,115
	Persons	–	–	–	–	–	1	6	19	38	88	157	255	362	359	411	376	259	145	2	2,478
151 Stomach	M	–	–	–	–	1	7	20	69	141	241	551	967	1,194	1,163	1,098	833	397	142	6	6,830
	F	–	–	–	3	–	5	12	48	56	135	244	353	528	689	802	786	503	240	2	4,406
	Persons	–	–	–	3	1	12	32	117	197	376	795	1,320	1,722	1,852	1,900	1,619	900	382	8	11,236
152 Small intestine, including duodenum	M	–	–	–	–	–	1	1	5	8	9	15	15	19	28	20	13	4	1	–	139
	F	–	–	1	–	–	1	–	2	2	4	8	15	21	25	19	11	10	3	–	122
	Persons	–	–	1	–	–	2	1	7	10	13	23	30	40	53	39	24	14	4	–	261

153 Large intestine, except rectum.	M	1	–	1	5	7	11	31	55	123	160	309	457	606	607	694	551	331	163	3	4,115
	F	–	1	4	10	12	27	29	74	146	177	365	551	771	884	962	850	589	323	2	5,777
	Persons	1	1	5	15	19	38	60	129	269	337	674	1,008	1,377	1,491	1,656	1,401	920	486	5	9,892
154 Rectum	M	–	–	–	–	2	5	16	36	96	117	242	481	608	654	703	508	315	157	1	3,941
	F	–	–	–	1	3	8	18	30	85	132	210	333	435	521	544	493	347	186	2	3,348
	Persons	–	–	–	1	5	13	34	66	181	249	452	814	1,043	1,175	1,247	1,001	662	343	3	7,289
155 Biliary passages and liver (specified primary)	M	2	2	–	6	–	3	5	12	33	23	51	85	99	114	99	86	50	20	1	691
	F	–	–	–	1	–	2	3	4	7	17	45	81	119	131	134	192	93	66	1	896
	Persons	2	2	–	7	–	5	8	16	40	40	96	166	218	245	233	278	143	86	2	1,587
156 Liver (secondary and unspecified)	M	–	1	–	–	1	–	3	2	17	21	40	47	90	98	71	64	31	14	–	500
	F	–	–	–	1	–	–	6	4	8	20	29	56	80	64	75	59	38	13	–	453
	Persons	–	1	–	1	1	–	9	6	25	41	69	103	170	162	146	123	69	27	–	953
157 Pancreas	M	–	1	–	–	–	2	8	25	59	79	135	266	336	357	338	222	138	71	2	2,039
	F	–	1	1	1	–	1	3	9	23	43	102	144	201	256	299	290	199	87	1	1,661
	Persons	–	2	1	1	–	3	11	34	82	122	237	410	537	613	637	512	337	158	3	3,700
158 Peritoneum	M	1	–	1	1	–	1	–	2	5	2	8	10	15	11	7	4	5	3	–	76
	F	–	–	1	–	–	2	–	1	4	11	13	21	20	20	25	15	8	5	–	146
	Persons	1	–	2	1	–	3	–	3	9	13	21	31	35	31	32	19	13	8	–	222
159 Unspecified digestive organs	M	–	–	–	–	–	–	–	–	–	1	1	3	7	3	1	2	3	–	–	21
	F	–	–	–	–	–	–	–	–	1	1	1	–	5	5	1	4	3	–	–	21
	Persons	–	–	–	–	–	–	–	–	1	2	2	3	12	8	2	6	6	–	–	42
160 Nose, nasal cavities, middle ear and accessory sinuses	M	–	–	–	–	–	1	6	3	8	11	33	32	47	24	33	25	7	9	2	241
	F	1	–	1	–	2	–	1	4	9	10	15	13	16	22	13	25	22	4	–	158
	Persons	1	–	1	–	2	1	7	7	17	21	48	45	63	46	46	50	29	13	2	399
161 Larynx	M	–	–	–	1	–	1	4	13	44	46	114	165	228	216	128	88	44	19	2	1,113
	F	–	–	–	–	1	–	1	2	8	11	33	22	30	27	19	14	9	4	–	181
	Persons	–	–	–	1	1	1	5	15	52	57	147	187	258	243	147	102	53	23	2	1,294
162-163 Lung (primary and unspecified)	M	–	–	–	4	5	22	46	150	453	938	2,118	3,645	4,685	3,948	2,872	1,585	558	165	19	21,213
	F	–	–	–	1	6	7	20	57	155	228	378	561	609	669	449	381	177	83	–	3,781
	Persons	–	–	–	5	11	29	66	207	608	1,166	2,496	4,206	5,294	4,617	3,321	1,966	735	248	19	24,994
164 Mediastinum	M	1	–	–	1	1	–	–	2	–	1	1	5	5	5	–	5	2	1	–	30
	F	–	–	–	–	–	1	1	–	1	–	–	1	2	4	1	2	–	1	–	14
	Persons	1	–	–	1	1	1	1	2	1	1	1	6	7	9	1	7	2	2	–	44
165 Thoracic organs (secondary)	M	–	–	–	–	–	–	–	1	7	3	9	18	19	19	19	9	7	2	–	113
	F	–	–	–	–	–	–	1	1	4	7	9	15	18	18	10	11	5	3	–	102
	Persons	–	–	–	–	–	–	1	2	11	10	18	33	37	37	29	20	12	5	–	215
170 Breast	M	–	–	–	–	–	1	–	3	1	8	12	11	20	28	22	20	8	4	–	138
	F	1	–	–	2	11	78	241	590	1,444	1,698	1,829	2,006	1,990	1,926	1,567	1,293	839	494	22	16,031
	Persons	1	–	–	2	11	79	241	593	1,445	1,706	1,841	2,017	2,010	1,954	1,589	1,313	847	498	22	16,169
171 Cervix uteri (including pre-malignant cases)	F	–	–	–	8	21	107	212	475	877	712	697	550	506	383	319	238	139	55	2	5,301

ICD (7th Revision) number and site description		Age-group																	Age not stated	All ages
		0–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
172–174 Other parts of uterus (including pre-malignant cases)	F	1	–	–	1	13	11	24	53	136	227	455	622	642	463	381	235	123	45	2	3,434
171–174 Uterus (pre-malignant)	F	–	–	–	6	13	63	99	158	215	126	55	34	21	22	12	10	–	1	–	835
175 Ovary, Fallopian tube and broad ligament	F	–	1	8	15	25	28	56	121	227	343	482	516	526	446	356	216	120	56	5	3,547
176 Other and unspecified female genital organs	F	1	–	–	2	–	4	5	19	19	26	37	79	109	134	152	140	120	68	1	916
177 Prostate	M	–	–	1	–	1	1	–	1	9	17	95	231	526	766	1,088	1,152	800	438	6	5,132
178 Testis	M	9	–	–	18	51	73	99	66	70	40	29	29	17	8	10	4	2	2	–	527
179 Other and unspecified male genital organs	M	–	–	–	–	1	–	3	8	20	24	34	49	50	53	47	39	32	21	–	381
180 Kidney	M	37	6	–	6	6	5	6	23	62	59	144	166	166	163	132	97	30	14	–	1,122
	F	19	8	2	2	2	3	5	3	25	33	46	65	99	95	81	95	34	25	1	643
	Persons	56	14	2	8	8	8	11	26	87	92	190	231	265	258	213	192	64	39	1	1,765
181 Bladder and other urinary organs	M	2	–	–	1	1	9	12	34	95	140	295	491	672	708	656	505	329	134	4	4,088
	F	–	–	1	1	1	2	2	11	22	46	74	118	175	222	243	242	175	113	1	1,449
	Persons	2	–	1	2	2	11	14	45	117	186	369	609	847	930	899	747	504	247	5	5,537
190 Melanoma of skin	M	1	2	4	3	10	9	15	30	22	27	34	39	30	24	22	19	9	6	2	308
	F	–	–	–	9	19	29	42	54	69	63	57	49	62	43	42	35	26	10	3	612
	Persons	1	2	4	12	29	38	57	84	91	90	91	88	92	67	64	54	35	16	5	920
191 Other malignant neoplasm of skin	M	1	1	2	4	12	26	58	159	339	412	780	974	1,131	1,017	1,016	844	605	362	48	7,791
	F	–	–	4	6	11	25	56	117	259	296	448	632	767	886	985	869	697	429	25	6,512
	Persons	1	1	6	10	23	51	114	276	598	708	1,228	1,606	1,898	1,903	2,001	1,713	1,302	791	73	14,303
192 Eye	M	14	4	2	–	1	2	3	3	6	18	11	14	16	10	6	8	4	2	–	124
	F	17	1	1	2	1	1	3	3	8	8	16	14	16	16	13	7	6	4	–	137
	Persons	31	5	3	2	2	3	6	6	14	26	27	28	32	26	19	15	10	6	–	261
193 Brain and other parts of nervous system (including benign neoplasm)	M	67	52	38	39	37	42	68	91	135	125	190	254	242	135	66	22	6	6	2	1,617
	F	70	52	30	39	29	43	37	64	77	108	181	167	187	144	78	31	14	6	–	1,357
	Persons	137	104	68	78	66	85	105	155	212	233	371	421	429	279	144	53	20	12	2	2,974
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	65	52	38	35	33	35	58	80	114	111	160	227	215	120	57	16	5	5	1	1,427
	F	67	52	26	32	24	36	24	49	62	75	138	119	144	101	59	19	9	2	–	1,038
	Persons	132	104	64	67	57	71	82	129	176	186	298	346	359	221	116	35	14	7	1	2,465
194 Thyroid gland	M	–	1	1	2	4	2	6	4	8	11	15	22	12	15	16	9	5	1	–	134
	F	–	1	2	5	11	11	16	23	20	23	44	41	51	57	66	43	25	20	–	459
	Persons	–	2	3	7	15	13	22	27	28	34	59	63	63	72	82	52	30	21	–	593

195 Other endocrine glands (including benign neoplasm)	M	10	7	9	10	6	7	13	8	23	16	24	19	12	18	9	3	1	1	1	197
	F	10	4	5	4	4	5	10	5	17	16	16	14	22	12	12	2	5	–	–	163
	Persons	20	11	14	14	10	12	23	13	40	32	40	33	34	30	21	5	6	1	1	360
195 Other endocrine glands (excluding benign neoplasm	M	10	4	5	3	2	2	2	3	14	4	7	7	5	11	5	2	1	1	–	88
	F	10	2	2	2	–	–	4	3	12	10	6	8	10	4	7	2	4	–	–	86
	Persons	20	6	7	5	2	2	6	6	26	14	13	15	15	15	12	4	5	1	–	174
196 Bone	M	7	6	16	33	10	14	7	7	10	16	22	15	27	19	18	16	8	5	–	256
	F	1	5	18	18	5	5	6	6	11	7	11	16	16	21	20	12	12	10	–	200
	Persons	8	11	34	51	15	19	13	13	21	23	33	31	43	40	38	28	20	15	–	456
197 Connective tissue	M	11	5	5	10	12	18	12	16	25	23	36	36	36	39	28	23	14	8	2	359
	F	3	7	9	8	7	10	14	18	28	31	32	37	31	44	46	26	17	16	1	385
	Persons	14	12	14	18	19	28	26	34	53	54	68	73	67	83	74	49	31	24	3	744
198 Lymph nodes (secondary and unspecified)	M	–	1	2	3	1	3	–	5	8	9	26	29	39	45	32	20	17	9	–	249
	F	–	–	–	–	–	–	6	3	9	21	13	26	24	27	28	26	15	10	–	208
	Persons	–	1	2	3	1	3	6	8	17	30	39	55	63	72	60	46	32	19	–	457
199 Other and unspecified sites	M	–	1	1	–	9	7	7	14	36	29	84	134	158	191	131	90	53	19	–	964
	F	5	2	1	2	3	4	14	7	46	53	103	135	186	224	206	144	117	61	2	1,315
	Persons	5	3	2	2	12	11	21	21	82	82	187	269	344	415	337	234	170	80	2	2,279
200 Lymphosarcoma and reticulosarcoma	M	19	19	16	26	34	27	30	46	53	64	78	120	124	108	96	72	37	14	2	985
	F	1	12	9	20	10	6	13	15	30	31	56	76	105	110	98	71	40	20	–	723
	Persons	20	31	25	46	44	33	43	61	83	95	134	196	229	218	194	143	77	34	2	1,708
201 Hodgkin's disease	M	5	7	18	39	47	63	41	45	42	47	54	68	46	39	29	14	8	4	1	617
	F	1	4	8	34	45	26	24	31	21	23	31	37	52	37	36	32	17	5	–	464
	Persons	6	11	26	73	92	89	65	76	63	70	85	105	98	76	65	46	25	9	1	1,081
202 Other forms of lymphoma (reticulosis)	M	4	1	2	9	3	5	8	10	10	25	26	24	11	14	9	6	4	2	–	173
	F	7	1	1	4	1	4	–	1	14	8	13	13	19	17	23	12	11	4	–	153
	Persons	11	2	3	13	4	9	8	11	24	33	39	37	30	31	32	18	15	6	–	326
203 Multiple myeloma (plasmocytoma)	M	–	–	–	–	–	3	2	4	11	18	51	68	110	66	59	33	12	6	–	443
	F	–	–	–	–	–	1	2	5	7	11	44	59	65	99	72	57	31	7	1	461
	Persons	–	–	–	–	–	4	4	9	18	29	95	127	175	165	131	90	43	13	1	904
204 Leukaemia and aleukaemia	M	91	50	34	41	37	31	27	53	66	59	98	135	194	184	171	149	85	52	3	1,560
	F	86	40	30	21	22	30	33	27	48	60	79	109	137	132	157	157	92	43	–	1,303
	Persons	177	90	64	62	59	61	60	80	114	119	177	244	331	316	328	306	177	95	3	2,863
205 Mycosis fungoides	M	–	–	–	–	–	–	–	2	1	2	2	2	4	2	3	2	–	–	–	20
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	1	1	–	8
	Persons	–	–	–	–	–	–	–	2	1	2	2	2	6	3	4	4	1	1	–	28
All sites	M	285	170	155	276	318	427	577	1,060	2,149	2,962	6,031	9,508	12,134	11,420	10,295	7,608	4,286	2,054	114	71,829
	F	225	140	138	233	271	501	950	1,936	3,993	4,762	6,398	7,777	8,939	9,199	8,688	7,434	4,923	2,658	76	69,241
	Persons	510	310	293	509	589	928	1,527	2,996	6,142	7,724	12,429	17,285	21,073	20,619	18,983	15,042	9,209	4,712	190	141,070

Table 18 Registrations of newly diagnosed cases of cancer by sex, site and age. 1964

Urban areas of England and Wales

ICD (7th Revision) number and site description		Age-group																	Age not stated	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	
140 Lip	M	-	-	-	1	-	-	4	6	16	13	36	53	41	49	46	45	33	16	1	360
	F	-	-	-	-	-	-	-	-	6	3	2	10	3	5	14	8	6	5	-	62
	Persons	-	-	-	1	-	-	4	6	22	16	38	63	44	54	60	53	39	21	1	422
141 Tongue	M	-	-	-	-	-	1	1	3	9	9	11	17	38	44	43	47	44	22	1	290
	F	-	-	-	-	-	-	2	3	5	8	11	14	26	27	21	27	24	7	-	175
	Persons	-	-	-	-	-	1	3	6	14	17	22	31	64	71	64	74	68	29	1	465
142 Salivary gland	M	-	-	2	8	11	16	7	9	21	9	24	29	19	24	13	15	6	10	1	224
	F	-	-	1	9	5	11	20	20	17	20	32	21	23	25	20	13	9	7	-	253
	Persons	-	-	3	17	16	27	27	29	38	29	56	50	42	49	33	28	15	17	1	477
143 Floor of mouth	M	-	-	-	-	-	-	1	-	2	7	3	12	16	18	22	15	11	9	-	116
	F	-	-	-	-	-	-	-	-	1	1	2	3	5	4	6	6	5	1	-	34
	Persons	-	-	-	-	-	-	1	-	3	8	5	15	21	22	28	21	16	10	-	150
144 Other mouth (specified and unspecified)	M	-	-	-	1	-	2	-	4	6	6	17	27	34	32	33	35	31	16	-	244
	F	-	-	-	-	1	-	1	2	5	9	11	15	23	19	22	20	17	12	-	157
	Persons	-	-	-	1	1	2	1	6	11	15	28	42	57	51	55	55	48	28	-	401
145 Oral mesopharynx	M	-	1	-	-	2	-	2	1	4	5	9	14	25	25	27	11	15	12	-	153
	F	-	-	-	1	-	-	-	-	2	6	2	7	5	6	6	3	5	3	-	46
	Persons	-	1	-	1	2	-	2	1	6	11	11	21	30	31	33	14	20	15	-	199
146 Nasopharynx	M	1	2	-	3	1	1	-	3	5	7	25	11	14	14	9	4	1	1	-	102
	F	-	-	-	-	-	-	2	-	2	2	3	8	4	6	10	1	3	1	-	42
	Persons	1	2	-	3	1	1	2	3	7	9	28	19	18	20	19	5	4	2	-	144
147 Hypopharynx	M	-	-	-	-	-	-	1	4	3	8	14	14	32	42	42	22	7	4	-	193
	F	-	-	-	-	-	1	-	6	8	16	20	25	47	35	33	21	13	6	-	231
	Persons	-	-	-	-	-	1	1	10	11	24	34	39	79	77	75	43	20	10	-	424
148 Pharynx (unspecified)	M	1	-	-	-	-	-	-	-	2	1	1	6	19	10	20	8	7	6	-	81
	F	-	-	-	-	-	-	1	1	1	-	7	5	8	14	5	6	11	2	-	61
	Persons	1	-	-	-	-	-	1	1	3	1	8	11	27	24	25	14	18	8	-	142
150 Oesophagus	M	-	-	-	-	-	-	3	7	19	37	78	128	196	168	175	149	97	47	1	1,105
	F	-	-	-	-	-	-	2	6	17	34	52	77	107	123	141	145	119	75	1	899
	Persons	-	-	-	-	-	-	5	13	36	71	130	205	303	291	316	294	216	122	2	2,004
151 Stomach	M	-	-	-	-	-	7	19	53	130	201	465	826	986	985	893	687	314	110	3	5,679
	F	-	-	-	2	-	5	9	40	52	114	219	300	454	598	673	674	432	192	1	3,765
	Persons	-	-	-	2	-	12	28	93	182	315	684	1,126	1,440	1,583	1,566	1,361	746	302	4	9,444
152 Small intestine, including duodenum	M	-	-	-	-	-	1	1	4	6	9	14	14	13	24	17	11	3	1	-	118
	F	-	-	1	-	-	1	-	1	2	4	7	14	18	20	14	8	7	3	-	100
	Persons	-	-	1	-	-	2	1	5	8	13	21	28	31	44	31	19	10	4	-	218

153 Large intestine, except rectum	M	1	–	1	4	6	9	23	41	99	134	263	376	514	485	571	443	263	139	2	3,374
	F	–	1	4	8	11	21	22	66	123	150	292	453	659	746	788	705	511	276	2	4,838
	Persons	1	1	5	12	17	30	45	107	222	284	555	829	1,173	1,231	1,359	1,148	774	415	4	8,212
154 Rectum	M	–	–	–	–	2	4	10	26	81	101	197	391	493	533	567	396	244	121	–	3,166
	F	–	–	–	1	1	7	15	24	70	107	173	281	362	429	448	411	299	148	2	2,778
	Persons	–	–	–	1	3	11	25	50	151	208	370	672	855	962	1,015	807	543	269	2	5,944
155 Biliary passages and liver (specified primary)	M	1	1	–	6	–	2	5	9	23	21	47	73	78	95	84	75	45	17	1	583
	F	–	–	–	1	–	2	3	2	4	12	38	65	102	112	102	158	78	61	1	741
	Persons	1	1	–	7	–	4	8	11	27	33	85	138	180	207	186	233	123	78	2	1,324
156 Liver (secondary and unspecified)	M	–	1	–	–	1	–	3	2	14	17	35	39	76	83	58	48	24	10	–	411
	F	–	–	–	1	–	–	5	3	6	15	20	48	70	52	62	48	29	11	–	370
	Persons	–	1	–	1	1	–	8	5	20	32	55	87	146	135	120	96	53	21	–	781
157 Pancreas	M	–	1	–	–	–	2	8	19	38	60	112	218	284	294	271	178	115	61	–	1,661
	F	–	1	1	1	–	1	2	6	19	34	84	121	173	213	257	238	164	77	1	1,393
	Persons	–	2	1	1	–	3	10	25	57	94	196	339	457	507	528	416	279	138	1	3,054
158 Peritoneum	M	1	–	1	1	–	–	–	2	4	2	7	6	13	9	5	2	3	3	–	59
	F	–	–	–	–	–	2	–	1	3	8	12	18	17	17	22	13	8	4	–	125
	Persons	1	–	1	1	–	2	–	3	7	10	19	24	30	26	27	15	11	7	–	184
159 Unspecified digestive organs	M	–	–	–	–	–	–	–	–	–	1	1	2	7	2	1	2	1	–	–	17
	F	–	–	–	–	–	–	–	–	–	–	1	–	5	5	1	3	3	–	–	18
	Persons	–	–	–	–	–	–	–	–	–	1	2	2	12	7	2	5	4	–	–	35
160 Nose, nasal cavities, middle ear and accessory sinuses	M	–	–	–	–	–	1	6	3	6	10	27	29	32	22	25	18	6	5	1	191
	F	1	–	1	–	2	–	1	4	8	7	13	12	13	16	10	21	20	4	–	133
	Persons	1	–	1	–	2	1	7	7	14	17	40	41	45	38	35	39	26	9	1	324
161 Larynx	M	–	–	–	–	–	1	3	12	37	39	100	146	199	176	113	75	37	18	2	958
	F	–	–	–	–	1	–	1	1	7	10	28	19	24	23	14	10	7	4	–	149
	Persons	–	–	–	–	1	1	4	13	44	49	128	165	223	199	127	85	44	22	2	1,107
162-163 Lung (primary and unspecified)	M	–	–	–	3	4	17	43	127	392	809	1,820	3,103	4,010	3,371	2,411	1,352	476	147	16	18,101
	F	–	–	–	1	6	6	19	50	138	195	322	475	520	570	388	324	157	76	–	3,247
	Persons	–	–	–	4	10	23	62	177	530	1,004	2,142	3,578	4,530	3,941	2,799	1,676	633	223	16	21,348
164 Mediastinum	M	1	–	–	1	1	–	–	2	–	1	1	4	5	5	–	5	1	1	–	28
	F	–	–	–	–	–	1	1	–	1	–	–	1	2	4	1	1	–	–	–	12
	Persons	1	–	–	1	1	1	1	2	1	1	1	5	7	9	1	6	1	1	–	40
165 Thoracic organs (secondary)	M	–	–	–	–	–	–	–	1	4	2	8	15	18	17	14	8	6	–	–	93
	F	–	–	–	–	–	–	1	1	2	5	7	11	15	13	5	8	5	2	–	75
	Persons	–	–	–	–	–	–	1	2	6	7	15	26	33	30	19	16	11	2	–	168
170 Breast	M	–	–	–	–	–	1	–	2	–	8	9	6	15	21	20	16	8	3	–	109
	F	1	–	–	2	9	58	184	497	1,202	1,411	1,527	1,652	1,640	1,566	1,281	1,053	701	406	18	13,208
	Persons	1	–	–	2	9	59	184	499	1,202	1,419	1,536	1,658	1,655	1,587	1,301	1,069	709	409	18	13,317
171 Cervix uteri (including pre-malignant cases)	F	–	–	–	7	18	88	172	386	728	592	589	447	428	313	277	206	123	46	1	4,421

Table 18 - *continued*

Urban areas of England and Wales, 1964

ICD (7th Revision) number and site description		Age-group																	Age not stated	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	
172-174 Other parts of uterus (including pre-malignant cases)	F	1	-	-	1	11	7	18	37	106	184	363	502	529	375	308	199	93	38	1	2,773
171-174 Uterus (pre-malignant)	F	-	-	-	5	13	52	77	136	177	105	45	23	18	17	10	7	-	1	-	686
175 Ovary, Fallopian tube and broad ligament	F	-	1	7	14	19	26	50	98	189	281	406	416	425	376	296	178	102	46	5	2,935
176 Other and unspecified female genital organs	F	1	-	-	2	-	4	4	16	18	20	29	58	77	115	122	114	97	49	1	727
177 Prostate	M	-	-	1	-	1	1	-	1	9	13	75	189	432	615	847	916	610	336	6	4,052
178 Testis	M	8	-	-	17	40	60	75	49	52	34	26	27	13	7	5	2	2	1	-	418
179 Other and unspecified male genital organs	M	-	-	-	-	1	-	3	7	14	21	27	44	46	43	42	33	28	18	-	327
180 Kidney	M	28	5	-	5	4	4	6	21	49	47	126	139	142	143	114	81	24	14	-	952
	F	15	6	1	2	1	3	4	2	20	26	36	55	86	79	66	85	28	22	-	537
	Persons	43	11	1	7	5	7	10	23	69	73	162	194	228	222	180	166	52	36	-	1,489
181 Bladder and other urinary organs	M	1	-	-	1	1	6	12	30	84	130	245	416	567	601	545	421	263	111	3	3,437
	F	-	-	1	1	1	2	1	6	21	37	70	100	150	191	208	208	148	92	1	1,238
	Persons	1	-	1	2	2	8	13	36	105	167	315	516	717	792	753	629	411	203	4	4,675
190 Melanoma of skin	M	-	-	3	3	10	8	14	25	16	21	31	29	23	21	15	17	7	4	-	247
	F	-	-	-	9	15	21	38	49	61	53	54	39	50	32	38	24	21	8	3	515
	Persons	-	-	3	12	25	29	52	74	77	74	85	68	73	53	53	41	28	12	3	762
191 Other malignant neoplasm of skin	M	1	1	2	4	9	23	47	130	284	343	630	787	897	819	800	645	454	280	32	6,188
	F	-	-	4	6	11	23	42	98	215	248	372	517	640	742	819	689	571	347	13	5,357
	Persons	1	1	6	10	20	46	89	228	499	591	1,002	1,304	1,537	1,561	1,619	1,334	1,025	627	45	11,545
192 Eye	M	13	3	2	-	1	1	1	2	5	12	8	11	15	8	3	7	4	1	-	97
	F	13	-	1	1	1	-	2	2	6	8	16	12	12	15	10	6	3	2	-	110
	Persons	26	3	3	1	2	1	3	4	11	20	24	23	27	23	13	13	7	3	-	207
193 Brain and other parts of nervous system (including benign neoplasm)	M	54	42	28	35	25	38	59	69	116	104	158	215	199	117	53	19	5	4	1	1,341
	F	46	44	19	36	24	35	28	50	59	92	147	137	158	127	65	30	11	6	-	1,114
	Persons	100	86	47	71	49	73	87	119	175	196	305	352	357	244	118	49	16	10	1	2,455
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	52	42	28	32	22	32	51	61	97	93	135	191	175	105	47	13	4	3	1	1,184
	F	45	44	16	29	19	29	17	39	47	64	111	96	119	88	53	18	7	2	-	843
	Persons	97	86	44	61	41	61	68	100	144	157	246	287	294	193	100	31	11	5	1	2,027
194 Thyroid gland	M	-	1	1	1	3	2	6	2	8	8	10	17	8	15	14	9	3	1	-	109
	F	-	1	2	4	10	10	15	19	20	17	37	33	46	46	56	40	22	17	-	395
	Persons	-	2	3	5	13	12	21	21	28	25	47	50	54	61	70	49	25	18	-	504

195 Other endocrine glands (including benign neoplasm)	M	10	7	6	10	5	5	11	7	18	15	19	17	11	13	8	3	1	1	1	168
	F	9	4	5	3	3	5	9	4	10	12	12	12	19	11	11	1	5	–	–	135
	Persons	19	11	11	13	8	10	20	11	28	27	31	29	30	24	19	4	6	1	1	303
195 Other endocrine glands (excluding benign neoplasm)	M	10	4	3	3	2	2	1	2	11	4	5	6	5	7	5	2	1	1	–	74
	F	9	2	2	2	–	–	4	2	9	8	5	8	8	4	6	1	4	–	–	74
	Persons	19	6	5	5	2	2	5	4	20	12	10	14	13	11	11	3	5	1	–	148
196 Bone	M	7	5	15	24	9	8	7	7	7	12	20	14	23	17	16	14	7	5	–	217
	F	–	4	14	16	5	5	5	6	8	7	8	14	12	18	17	10	10	9	–	168
	Persons	7	9	29	40	14	13	12	13	15	19	28	28	35	35	33	24	17	14	–	385
197 Connective tissue	M	8	4	4	9	10	15	10	13	24	17	31	28	32	32	22	17	9	8	1	294
	F	2	6	8	5	7	9	14	17	25	26	27	35	28	33	41	22	13	13	–	331
	Persons	10	10	12	14	17	24	24	30	49	43	58	63	60	65	63	39	22	21	1	625
198 Lymph nodes (secondary and unspecified)	M	–	1	1	1	1	3	–	3	8	8	21	25	28	34	24	16	10	8	–	192
	F	–	–	–	–	–	–	6	3	9	18	13	20	22	24	21	22	13	8	–	179
	Persons	–	1	1	1	1	3	6	6	17	26	34	45	50	58	45	38	23	16	–	371
199 Other and unspecified sites	M	–	1	1	–	6	5	5	12	32	23	76	108	135	157	98	65	42	17	–	783
	F	3	2	1	2	3	1	13	6	41	43	86	114	154	178	176	118	98	50	1	1,090
	Persons	3	3	2	2	9	6	18	18	73	66	162	222	289	335	274	183	140	67	1	1,873
200 Lymphosarcoma and reticulosarcoma	M	14	18	13	25	28	22	24	36	46	58	69	102	100	91	77	52	30	11	1	817
	F	–	10	7	17	10	4	9	12	23	28	47	66	85	84	83	58	30	14	–	587
	Persons	14	28	20	42	38	26	33	48	69	86	116	168	185	175	160	110	60	25	1	1,404
201 Hodgkin's disease	M	5	4	14	31	36	48	36	38	37	32	42	50	37	33	27	9	6	4	1	490
	F	1	3	4	25	36	19	18	25	20	17	28	29	43	29	36	26	15	5	–	379
	Persons	6	7	18	56	72	67	54	63	57	49	70	79	80	62	63	35	21	9	1	869
202 Other forms of lymphoma (reticulosis)	M	4	–	2	7	3	5	7	10	9	20	21	21	9	13	7	5	3	2	–	148
	F	4	–	–	4	1	4	–	1	12	7	9	10	16	16	17	11	10	2	–	124
	Persons	8	–	2	11	4	9	7	11	21	27	30	31	25	29	24	16	13	4	–	272
203 Multiple myeloma (plasmocytoma)	M	–	–	–	–	–	3	2	3	10	13	47	56	89	51	41	27	9	6	–	357
	F	–	–	–	–	–	1	1	3	6	9	37	43	51	82	60	48	27	6	1	375
	Persons	–	–	–	–	–	4	3	6	16	22	84	99	140	133	101	75	36	12	1	732
204 Leukaemia and aleukaemia	M	66	45	27	36	32	26	24	45	53	46	77	102	152	144	128	118	68	42	3	1,234
	F	68	28	23	17	17	27	23	21	36	54	59	96	111	108	130	123	76	33	–	1,050
	Persons	134	73	50	53	49	53	47	66	89	100	136	198	263	252	258	241	144	75	3	2,284
205 Mycosis fungoides	M	–	–	–	–	–	–	–	2	1	2	1	1	4	2	3	2	–	–	–	18
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	1	1	–	7
	Persons	–	–	–	–	–	–	–	2	1	2	1	1	6	2	4	4	1	1	–	25
All sites	M	225	143	124	237	253	348	489	852	1,803	2,496	5,084	7,957	10,139	9,524	8,369	6,145	3,383	1,653	78	59,302
	F	165	111	105	199	229	410	763	1,595	3,334	3,950	5,330	6,410	7,469	7,642	7,202	6,145	4,150	2,197	53	57,459
	Persons	390	254	229	436	482	758	1,252	2,447	5,137	6,446	10,414	14,367	17,608	17,166	15,571	12,290	7,533	3,850	131	116,761

Table 19 Registrations of newly diagnosed cases of cancer by sex, site and age. 1964

Rural areas of England and Wales

ICD (7th Revision) number and site description		Age-group																	Age not stated	All ages
		0–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
140 Lip	M	–	–	–	–	1	–	–	1	5	8	14	21	20	21	36	29	17	4	1	178
	F	–	–	–	–	–	–	–	–	–	1	3	1	4	2	4	3	–	1	–	19
	Persons	–	–	–	–	1	–	–	1	5	9	17	22	24	23	40	32	17	5	1	197
141 Tongue	M	–	–	–	–	–	2	–	4	1	1	2	7	6	3	7	17	6	3	–	59
	F	–	–	–	–	–	–	–	1	–	3	3	5	2	8	4	5	4	–	–	35
	Persons	–	–	–	–	–	2	–	5	1	4	5	12	8	11	11	22	10	3	–	94
142 Salivary gland	M	–	–	–	1	3	1	–	5	5	–	4	3	7	2	2	2	4	2	1	42
	F	–	–	–	1	–	2	4	6	2	3	9	5	3	7	5	4	2	1	–	54
	Persons	–	–	–	2	3	3	4	11	7	3	13	8	10	9	7	6	6	3	1	96
143 Floor of mouth	M	–	–	–	–	–	–	–	–	–	1	3	2	5	4	6	3	5	4	–	33
	F	–	–	–	–	–	–	–	–	–	1	1	–	–	2	1	3	–	2	–	10
	Persons	–	–	–	–	–	–	–	–	–	2	4	2	5	6	7	6	5	6	–	43
144 Other mouth (specified and unspecified)	M	–	–	–	–	–	–	–	1	2	–	3	3	4	8	5	10	3	7	1	47
	F	–	–	–	–	–	–	–	1	–	2	4	5	1	4	4	5	3	–	1	30
	Persons	–	–	–	–	–	–	–	2	2	2	7	8	5	12	9	15	6	7	2	77
145 Oral mesopharynx	M	–	–	–	–	–	–	–	–	1	–	2	1	5	4	6	6	6	2	–	33
	F	–	–	–	–	–	–	–	1	–	–	–	–	6	–	2	1	–	–	–	10
	Persons	–	–	–	–	–	–	–	1	1	–	2	1	11	4	8	7	6	2	–	43
146 Nasopharynx	M	–	–	–	–	–	–	1	1	–	–	1	2	3	3	1	–	–	–	–	12
	F	1	–	–	1	–	–	–	–	1	–	–	2	1	1	1	–	2	–	–	10
	Persons	1	–	–	1	–	–	1	1	1	–	1	4	4	4	2	–	2	–	–	22
147 Hypopharynx	M	–	–	–	–	–	–	–	–	–	2	4	1	8	7	4	4	2	3	–	35
	F	–	–	–	–	–	–	1	–	2	2	5	6	5	4	6	4	4	1	–	40
	Persons	–	–	–	–	–	–	1	–	2	4	9	7	13	11	10	8	6	4	–	75
148 Pharynx (unspecified)	M	–	–	–	–	–	1	–	–	–	–	–	1	3	5	2	2	3	–	–	17
	F	–	–	–	–	–	–	–	–	1	1	1	1	1	3	–	1	1	–	–	10
	Persons	–	–	–	–	–	1	–	–	1	1	1	2	4	8	2	3	4	–	–	27
150 Oesophagus	M	–	–	–	–	–	1	–	4	2	7	13	30	38	38	47	42	27	9	–	258
	F	–	–	–	–	–	–	1	2	–	10	14	20	21	30	48	40	16	14	–	216
	Persons	–	–	–	–	–	1	1	6	2	17	27	50	59	68	95	82	43	23	–	474
151 Stomach	M	–	–	–	–	1	–	1	16	11	40	86	141	208	178	205	146	83	32	3	1,151
	F	–	–	–	1	–	–	3	8	4	21	25	53	74	91	129	112	71	48	1	641
	Persons	–	–	–	1	1	–	4	24	15	61	111	194	282	269	334	258	154	80	4	1,792
152 Small intestine, including duodenum	M	–	–	–	–	–	–	–	1	2	–	1	1	6	4	3	2	1	–	–	21
	F	–	–	–	–	–	–	–	1	–	–	1	1	3	5	5	3	3	–	–	22
	Persons	–	–	–	–	–	–	–	2	2	–	2	2	9	9	8	5	4	–	–	43

153	Large intestine, except rectum	M	–	–	–	1	1	2	8	14	24	26	46	81	92	122	123	108	68	24	1	741
		F	–	–	–	2	1	6	7	8	23	27	73	98	112	138	174	145	78	47	–	939
		Persons	–	–	–	3	2	8	15	22	47	53	119	179	204	260	297	253	146	71	1	1,680
154	Rectum	M	–	–	–	–	–	1	6	10	15	16	45	90	115	121	136	112	71	36	1	775
		F	–	–	–	–	2	1	3	6	15	25	37	52	73	92	96	82	48	38	–	570
		Persons	–	–	–	–	2	2	9	16	30	41	82	142	188	213	232	194	119	74	1	1,345
155	Biliary passages and liver (specified primary)	M	1	1	–	–	–	1	–	3	10	2	4	12	21	19	15	11	5	3	–	108
		F	–	–	–	–	–	–	–	2	3	5	7	16	17	19	32	34	15	5	–	155
		Persons	1	1	–	–	–	1	–	5	13	7	11	28	38	38	47	45	20	8	–	263
156	Liver (secondary and unspecified)	M	–	–	–	–	–	–	–	–	3	4	5	8	14	15	13	16	7	4	–	89
		F	–	–	–	–	–	–	1	1	2	5	9	8	10	12	13	11	9	2	–	83
		Persons	–	–	–	–	–	–	1	1	5	9	14	16	24	27	26	27	16	6	–	172
157	Pancreas	M	–	–	–	–	–	–	–	6	21	19	23	48	52	63	67	44	23	10	2	378
		F	–	–	–	–	–	–	1	3	4	9	18	23	28	43	42	52	35	10	–	268
		Persons	–	–	–	–	–	–	1	9	25	28	41	71	80	106	109	96	58	20	2	646
158	Peritoneum	M	–	–	–	–	–	1	–	–	1	–	1	4	2	2	2	2	2	–	–	17
		F	–	–	1	–	–	–	–	–	1	3	1	3	3	3	3	2	–	1	–	21
		Persons	–	–	1	–	–	1	–	–	2	3	2	7	5	5	5	4	2	1	–	38
159	Unspecified digestive organs	M	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	–	4
		F	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	3
		Persons	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	1	2	–	–	7
160	Nose, nasal cavities, middle ear and accessory sinuses	M	–	–	–	–	–	–	–	–	2	1	6	3	15	2	8	7	1	4	1	50
		F	–	–	–	–	–	–	–	–	1	3	2	1	3	6	3	4	2	–	–	25
		Persons	–	–	–	–	–	–	–	–	3	4	8	4	18	8	11	11	3	4	1	75
161	Larynx	M	–	–	–	1	–	–	1	1	7	7	14	19	29	40	15	13	7	1	–	155
		F	–	–	–	–	–	–	–	1	1	1	5	3	6	4	5	4	2	–	–	32
		Persons	–	–	–	1	–	–	1	2	8	8	19	22	35	44	20	17	9	1	–	187
162-163	Lung (primary and unspecified)	M	–	–	–	1	1	5	3	23	61	129	298	542	675	577	461	233	82	18	3	3,112
		F	–	–	–	–	–	1	1	7	17	33	56	86	89	99	61	57	20	7	–	534
		Persons	–	–	–	1	1	6	4	30	78	162	354	628	764	676	522	290	102	25	3	3,646
164	Mediastinum	M	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2
		Persons	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	4
165	Thoracic organs (secondary)	M	–	–	–	–	–	–	–	–	3	1	1	3	1	2	5	1	1	2	–	20
		F	–	–	–	–	–	–	–	–	2	2	2	4	3	5	5	3	–	1	–	27
		Persons	–	–	–	–	–	–	–	–	5	3	3	7	4	7	10	4	1	3	–	47
170	Breast	M	–	–	–	–	–	–	–	1	1	–	3	5	5	7	2	4	–	1	–	29
		F	–	–	–	–	2	20	57	93	242	287	302	354	350	360	286	240	138	88	4	2,823
		Persons	–	–	–	–	2	20	57	94	243	287	305	359	355	367	288	244	138	89	4	2,852
171	Cervix uteri (including pre-malignant cases)	F	–	–	–	1	3	19	40	89	149	120	108	103	78	70	42	32	16	9	1	880

Table 19 - *continued*

Rural areas of England and Wales, 1964

ICD (7th Revision) number and site description		Age-group																		Age not stated	All ages
		0–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over		
172-174 Other parts of uterus (including pre-malignant cases)	F	–	–	–	–	2	4	6	16	30	43	92	120	113	88	73	36	30	7	1	661
171-174 Uterus (pre-malignant)	F	–	–	–	1	–	11	22	22	38	21	10	11	3	5	2	3	–	–	–	149
175 Ovary, Fallopian tube and broad ligament	F	–	–	1	1	6	2	6	23	38	62	76	100	101	70	60	38	18	10	–	612
176 Other and unspecified female genital organs	F	–	–	–	–	–	–	1	3	1	6	8	21	32	19	30	26	23	19	–	189
177 Prostate	M	–	–	–	–	–	–	–	–	–	4	20	42	94	151	241	236	190	102	–	1,080
178 Testis	M	1	–	–	1	11	13	24	17	18	6	3	2	4	1	5	2	–	1	–	109
179 Other and unspecified male genital organs	M	–	–	–	–	–	–	–	1	6	3	7	5	4	10	5	6	4	3	–	54
180 Kidney	M	9	1	–	1	2	1	–	2	13	12	18	27	24	20	18	16	6	–	–	170
	F	4	2	1	–	1	–	1	1	5	7	10	10	13	16	15	10	6	3	1	106
	Persons	13	3	1	1	3	1	1	3	18	19	28	37	37	36	33	26	12	3	1	276
181 Bladder and other urinary organs	M	1	–	–	–	–	3	–	4	11	10	50	75	105	107	111	84	66	23	1	651
	F	–	–	–	–	–	–	1	5	1	9	4	18	25	31	35	34	27	21	–	211
	Persons	1	–	–	–	–	3	1	9	12	19	54	93	130	138	146	118	93	44	1	862
190 Melanoma of skin	M	1	2	1	–	–	1	1	5	6	6	3	10	7	3	7	2	2	2	2	61
	F	–	–	–	–	4	8	4	5	8	10	3	10	12	11	4	11	5	2	–	97
	Persons	1	2	1	–	4	9	5	10	14	16	6	20	19	14	11	13	7	4	2	158
191 Other malignant neoplasm of skin	M	–	–	–	–	3	3	11	29	55	69	150	187	234	198	216	199	151	82	16	1,603
	F	–	–	–	–	–	2	14	19	44	48	76	115	127	144	166	180	126	82	12	1,155
	Persons	–	–	–	–	3	5	25	48	99	117	226	302	361	342	382	379	277	164	28	2,758
192 Eye	M	1	1	–	–	–	1	2	1	1	6	3	3	1	2	3	1	–	1	–	27
	F	4	1	–	1	–	1	1	1	2	–	–	2	4	1	3	1	3	2	–	27
	Persons	5	2	–	1	–	2	3	2	3	6	3	5	5	3	6	2	3	3	–	54
193 Brain and other parts of nervous system (including benign neoplasm)	M	13	10	10	4	12	4	9	22	19	21	32	39	43	18	13	3	1	2	1	276
	F	24	8	11	3	5	8	9	14	18	16	34	30	29	17	13	1	3	–	–	243
	Persons	37	18	21	7	17	12	18	36	37	37	66	69	72	35	26	4	4	2	1	519
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	13	10	10	3	11	3	7	19	17	18	25	36	40	15	10	3	1	2	–	243
	F	22	8	10	3	5	7	7	10	15	11	27	23	25	13	6	1	2	–	–	195
	Persons	35	18	20	6	16	10	14	29	32	29	52	59	65	28	16	4	3	2	–	438

194	Thyroid gland	M	–	–	–	1	1	–	–	2	–	3	5	5	4	–	2	–	2	–	–	25
		F	–	–	–	1	1	1	1	4	–	6	7	8	5	11	10	3	3	3	–	64
		Persons	–	–	–	2	2	1	1	6	–	9	12	13	9	11	12	3	5	3	–	89
195	Other endocrine glands (including benign neoplasm)	M	–	–	3	–	1	2	2	1	5	1	5	2	1	5	1	–	–	–	–	29
		F	1	–	–	1	1	–	1	1	7	4	4	2	3	1	1	1	–	–	–	28
		Persons	1	–	3	1	2	2	3	2	12	5	9	4	4	6	2	1	–	–	–	57
195	Other endocrine glands (excluding benign neoplasm)	M	–	–	2	–	–	–	1	1	3	–	2	1	–	4	–	–	–	–	–	14
		F	1	–	–	–	–	–	–	1	3	2	1	–	2	–	1	1	–	–	–	12
		Persons	1	–	2	–	–	–	1	2	6	2	3	1	2	4	1	1	–	–	–	26
196	Bone	M	–	1	1	9	1	6	–	–	3	4	2	1	4	2	2	2	1	–	–	39
		F	1	1	4	2	–	–	1	–	3	–	3	2	4	3	3	2	2	1	–	32
		Persons	1	2	5	11	1	6	1	–	6	4	5	3	8	5	5	4	3	1	–	71
197	Connective tissue	M	3	1	1	1	2	3	2	3	1	6	5	8	4	7	6	6	5	–	1	65
		F	1	1	1	3	–	1	–	1	3	5	5	2	3	11	5	4	4	3	1	54
		Persons	4	2	2	4	2	4	2	4	4	11	10	10	7	18	11	10	9	3	2	119
198	Lymph nodes (secondary and unspecified)	M	–	–	1	2	–	–	–	2	–	1	5	4	11	11	8	4	7	1	–	57
		F	–	–	–	–	–	–	–	–	–	3	–	6	2	3	7	4	2	2	–	29
		Persons	–	–	1	2	–	–	–	2	–	4	5	10	13	14	15	8	9	3	–	86
199	Other and unspecified sites	M	–	–	–	–	3	2	2	2	4	6	8	26	23	34	33	25	11	2	–	181
		F	2	–	–	–	–	3	1	1	5	10	17	21	32	46	30	26	19	11	1	225
		Persons	2	–	–	–	3	5	3	3	9	16	25	47	55	80	63	51	30	13	1	406
200	Lymphosarcoma and reticulosarcoma	M	5	1	3	1	6	5	6	10	7	6	9	18	24	17	19	20	7	3	1	168
		F	1	2	2	3	–	2	4	3	7	3	9	10	20	26	15	13	10	6	–	136
		Persons	6	3	5	4	6	7	10	13	14	9	18	28	44	43	34	33	17	9	1	304
201	Hodgkin's disease	M	–	3	4	8	11	15	5	7	5	15	12	18	9	6	2	5	2	–	–	127
		F	–	1	4	9	9	7	6	6	1	6	3	8	9	8	–	6	2	–	–	85
		Persons	–	4	8	17	20	22	11	13	6	21	15	26	18	14	2	11	4	–	–	212
202	Other forms of lymphoma (reticulosis)	M	–	1	–	2	–	–	1	–	1	5	5	3	2	1	2	1	1	–	–	25
		F	3	1	1	–	–	–	–	–	2	1	4	3	3	1	6	1	1	2	–	29
		Persons	3	2	1	2	–	–	1	–	3	6	9	6	5	2	8	2	2	2	–	54
203	Multiple myeloma (plasmocytoma)	M	–	–	–	–	–	–	–	1	1	5	4	12	21	15	18	6	3	–	–	86
		F	–	–	–	–	–	–	1	2	1	2	7	16	14	17	12	9	4	1	–	86
		Persons	–	–	–	–	–	–	1	3	2	7	11	28	35	32	30	15	7	1	–	172
204	Leukaemia and aleukaemia	M	25	5	7	5	5	5	3	8	13	13	21	33	42	40	43	31	17	10	–	326
		F	18	12	7	4	5	3	10	6	12	6	20	13	26	24	27	34	16	10	–	253
		Persons	43	17	14	9	10	8	13	14	25	19	41	46	68	64	70	65	33	20	–	579
205	Mycosis fungoides	M	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1
		Persons	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	3
	All sites	**M**	60	27	31	39	65	79	88	208	346	466	947	1,551	1,995	1,896	1,926	1,463	903	401	36	12,527
		F	60	29	33	34	42	91	187	341	659	812	1,068	1,367	1,470	1,557	1,486	1,289	773	461	23	11,782
		Persons	120	56	64	73	107	170	275	549	1,005	1,278	2,015	2,918	3,465	3,453	3,412	2,752	1,676	862	59	24,309

Table 20 Registrations of newly diagnosed cases of cancer by sex and site. 1964

Hospital region of residence

ICD (7th Revision) number and site description		Region of residence															
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool	All regions
140 Lip	M	39	34	38	43	27	34	34	28	31	27	56	51	46	30	20	538
	F	2	9	8	4	6	8	10	7	4	5	8	1	4	5	-	81
	Persons	41	43	46	47	33	42	44	35	35	32	64	52	50	35	20	619
141 Tongue	M	26	21	31	15	24	17	31	27	17	18	28	11	38	31	14	349
	F	13	11	18	8	26	13	13	12	4	3	15	16	27	21	10	210
	Persons	39	32	49	23	50	30	44	39	21	21	43	27	65	52	24	559
142 Salivary gland	M	24	13	23	8	18	19	21	29	7	13	24	8	29	16	14	266
	F	29	22	19	6	26	26	27	24	8	15	23	16	36	16	14	307
	Persons	53	35	42	14	44	45	48	53	15	28	47	24	65	32	28	573
143 Floor of mouth	M	17	13	11	5	9	7	10	4	3	6	12	8	14	22	8	149
	F	3	7	2	-	2	3	4	3	3	1	2	1	5	5	3	44
	Persons	20	20	13	5	11	10	14	7	6	7	14	9	19	27	11	193
144 Other mouth (specified and unspecified)	M	22	17	23	5	24	18	16	11	10	11	18	15	39	41	21	291
	F	5	17	9	3	12	12	17	12	7	7	11	13	16	30	16	187
	Persons	27	34	32	8	36	30	33	23	17	18	29	28	55	71	37	478
145 Oral mesopharynx	M	8	15	21	6	14	8	13	19	4	9	17	8	15	19	10	186
	F	1	4	5	3	6	7	8	1	4	-	2	4	2	7	2	56
	Persons	9	19	26	9	20	15	21	20	8	9	19	12	17	26	12	242
146 Nasopharynx	M	2	9	10	4	8	6	11	6	7	2	11	5	15	13	5	114
	F	5	3	8	1	5	5	4	5	1	1	5	6	2	-	1	52
	Persons	7	12	18	5	13	11	15	11	8	3	16	11	17	13	6	166
147 Hypopharynx	M	14	19	19	7	20	15	21	17	9	5	17	9	24	20	12	228
	F	22	17	25	7	17	15	17	17	5	5	23	28	14	46	13	271
	Persons	36	36	44	14	37	30	38	34	14	10	40	37	38	66	25	499
148 Pharynx (unspecified)	M	3	5	1	7	7	11	10	10	1	4	5	3	13	12	6	98
	F	7	6	6	2	5	6	4	6	1	-	5	8	8	5	2	71
	Persons	10	11	7	9	12	17	14	16	2	4	10	11	21	17	8	169
150 Oesophagus	M	75	101	100	51	101	89	120	100	81	42	96	88	119	131	69	1,363
	F	66	64	72	40	93	62	99	85	53	45	88	75	90	120	63	1,115
	Persons	141	165	172	91	194	151	219	185	134	87	184	163	209	251	132	2,478
151 Stomach	M	621	440	603	188	494	408	519	393	202	193	450	509	732	720	358	6,830
	F	359	300	392	124	321	286	338	264	143	137	281	255	460	483	263	4,406
	Persons	980	740	995	312	815	694	857	657	345	330	731	764	1,192	1,203	621	11,236
152 Small intestine, including duodenum	M	9	7	12	1	12	10	12	12	3	10	7	10	14	18	2	139
	F	3	12	11	2	19	7	12	10	-	3	8	3	15	15	2	122
	Persons	12	19	23	3	31	17	24	22	3	13	15	13	29	33	4	261

153	Large intestine, except rectum	M	309	287	377	154	344	243	347	249	134	153	303	223	401	410	181	**4,115**
		F	329	394	483	212	515	423	499	398	174	191	425	299	555	565	315	**5,777**
		Persons	638	681	860	366	859	666	846	647	308	344	728	522	956	975	496	**9,892**
154	Rectum	M	230	262	385	166	309	274	306	286	114	145	267	244	467	326	160	**3,941**
		F	183	242	264	118	256	220	321	269	120	131	243	136	341	328	176	**3,348**
		Persons	413	504	649	284	565	494	627	555	234	276	510	380	808	654	336	**7,289**
155	Biliary passages and liver (specified primary)	M	38	52	63	15	57	52	50	61	20	27	59	31	65	67	34	**691**
		F	54	76	89	29	92	34	63	76	37	35	74	45	73	80	39	**896**
		Persons	92	128	152	44	149	86	113	137	57	62	133	76	138	147	73	**1,587**
156	Liver (secondary and unspecified)	M	42	24	42	32	42	22	31	25	14	27	24	32	60	47	36	**500**
		F	38	27	30	22	39	32	27	37	19	15	19	31	52	32	33	**453**
		Persons	80	51	72	54	81	54	58	62	33	42	43	63	112	79	69	**953**
157	Pancreas	M	131	112	170	78	174	127	198	151	67	49	150	102	206	201	123	**2,039**
		F	88	116	126	54	146	97	161	132	58	74	134	87	133	162	93	**1,661**
		Persons	219	228	296	132	320	224	359	283	125	123	284	189	339	363	216	**3,700**
158	Peritoneum	M	4	8	13	2	8	5	8	6	2	1	10	1	1	6	1	**76**
		F	7	4	14	6	14	20	22	24	8	–	10	7	1	5	4	**146**
		Persons	11	12	27	8	22	25	30	30	10	1	20	8	2	11	5	**222**
159	Unspecified digestive organs	M	2	4	1	–	–	1	2	2	–	2	1	2	–	4	–	**21**
		F	1	4	1	1	–	2	1	2	–	–	2	–	–	7	–	**21**
		Persons	3	8	2	1	–	3	3	4	–	2	3	2	–	11	–	**42**
160	Nose, nasal cavities, middle ear and accessory sinuses	M	14	12	22	11	20	21	25	16	5	11	22	12	22	17	11	**241**
		F	7	13	16	4	15	10	12	10	9	2	9	8	16	20	7	**158**
		Persons	21	25	38	15	35	31	37	26	14	13	31	20	38	37	18	**399**
161	Larynx	M	74	82	95	39	76	81	101	81	34	25	85	49	102	120	69	**1,113**
		F	15	17	9	6	15	10	16	8	8	8	9	8	13	25	14	**181**
		Persons	89	99	104	45	91	91	117	89	42	33	94	57	115	145	83	**1,294**
162-163	Lung (primary and unspecified)	M	1,414	1,429	1,777	629	1,843	1,639	1,910	1,617	736	687	1,170	988	2,129	2,114	1,131	**21,213**
		F	234	237	264	124	420	279	397	361	153	143	201	121	308	344	195	**3,781**
		Persons	1,648	1,666	2,041	753	2,263	1,918	2,307	1,978	889	830	1,371	1,109	2,437	2,458	1,326	**24,994**
164	Mediastinum	M	–	–	1	–	5	1	3	5	–	1	1	2	4	6	1	**30**
		F	–	–	–	–	4	1	1	2	1	–	1	–	2	1	1	**14**
		Persons	–	–	1	–	9	2	4	7	1	1	2	2	6	7	2	**44**
165	Thoracic organs (secondary)	M	6	7	8	6	7	8	9	7	3	6	2	16	10	11	7	**113**
		F	8	7	5	6	8	5	9	4	5	9	4	7	12	6	7	**102**
		Persons	14	14	13	12	15	13	18	11	8	15	6	23	22	17	14	**215**
170	Breast	M	12	6	11	6	11	16	16	12	11	4	7	4	12	6	4	**138**
		F	857	1,068	1,464	550	1,384	1,171	1,372	1,286	644	551	1,189	809	1,703	1,346	637	**16,031**
		Persons	869	1,074	1,475	556	1,395	1,187	1,388	1,298	655	555	1,196	813	1,715	1,352	641	**16,169**
171	Cervix uteri (including pre-malignant cases)	F	392	368	616	170	407	269	335	323	172	185	306	289	602	609	258	**5,301**
172-174	Other parts of uterus (including pre-maglignant cases)	F	159	207	319	133	310	257	324	236	88	126	318	192	358	265	142	**3,434**
171-174	Uterus (pre-malignant)	F	86	44	149	17	66	22	38	48	17	54	12	22	125	107	28	**835**
175	Ovary, Fallopian tube and broad ligament	F	182	274	314	133	308	222	345	273	113	96	280	178	362	312	155	**3,547**

Table 20 *continued*

Hospital region of residence, 1964

ICD (7th Revision) number and site description		Region of residence															
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool	**All regions**
176 Other and unspecified female genital organs	F	52	51	83	36	76	60	70	70	21	36	80	51	98	103	29	**916**
177 Prostate	M	300	300	411	203	446	335	442	405	181	209	495	256	520	407	222	**5,132**
178 Testis	M	21	37	45	14	36	41	52	53	26	30	41	27	48	39	17	**527**
179 Other and unspecified male genital organs	M	32	22	32	15	31	28	15	26	10	11	22	19	61	40	17	**381**
180 Kidney	M	81	89	111	43	97	79	73	89	28	34	86	45	121	91	55	**1,122**
	F	37	56	54	27	51	43	52	53	23	21	47	26	63	56	34	**643**
	Persons	118	145	165	70	148	122	125	142	51	55	133	71	184	147	89	**1,765**
181 Bladder and other urinary organs	M	265	277	372	144	369	283	424	368	193	124	260	178	315	326	190	**4,088**
	F	83	104	111	44	142	102	163	135	65	50	89	62	113	113	73	**1,449**
	Persons	348	381	483	188	511	385	587	503	258	174	349	240	428	439	263	**5,537**
190 Melanoma of skin	M	15	11	32	14	36	22	28	17	11	16	29	21	20	23	13	**308**
	F	29	22	37	17	60	50	61	46	21	34	69	32	51	51	32	**612**
	Persons	44	33	69	31	96	72	89	63	32	50	98	53	71	74	45	**920**
191 Other malignant neoplasm of skin	M	470	393	645	300	601	477	734	542	380	278	622	531	788	634	396	**7,791**
	F	436	368	545	202	498	421	576	444	313	206	453	413	665	620	352	**6,512**
	Persons	906	761	1,190	502	1,099	898	1,310	986	693	484	1,075	944	1,453	1,254	748	**14,303**
192 Eye	M	10	8	13	7	13	13	13	7	5	3	8	7	6	5	6	**124**
	F	16	5	8	10	17	8	14	14	-	3	9	3	17	10	3	**137**
	Persons	26	13	21	17	30	21	27	21	5	6	17	10	23	15	9	**261**
193 Brain and other parts of nervous system (including benign neoplasm)	M	92	81	148	57	147	102	139	131	58	48	123	87	162	159	83	**1,617**
	F	80	80	88	53	115	77	95	130	64	54	106	73	120	148	74	**1,357**
	Persons	172	161	236	110	262	179	234	261	122	102	229	160	282	307	157	**2,974**
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	84	77	129	49	124	92	123	115	52	45	103	75	153	127	79	**1,427**
	F	67	66	71	40	87	60	73	90	44	52	83	55	96	94	60	**1,038**
	Persons	151	143	200	89	211	152	196	205	96	97	186	130	249	221	139	**2,465**
194 Thyroid gland	M	6	13	4	5	17	13	9	14	4	8	11	2	10	12	6	**134**
	F	23	32	30	14	52	39	45	33	12	25	39	16	49	30	20	**459**
	Persons	29	45	34	19	69	52	54	47	16	33	50	18	59	42	26	**593**
195 Other endocrine glands (including benign neoplasm)	M	8	11	25	6	22	24	9	20	10	6	6	15	14	15	6	**197**
	F	5	12	22	4	15	5	7	14	9	6	7	9	20	18	10	**163**
	Persons	13	23	47	10	37	29	16	34	19	12	13	24	34	33	16	**360**

195	Other endocrine glands (excluding benign neoplasm)	M	5	4	7	1	10	10	7	8	4	2	3	9	8	6	4	88
		F	2	5	13	3	13	4	5	7	5	3	4	2	8	6	6	86
		Persons	7	9	20	4	23	14	12	15	9	5	7	11	16	12	10	174
196	Bone	M	21	21	18	12	18	20	21	9	14	9	11	19	23	27	13	256
		F	19	14	15	8	16	13	16	12	5	7	18	8	28	12	9	200
		Persons	40	35	33	20	34	33	37	21	19	16	29	27	51	39	22	456
197	Connective tissue	M	22	34	25	9	28	47	37	20	9	14	26	15	26	24	23	359
		F	18	22	28	9	39	31	35	27	16	13	32	22	33	39	21	385
		Persons	40	56	53	18	67	78	72	47	25	27	58	37	59	63	44	744
198	Lymph nodes (secondary and unspecified)	M	30	12	30	18	16	13	13	9	5	8	22	19	26	14	14	249
		F	21	15	11	9	12	13	17	12	6	6	19	12	29	16	10	208
		Persons	51	27	41	27	28	26	30	21	11	14	41	31	55	30	24	457
199	Other and unspecified sites	M	78	59	80	30	79	83	75	57	38	45	77	49	112	69	33	964
		F	91	69	119	51	123	112	119	82	38	53	102	66	141	96	53	1,315
		Persons	169	128	199	81	202	195	194	139	76	98	179	115	253	165	86	2,279
200	Lymphosarcoma and reticulosarcoma	M	70	50	86	27	103	52	102	76	43	38	84	45	77	88	44	985
		F	35	44	63	27	73	52	70	71	28	24	52	37	59	60	28	723
		Persons	105	94	149	54	176	104	172	147	71	62	136	82	136	148	72	1,708
201	Hodgkin's disease	M	35	38	64	23	47	53	44	40	27	22	37	34	48	70	35	617
		F	29	33	40	16	37	37	39	28	19	13	25	19	50	58	21	464
		Persons	64	71	104	39	84	90	83	68	46	35	62	53	98	128	56	1,081
202	Other forms of lymphoma (reticulosis)	M	15	6	15	10	11	10	15	12	7	7	7	8	22	19	9	173
		F	11	7	8	11	16	9	9	10	3	8	10	8	21	15	7	153
		Persons	26	13	23	21	27	19	24	22	10	15	17	16	43	34	16	326
203	Multiple myeloma (plasmocytoma)	M	31	31	25	21	49	19	37	39	16	21	29	18	45	37	25	443
		F	32	32	37	22	34	27	32	53	17	20	35	18	30	45	27	461
		Persons	63	63	62	43	83	46	69	92	33	41	64	36	75	82	52	904
204	Leukaemia and aleukaemia	M	95	109	133	55	117	94	133	135	66	60	112	79	144	150	78	1,560
		F	84	85	123	45	117	80	105	96	50	61	101	65	118	98	75	1,303
		Persons	179	194	256	100	234	174	238	231	116	121	213	144	262	248	153	2,863
205	Mycosis fungoides	M	1	2	4	1	4	1	2	-	1	-	2	-	1	1	-	20
		F	-	-	-	-	1	-	-	1	1	-	-	1	2	1	1	8
		Persons	1	2	4	1	5	1	2	1	2	-	2	1	3	2	1	28
	All sites	**M**	4,834	4,583	6,175	2,492	5,941	4,941	6,241	5,243	2,647	2,469	4,952	3,905	7,166	6,658	3,582	71,829
		F	4,170	4,577	6,011	2,373	5,965	4,681	5,983	5,218	2,553	2,428	4,988	3,584	6,917	6,449	3,344	69,241
		Persons	9,004	9,160	12,186	4,865	11,906	9,622	12,224	10,461	5,200	4,897	9,940	7,489	14,083	13,107	6,926	141,070

Table 21 Rates per 100,000 population, by sex, site and age, of newly diagnosed cases of cancer. 1964

England and Wales

(rates based on under 20 registrations are shown in italics)

ICD (7th Revision) number and site description		Age-group									All ages
		0–	5–	15–	25–	35–	45–	55–	65–	75 and over	
140 Lip	M	–	–	*0.1*	*0.1*	0.9	2.4	5.0	10.5	20.8	2.3
	F	–	–	–	–	*0.2*	*0.3*	*0.6*	1.1	1.7	0.3
141 Tongue	M	–	–	–	*0.1*	*0.5*	0.8	2.5	6.6	20.2	1.5
	F	–	–	–	*0.1*	*0.3*	0.8	1.6	2.8	4.9	0.9
142 Salivary gland	M	–	*0.1*	0.7	0.8	1.2	1.2	2.2	2.9	5.6	1.2
	F	–	*0*	*0.4*	1.3	1.4	2.1	1.7	2.6	2.6	1.3
143 Floor of mouth	M	–	–	–	*0*	*0.1*	*0.5*	1.3	3.4	6.8	0.6
	F	–	–	–	–	*0*	*0.2*	*0.3*	*0.6*	*1.2*	0.2
144 Other mouth (specified and unspecified)	M	–	–	*0*	*0.1*	*0.4*	0.9	2.5	5.4	14.8	1.3
	F	–	–	*0*	*0*	*0.2*	0.8	1.5	2.2	4.1	0.8
145 Oral mesopharynx	M	–	*0*	*0.1*	*0.1*	*0.2*	*0.5*	1.7	4.2	7.5	0.8
	F	–	–	*0*	–	*0.1*	*0.3*	*0.6*	*0.6*	*0.9*	0.2
146 Nasopharynx	M	*0*	*0.1*	*0.1*	*0.1*	*0.3*	1.1	1.1	1.8	*0.9*	0.5
	F	*0.1*	–	*0*	*0.1*	*0.1*	*0.2*	*0.5*	*0.8*	*0.5*	0.2
147 Hypopharynx	M	–	–	–	*0*	*0.2*	0.9	2.0	6.5	6.1	1.0
	F	–	–	–	*0.1*	*0.5*	1.4	2.8	3.6	3.6	1.1
148 Pharynx (unspecified)	M	*0*	–	–	*0*	*0.1*	*0.1*	1.1	2.5	3.8	0.4
	F	–	–	–	*0*	*0.1*	*0.3*	*0.5*	1.0	1.5	0.3
150 Oesophagus	M	–	–	–	*0.1*	1.0	4.5	14.6	29.2	53.7	5.9
	F	–	–	–	*0.1*	0.8	3.5	7.5	15.7	29.8	4.6
151 Stomach	M	–	–	*0*	0.9	6.5	26.7	80.5	154.4	198.4	29.6
	F	–	–	*0.1*	*0.6*	3.2	12.2	29.4	68.4	111.1	18.1
152 Small intestine, including duodenum	M	–	–	–	*0.1*	*0.4*	0.8	1.3	3.3	*2.6*	0.6
	F	–	*0*	–	*0*	*0.1*	*0.4*	1.2	2.0	1.7	0.5
153 Large intestine, except rectum	M	*0*	*0*	*0.3*	1.4	5.5	15.8	39.6	88.9	151.1	17.9
	F	–	*0.2*	0.7	1.9	6.8	17.5	44.2	84.6	128.1	23.7
154 Rectum	M	–	–	*0.1*	0.7	4.1	12.1	40.5	92.6	141.7	17.1
	F	–	–	*0.1*	0.9	3.6	11.0	25.7	48.9	74.6	13.7
155 Biliary passages and liver (specified primary)	M	*0.1*	*0.1*	*0.2*	*0.3*	1.4	2.5	6.8	14.6	22.6	3.0
	F	–	–	*0*	*0.2*	*0.3*	2.0	6.7	12.2	25.5	3.7
156 Liver (secondary and unspecified)	M	–	*0*	*0*	*0.1*	*0.6*	2.1	5.1	11.5	15.8	2.2
	F	–	–	*0*	*0.2*	*0.4*	1.6	4.5	6.4	8.0	1.9
157 Pancreas	M	–	*0*	–	*0.3*	2.6	7.2	22.4	47.5	62.3	8.8
	F	–	*0.1*	*0*	*0.1*	1.0	4.7	11.5	25.4	41.9	6.8
158 Peritoneum	M	*0*	*0*	*0*	*0*	*0.2*	*0.3*	0.9	*1.2*	*1.7*	0.3
	F	–	*0*	–	*0.1*	*0.2*	0.8	1.4	2.1	2.0	0.6
159 Unspecified digestive organs	M	–	–	–	–	–	*0.1*	*0.4*	*0.3*	*0.7*	0.1
	F	–	–	–	–	*0*	*0.1*	*0.2*	*0.3*	*0.5*	0.1
160 Nose, nasal cavities, middle ear and accessory sinuses	M	–	–	–	*0.2*	*0.3*	1.5	3.0	3.9	5.9	1.0
	F	*0.1*	*0*	*0.1*	*0*	*0.4*	0.8	1.0	1.6	3.7	0.6
161 Larynx	M	–	–	*0*	*0.2*	1.8	5.4	14.7	23.5	21.8	4.8
	F	–	–	*0*	*0*	*0.3*	1.4	1.7	2.1	2.0	0.7
162–163 Lung (primary and unspecified)	M	–	–	*0.3*	2.2	18.6	102.9	310.5	465.4	333.8	92.1
	F	–	–	*0.2*	0.9	6.6	19.5	39.1	51.2	46.6	15.5
164 Mediastinum	M	*0*	–	*0.1*	–	*0.1*	*0.1*	*0.4*	*0.3*	*1.2*	0.1
	F	–	–	–	*0.1*	*0*	–	*0.1*	*0.2*	*0.2*	0.1
165 Thoracic organs (secondary)	M	–	–	–	–	*0.2*	*0.4*	1.4	2.6	*2.6*	0.5
	F	–	–	–	*0*	*0.2*	*0.5*	1.1	1.3	*1.4*	0.4
170 Breast	M	–	–	–	*0*	*0.1*	0.7	1.2	3.4	4.6	0.6
	F	*0.1*	–	*0.4*	11.0	63.3	113.8	134.0	160.3	190.9	65.8
171 Cervix uteri (including pre-malignant cases)	F	–	–	0.9	11.0	42.1	45.4	35.3	32.2	31.4	21.8

ICD (7th Revision) number and site description			Age-group								All ages
			0–	5–	15–	25–	35–	45–	55–	65–	75 and over	
172–174	Other parts of uterus (including pre-malignant cases)	F	*0.1*	–	*0.4*	1.2	5.9	22.0	42.3	38.7	29.3	**14.1**
171–174	Uterus (pre-malignant)	F	–	–	*0.6*	5.6	11.6	5.8	1.8	1.6	*0.8*	**3.4**
175	Ovary, Fallopian tube and broad ligament	F	–	*0.3*	1.2	2.9	10.8	26.6	34.9	36.8	28.5	**14.6**
176	Other and unspecified female genital organs	F	*0.1*	–	*0.1*	*0.3*	1.2	2.0	6.3	13.1	23.9	**3.8**
177	Prostate	M	–	*0*	*0*	*0*	*0.3*	3.8	28.2	126.8	345.8	**22.3**
178	Testis	M	*0.4*	–	2.0	5.7	4.2	2.3	1.7	*1.2*	*1.2*	**2.3**
179	Other and unspecified male genital organs	M	–	–	*0*	*0.1*	0.9	2.0	3.7	6.8	13.3	**1.7**
180	Kidney	M	1.8	*0.2*	*0.3*	*0.4*	2.6	6.8	12.4	20.1	20.4	**4.9**
		F	*1.0*	*0.3*	*0.1*	*0.3*	0.9	2.5	5.5	8.1	11.2	**2.6**
181	Bladder and other urinary organs	M	*0.1*	–	*0.1*	0.7	4.0	14.7	43.3	93.2	140.2	**17.7**
		F	–	*0*	*0.1*	*0.1*	1.0	3.9	9.8	21.4	38.5	**5.9**
190	Melanoma of skin	M	*0*	*0.2*	*0.4*	0.8	1.6	2.1	2.6	3.2	4.9	**1.3**
		F	–	–	0.8	2.5	3.9	3.9	3.7	3.9	5.2	**2.5**
191	Other malignant neoplasm of skin	M	*0*	*0.1*	*0.5*	2.8	15.4	40.3	79.0	139.6	283.2	**33.8**
		F	–	*0.1*	*0.5*	2.8	11.7	24.1	46.8	86.3	145.5	**26.7**
192	Eye	M	*0.7*	*0.2*	*0*	*0.2*	*0.3*	1.0	1.1	*1.1*	*2.0*	**0.5**
		F	*0.9*	*0.1*	*0.1*	*0.1*	*0.3*	0.8	1.0	1.3	*1.2*	**0.6**
193	Brain and other parts of nervous system (including benign neoplasm)	M	3.3	2.6	2.2	3.6	7.0	10.6	18.5	13.7	4.9	**7.0**
		F	3.6	2.5	2.0	2.8	4.4	9.3	11.8	10.2	3.7	**5.6**
193	Brain and other parts of nervous system (excluding benign neoplasm)	M	3.2	2.6	2.0	3.1	6.0	9.1	16.5	12.1	3.8	**6.2**
		F	3.4	2.4	1.7	2.1	3.5	6.9	8.8	7.3	2.2	**4.3**
194	Thyroid gland	M	–	*0.1*	*0.2*	*0.3*	*0.4*	0.9	1.3	2.1	*2.2*	**0.6**
		F	–	*0.1*	*0.5*	0.9	1.3	2.2	3.1	5.6	6.4	**1.9**
195	Other endocrine glands (including benign neoplasm)	M	*0.5*	*0.5*	*0.5*	0.7	1.0	1.3	1.2	1.8	*0.7*	**0.9**
		F	*0.5*	*0.3*	*0.2*	*0.5*	0.7	1.0	1.2	1.1	*0.5*	**0.7**
195	Other endocrine glands (excluding benign neoplasm)	M	*0.5*	*0.3*	*0.1*	*0.1*	*0.5*	*0.4*	*0.4*	*1.1*	*0.6*	**0.4**
		F	*0.5*	*0.1*	*0.1*	*0.1*	*0.5*	*0.5*	*0.6*	*0.5*	*0.4*	**0.4**
196	Bone	M	*0.3*	0.6	1.3	0.7	*0.5*	1.3	1.6	2.5	4.2	**1.1**
		F	*0.1*	0.7	0.7	*0.4*	*0.5*	*0.6*	1.1	1.9	2.5	**0.8**
197	Connective tissue	M	*0.5*	*0.3*	0.6	1.0	1.3	2.0	2.7	4.7	6.5	**1.6**
		F	*0.2*	*0.5*	*0.4*	0.8	1.4	2.0	2.3	4.2	4.3	**1.6**
198	Lymph nodes (secondary and unspecified)	M	–	*0.1*	*0.1*	*0.1*	*0.4*	1.2	2.5	5.3	6.7	**1.1**
		F	–	–	–	*0.2*	*0.4*	1.1	1.7	2.5	3.7	**0.9**
199	Other and unspecified sites	M	–	*0.1*	*0.3*	*0.5*	1.5	3.8	10.9	22.0	23.4	**4.2**
		F	*0.3*	*0.1*	*0.1*	*0.6*	1.6	5.0	10.8	19.8	23.4	**5.4**
200	Lymphosarcoma and reticulosarcoma	M	*0.9*	1.0	1.7	1.9	3.0	4.8	9.2	13.9	17.8	**4.3**
		F	*0.1*	0.6	0.9	*0.7*	1.4	2.8	6.0	9.5	9.5	**3.0**
201	Hodgkin's disease	M	*0.2*	0.7	2.5	3.4	2.7	3.4	4.2	4.6	3.8	**2.7**
		F	*0.1*	*0.4*	2.4	1.7	1.6	1.7	3.0	3.3	3.9	**1.9**
202	Other forms of lymphoma (reticulosis)	M	*0.2*	*0.1*	*0.3*	*0.4*	0.6	1.7	1.3	1.6	*1.7*	**0.8**
		F	*0.4*	*0.1*	*0.1*	*0.1*	*0.5*	0.7	1.1	1.8	2.0	**0.6**
203	Multiple myeloma (plasmocytoma)	M	–	–	–	*0.2*	*0.5*	2.3	6.6	8.5	7.4	**1.9**
		F	–	–	–	*0.1*	*0.4*	1.8	4.2	7.8	6.9	**1.9**
204	Leukaemia and aleukaemia	M	4.4	2.4	2.3	1.9	3.7	5.3	12.3	24.3	41.4	**6.8**
		F	4.4	2.1	1.3	2.2	2.3	4.5	8.2	13.2	21.2	**5.3**
205	Mycosis fungoides	M	–	–	–	–	*0.1*	*0.1*	*0.2*	*0.3*	*0.3*	**0.1**
		F	–	–	–	–	–	–	*0.1*	*0.1*	*0.3*	**0**
	All sites	**M**	**13.9**	**9.4**	**17.3**	**33.2**	**98.9**	**303.1**	**807.2**	**1483.9**	**2019.1**	**311.7**
		F	**11.5**	**8.4**	**15.0**	**50.1**	**184.7**	**360.0**	**559.5**	**820.9**	**1092.0**	**284.3**

Table 22 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1964

Urban areas of England and Wales

(rates based on under 20 registrations are shown in italics)

ICD (7th Revision) number and site description		Age-group									All ages
		0-	5-	15-	25-	35-	45-	55-	65-	75 and over	
140 Lip	M	-	-	*0*	*0.2*	0.9	2.1	4.4	8.4	17.9	**2.0**
	F	-	-	-	-	*0.2*	*0.2*	*0.5*	*1.1*	*1.7*	**0.3**
141 Tongue	M	-	-	-	*0.1*	*0.5*	0.8	2.6	7.6	21.7	**1.6**
	F	-	-	-	*0.1*	*0.3*	*0.8*	1.7	2.7	5.2	**0.9**
142 Salivary gland	M	-	*0.1*	*0.7*	1.0	1.2	1.4	2.3	3.2	5.9	**1.2**
	F	-	*0*	*0.5*	1.4	1.4	2.1	1.8	2.6	2.6	**1.3**
143 Floor of mouth	M	-	-	-	*0*	*0.1*	*0.4*	1.3	3.5	6.7	**0.6**
	F	-	-	-	-	*0*	*0.1*	*0.3*	*0.6*	*1.1*	**0.2**
144 Other mouth (specified and unspecified)	M	-	-	*0*	*0.1*	*0.4*	1.0	2.9	5.7	15.6	**1.3**
	F	-	-	*0*	*0*	*0.3*	0.8	1.6	2.3	4.4	**0.8**
145 Oral mesopharynx	M	-	*0*	*0.1*	*0.1*	*0.2*	*0.6*	1.8	4.6	7.2	**0.8**
	F	-	-	*0*	-	*0.1*	*0.3*	*0.5*	*0.7*	*1.0*	**0.2**
146 Nasopharynx	M	*0.1*	*0.1*	*0.1*	*0*	*0.3*	1.4	1.2	2.0	*1.1*	**0.6**
	F	-	-	-	*0.1*	*0.1*	*0.2*	*0.5*	*0.9*	*0.5*	**0.2**
147 Hypopharynx	M	-	-	-	*0*	*0.3*	0.9	2.2	7.4	6.3	**1.1**
	F	-	-	-	*0*	*0.5*	1.4	3.0	3.9	3.6	**1.2**
148 Pharynx (unspecified)	M	*0.1*	-	-	-	*0.1*	*0.1*	1.2	2.6	4.0	**0.4**
	F	-	-	-	*0*	*0.1*	*0.3*	*0.5*	*1.1*	*1.7*	**0.3**
150 Oesophagus	M	-	-	-	*0.1*	1.0	4.9	15.3	30.1	55.7	**6.1**
	F	-	-	-	*0.1*	0.9	3.4	7.6	15.0	30.8	**4.6**
151 Stomach	M	-	-	-	1.1	7.1	28.2	85.2	165.0	211.3	**31.4**
	F	-	-	*0.1*	*0.6*	3.6	13.3	31.2	72.4	117.5	**19.4**
152 Small intestine, including duodenum	M	-	-	-	*0.1*	*0.4*	1.0	1.3	3.6	*2.9*	**0.7**
	F	-	*0*	-	*0*	*0.1*	*0.4*	1.3	1.9	*1.6*	**0.5**
153 Large intestine, except rectum	M	*0.1*	*0*	*0.4*	1.3	5.5	16.8	41.8	92.9	160.7	**18.6**
	F	-	*0.2*	*0.7*	1.9	7.4	17.7	46.1	87.3	135.1	**24.9**
154 Rectum	M	-	-	*0.1*	*0.6*	4.2	12.6	41.5	96.6	144.7	**17.5**
	F	-	-	*0.1*	1.0	3.7	11.2	26.6	50.0	77.7	**14.3**
155 Biliary passages and liver (specified primary)	M	*0.1*	*0*	*0.2*	*0.3*	1.2	2.9	7.1	15.8	26.1	**3.2**
	F	-	-	*0*	*0.2*	*0.2*	2.0	6.9	12.2	26.9	**3.8**
156 Liver (secondary and unspecified)	M	-	*0*	*0*	*0.1*	*0.6*	2.2	5.4	12.4	15.6	**2.3**
	F	-	-	*0*	*0.2*	*0.4*	1.4	4.9	6.5	8.0	**1.9**
157 Pancreas	M	-	*0*	-	*0.4*	2.2	7.3	23.6	49.6	67.3	**9.2**
	F	-	*0.1*	*0*	*0.1*	1.0	4.7	12.2	26.8	43.4	**7.2**
158 Peritoneum	M	*0.1*	*0*	*0*	-	*0.2*	*0.4*	*0.9*	*1.2*	*1.5*	**0.3**
	F	-	-	-	*0.1*	*0.2*	0.8	1.4	2.2	2.3	**0.6**
159 Unspecified digestive organs	M	-	-	-	-	-	*0.1*	*0.4*	*0.3*	*0.6*	**0.1**
	F	-	-	-	-	-	*0*	*0.2*	*0.3*	*0.5*	**0.1**
160 Nose, nasal cavities, middle ear and accessory sinuses	M	-	-	-	*0.3*	*0.4*	1.6	2.9	4.1	5.5	**1.1**
	F	*0.1*	*0*	*0.1*	*0*	*0.5*	0.8	1.0	1.5	4.1	**0.7**
161 Larynx	M	-	-	-	*0.2*	1.9	5.9	16.2	25.5	24.7	**5.3**
	F	-	-	*0*	*0*	*0.3*	1.5	1.8	2.1	1.9	**0.8**
162-163 Lung (primary and unspecified)	M	-	-	*0.3*	2.5	20.2	111.4	334.7	507.9	375.6	**100.0**
	F	-	-	*0.3*	1.1	7.3	20.7	41.2	54.5	50.4	**16.7**
164 Mediastinum	M	*0.1*	-	*0.1*	-	*0.1*	*0.1*	*0.4*	*0.4*	*1.3*	**0.2**
	F	-	-	-	*0.1*	*0*	-	*0.1*	*0.3*	*0.1*	**0.1**
165 Thoracic organs (secondary)	M	-	-	-	-	*0.2*	*0.4*	1.5	2.7	*2.7*	**0.5**
	F	-	-	-	*0*	*0.1*	*0.5*	1.1	*1.0*	*1.4*	**0.4**
170 Breast	M	-	-	-	*0*	*0.1*	*0.7*	1.0	3.6	5.1	**0.6**
	F	*0.1*	-	*0.4*	10.6	66.3	117.8	136.9	162.2	195.5	**67.9**
171 Cervix uteri (including pre-malignant cases)	F	-	-	0.9	11.4	43.5	47.3	36.2	33.6	33.9	**22.7**

ICD (7th Revision) number and site description			Age-group								All ages
			0-	5-	15-	25-	35-	45-	55-	65-	75 and over	
172-174	Other parts of uterus (including pre-malignant cases)	F	*0.1*	-	*0.4*	1.1	5.6	21.9	42.8	38.9	29.9	**14.3**
171-174	Uterus (pre-malignant)	F	-	-	*0.7*	5.6	12.2	6.0	1.7	1.5	*0.7*	**3.5**
175	Ovary, Fallopian tube and broad ligament	F	-	*0.3*	1.2	3.3	11.2	27.6	35.0	38.2	29.5	**15.1**
176	Other and unspecified female genital organs	F	*0.1*	-	*0.1*	*0.3*	1.3	2.0	5.6	13.5	23.6	**3.7**
177	Prostate	M	-	*0*	*0*	*0*	*0.4*	3.7	29.2	128.8	354.3	**22.4**
178	Testis	M	*0.5*	-	2.1	5.7	3.9	2.5	1.9	*1.1*	*1.0*	**2.3**
179	Other and unspecified male genital organs	M	-	-	*0*	*0.1*	0.8	2.0	4.2	7.5	15.0	**1.8**
180	Kidney	M	1.7	*0.2*	*0.3*	*0.4*	2.7	7.3	13.2	22.6	22.6	**5.3**
		F	*1.0*	*0.3*	*0.1*	*0.3*	0.9	2.5	5.8	8.3	12.2	**2.8**
181	Bladder and other urinary organs	M	*0.1*	-	*0.1*	*0.8*	4.4	15.9	46.2	100.7	151.4	**19.0**
		F	-	*0*	*0.1*	*0.1*	1.1	4.3	10.4	22.8	40.5	**6.4**
190	Melanoma of skin	M	-	*0.1*	*0.5*	0.9	1.6	2.2	2.4	3.2	5.3	**1.4**
		F	-	-	0.9	2.6	4.3	4.3	3.7	4.0	4.8	**2.6**
191	Other malignant neoplasm of skin	M	*0.1*	*0.1*	*0.5*	2.9	16.2	41.3	79.7	142.9	263.2	**34.2**
		F	-	*0.2*	*0.6*	2.8	12.2	24.9	48.0	89.2	145.8	**27.5**
192	Eye	M	*0.8*	*0.2*	*0*	*0.1*	*0.3*	0.8	1.2	*1.0*	*2.3*	**0.5**
		F	*0.8*	*0*	*0.1*	*0.1*	*0.3*	1.0	1.0	1.4	*1.0*	**0.6**
193	Brain and other parts of nervous system (including benign neoplasm)	M	3.3	2.6	2.2	4.1	7.2	11.1	19.5	14.9	5.3	**7.4**
		F	3.0	2.4	2.2	2.8	4.3	9.6	12.2	10.9	4.3	**5.7**
193	Brain and other parts of nervous system (excluding benign neoplasm)	M	3.2	2.6	2.0	3.5	6.2	9.7	17.2	13.3	4.0	**6.5**
		F	2.9	2.3	1.8	2.0	3.4	7.0	8.9	8.0	2.4	**4.3**
194	Thyroid gland	M	-	*0.1*	*0.1*	*0.3*	*0.4*	*0.8*	1.2	2.5	*2.5*	**0.6**
		F	-	*0.1*	*0.5*	1.1	1.5	2.2	3.3	5.8	7.1	**2.0**
195	Other endocrine glands (including benign neoplasm)	M	*0.6*	*0.5*	*0.6*	*0.7*	1.0	1.4	1.3	1.8	*1.0*	**0.9**
		F	*0.6*	*0.3*	*0.2*	*0.6*	*0.5*	1.0	1.3	1.3	*0.5*	**0.7**
195	Other endocrine glands (excluding benign neoplasm)	M	*0.6*	*0.3*	*0.2*	*0.1*	*0.5*	*0.4*	*0.5*	*1.1*	*0.8*	**0.4**
		F	*0.6*	*0.2*	*0.1*	*0.2*	*0.4*	*0.5*	*0.7*	*0.6*	*0.5*	**0.4**
196	Bone	M	*0.4*	0.7	1.2	*0.6*	*0.5*	1.4	1.7	2.9	4.9	**1.2**
		F	-	*0.7*	0.8	*0.4*	*0.5*	*0.6*	1.1	2.0	2.6	**0.9**
197	Connective tissue	M	*0.5*	*0.3*	*0.7*	1.1	1.4	2.0	2.8	4.8	6.5	**1.6**
		F	*0.1*	*0.5*	*0.4*	1.0	1.6	2.1	2.6	4.2	4.3	**1.7**
198	Lymph nodes (secondary and unspecified)	M	-	*0.1*	*0.1*	*0.1*	*0.4*	1.2	2.5	5.1	6.5	**1.1**
		F	-	-	-	*0.3*	*0.5*	1.2	1.7	2.6	3.9	**0.9**
199	Other and unspecified sites	M	-	*0.1*	*0.2*	*0.4*	1.7	4.2	11.4	22.4	23.6	**4.3**
		F	*0.2*	*0.1*	*0.2*	*0.6*	1.8	5.2	11.1	20.1	24.1	**5.6**
200	Lymphosarcoma and reticulosarcoma	M	*0.9*	1.1	2.0	1.9	3.2	5.4	9.5	14.8	17.7	**4.5**
		F	-	*0.7*	1.0	*0.6*	1.4	3.0	6.3	9.5	9.2	**3.0**
201	Hodgkin's disease	M	*0.3*	*0.7*	2.5	3.5	2.9	3.2	4.1	5.3	*3.6*	**2.7**
		F	*0.1*	*0.3*	2.3	1.6	1.8	1.8	3.0	3.7	4.2	**1.9**
202	Other forms of lymphoma (reticulosis)	M	*0.2*	*0.1*	*0.4*	*0.5*	*0.7*	1.7	1.4	1.8	*1.9*	**0.8**
		F	*0.3*	-	*0.2*	*0.2*	*0.5*	*0.6*	1.1	1.9	2.1	**0.6**
203	Multiple myeloma (plasmocytoma)	M	-	-	-	*0.2*	*0.5*	2.5	6.8	8.1	8.0	**2.0**
		F	-	-	-	*0.1*	*0.4*	1.8	3.9	8.1	7.3	**1.9**
204	Leukaemia and aleukaemia	M	4.1	2.7	2.5	2.1	3.8	5.2	12.0	24.0	43.4	**6.8**
		F	4.4	2.0	1.3	2.2	2.2	4.5	8.6	13.5	21.0	**5.4**
205	Mycosis fungoides	M	-	-	-	-	*0.1*	*0.1*	*0.2*	*0.4*	*0.4*	**0.1**
		F	-	-	-	-	-	-	*0.1*	*0.1*	*0.4*	**0**
	All sites	**M**	**13.9**	**9.9**	**18.2**	**35.2**	**103.5**	**321.3**	**851.5**	**1573.3**	**2128.0**	**327.5**
		F	**10.8**	**8.3**	**15.9**	**51.2**	**192.3**	**372.1**	**575.9**	**845.6**	**1131.3**	**295.5**

Table 23 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1964

Rural areas of England and Wales

(rates based on under 20 registrations are shown in italics)

ICD (7th Revision) number and site description		Age-group									All ages
		0-	5-	15-	25-	35-	45-	55-	65-	75 and over	
140 Lip	M	-	-	*0.1*	-	*0.9*	3.6	7.4	17.7	30.2	**3.6**
	F	-	-	-	-	-	*0.7*	*0.9*	*1.4*	*1.5*	**0.4**
141 Tongue	M	-	-	-	*0.3*	*0.7*	*0.5*	*2.3*	*3.1*	15.7	**1.2**
	F	-	-	-	-	*0.2*	*1.0*	*1.2*	*2.8*	*3.3*	**0.7**
142 Salivary gland	M	-	-	*0.5*	*0.2*	*1.5*	*0.7*	*1.8*	*1.5*	*4.8*	**0.9**
	F	-	-	*0.2*	*1.0*	*1.2*	*2.0*	*1.4*	*2.8*	*2.6*	**1.1**
143 Floor of mouth	M	-	-	-	-	-	*0.7*	*1.3*	*3.1*	*7.2*	**0.7**
	F	-	-	-	-	-	*0.3*	-	*0.7*	*1.8*	**0.2**
144 Other mouth (specified and unspecified)	M	-	-	-	-	*0.4*	*0.5*	*1.3*	*4.3*	12.1	**1.0**
	F	-	-	-	-	*0.2*	*1.0*	*1.2*	*1.9*	*2.9*	**0.6**
145 Oral mesopharynx	M	-	-	-	-	*0.1*	*0.3*	*1.1*	*3.1*	*8.5*	**0.7**
	F	-	-	-	-	*0.2*	-	*1.0*	*0.5*	*0.4*	**0.2**
146 Nasopharynx	M	-	-	-	*0.2*	*0.1*	*0.2*	*0.9*	*1.2*	-	**0.2**
	F	*0.2*	-	*0.2*	-	*0.2*	-	*0.5*	*0.5*	*0.7*	**0.2**
147 Hypopharynx	M	-	-	-	-	-	*1.0*	*1.6*	*3.4*	*5.4*	**0.7**
	F	-	-	-	*0.2*	*0.3*	*1.2*	*1.9*	*2.4*	*3.3*	**0.8**
148 Pharynx (unspecified)	M	-	-	-	*0.2*	-	-	*0.7*	*2.1*	*3.0*	**0.3**
	F	-	-	-	-	*0.2*	*0.3*	*0.3*	*0.7*	*0.7*	**0.2**
150 Oesophagus	M	-	-	-	*0.2*	*0.9*	3.3	12.2	28.0	47.1	**5.2**
	F	-	-	-	*0.2*	*0.3*	4.0	7.1	18.4	25.8	**4.4**
151 Stomach	M	-	-	*0.1*	*0.2*	4.0	20.7	62.8	117.6	157.6	**23.3**
	F	-	-	*0.2*	*0.5*	*1.8*	7.6	21.9	52.0	85.2	**13.1**
152 Small intestine, including duodenum	M	-	-	-	-	*0.4*	*0.2*	*1.3*	*2.1*	*1.8*	**0.4**
	F	-	-	-	-	*0.2*	*0.2*	*0.7*	*2.4*	*2.2*	**0.4**
153 Large intestine, except rectum	M	-	-	*0.3*	*1.5*	5.6	11.8	31.0	75.1	120.8	**15.0**
	F	-	-	*0.5*	*2.1*	4.8	16.5	36.3	73.4	99.6	**19.1**
154 Rectum	M	-	-	-	*1.1*	3.7	10.0	36.8	78.8	132.2	**15.7**
	F	-	-	*0.3*	*0.7*	3.2	10.2	21.6	44.2	61.9	**11.6**
155 Biliary passages and liver (specified primary)	M	*0.2*	*0.1*	-	*0.2*	*1.9*	*1.0*	5.9	10.4	*11.5*	**2.2**
	F	-	-	-	-	*0.8*	*2.0*	5.7	12.0	19.9	**3.2**
156 Liver (secondary and unspecified)	M	-	-	-	-	*0.4*	*1.5*	3.9	8.5	16.3	**1.8**
	F	-	-	-	*0.2*	*0.5*	*2.3*	*3.1*	5.9	8.1	**1.7**
157 Pancreas	M	-	-	-	-	4.0	6.9	17.9	40.3	46.5	**7.7**
	F	-	-	-	*0.2*	*1.1*	4.5	8.8	20.0	35.8	**5.5**
158 Peritoneum	M	-	-	-	*0.2*	*0.1*	*0.2*	*1.1*	*1.2*	*2.4*	**0.3**
	F	-	*0.1*	-	-	*0.2*	*0.7*	*1.0*	*1.4*	*1.1*	**0.4**
159 Unspecified digestive organs	M	-	-	-	-	-	-	*0.2*	*0.3*	*1.2*	**0.1**
	F	-	-	-	-	*0.2*	*0.2*	-	-	*0.4*	**0.1**
160 Nose, nasal cavities, middle ear and accessory sinuses	M	-	-	-	-	*0.3*	*1.2*	*3.4*	*3.1*	*7.2*	**1.0**
	F	-	-	-	-	*0.2*	*0.8*	*0.7*	*2.1*	*2.2*	**0.5**
161 Larynx	M	-	-	*0.1*	*0.2*	*1.2*	3.5	8.6	16.8	12.7	**3.1**
	F	-	-	-	-	*0.3*	*1.0*	*1.6*	*2.1*	*2.2*	**0.7**
162-163 Lung (primary and unspecified)	M	-	-	*0.3*	*1.2*	12.3	70.2	218.4	317.6	201.1	**63.0**
	F	-	-	-	*0.3*	3.7	14.7	30.2	37.7	31.0	**10.9**
164 Mediastinum	M	-	-	-	-	-	-	*0.2*	-	*0.6*	**0**
	F	-	-	-	-	-	-	-	-	*0.7*	**0**
165 Thoracic organs (secondary)	M	-	-	-	-	*0.4*	*0.3*	*0.7*	*2.1*	*2.4*	**0.4**
	F	-	-	-	-	*0.3*	*0.7*	*1.2*	*2.4*	*1.5*	**0.5**
170 Breast	M	-	-	-	-	*0.3*	*0.5*	*1.8*	*2.7*	*3.0*	**0.6**
	F	-	-	*0.3*	12.7	51.6	97.1	121.9	152.5	171.8	**57.5**
171 Cervix uteri (including pre-malignant cases)	F	-	-	*0.6*	9.7	36.8	37.6	31.3	26.4	21.0	**17.9**

ICD (7th Revision) number	and site description		Age-group 0-	5-	15-	25-	35-	45-	55-	65-	75 and over	All ages
172-174	Other parts of uterus (including pre-malignant cases)	F	-	-	0.3	1.7	7.1	22.3	40.4	37.9	26.9	13.5
171-174	Uterus (pre-malignant) ^	F	-	-	0.2	5.4	9.2	5.1	2.4	1.6	1.1	3.0
175	Ovary, Fallopian tube and broad ligament	F	-	0.1	1.1	1.3	9.4	22.7	34.7	30.6	24.3	12.5
176	Other and unspecified female genital organs	F	-	-	-	0.2	0.6	2.3	9.2	11.5	25.1	3.8
177	Prostate	M	-	-	-	-	-	3.9	24.4	119.7	318.8	21.9
178	Testis	M	0.2	-	1.6	5.7	5.1	1.5	1.1	1.8	1.8	2.2
179	Other and unspecified male genital organs	M	-	-	-	-	1.0	1.6	1.6	4.6	7.9	1.1
180	Kidney	M	2.0	0.1	0.4	0.2	2.2	4.9	9.1	11.6	13.3	3.4
		F	1.0	0.4	0.2	0.2	0.9	2.8	4.1	7.3	7.0	2.2
181	Bladder and other urinary organs	M	0.2	-	-	0.5	2.2	9.9	32.3	66.9	104.5	13.2
		F	-	-	-	0.2	0.9	2.1	7.4	15.5	30.2	4.3
190	Melanoma of skin	M	0.2	0.4	-	0.3	1.6	1.5	3.2	3.4	3.6	1.2
		F	-	-	0.6	2.0	2.0	2.1	3.8	3.5	6.6	2.0
191	Other malignant neoplasm of skin	M	-	-	0.4	2.2	12.3	36.0	76.6	128.2	283.3	32.5
		F	-	-	-	2.6	9.9	20.6	42.0	74.1	144.5	23.5
192	Eye	M	0.2	0.1	-	0.5	0.3	1.5	0.7	1.5	1.2	0.5
		F	1.0	0.1	0.2	0.3	0.5	-	1.0	0.9	2.2	0.5
193	Brain and other parts of nervous system (including benign neoplasm)	M	2.9	2.7	2.1	2.0	6.0	8.7	14.9	9.5	3.6	5.6
		F	5.7	2.7	1.2	2.8	4.9	8.2	10.2	7.1	1.5	4.9
193	Brain and other parts of nervous system (excluding benign neoplasm)	M	2.9	2.7	1.9	1.5	5.3	7.1	13.6	7.6	3.6	4.9
		F	5.3	2.6	1.2	2.3	3.9	6.3	8.3	4.5	1.1	4.0
194	Thyroid gland	M	-	-	0.3	-	0.3	1.3	1.6	0.6	1.2	0.5
		F	-	-	0.3	0.3	0.6	2.1	2.2	4.9	3.3	1.3
195	Other endocrine glands (including benign neoplasm)	M	-	0.4	0.1	0.6	0.9	1.0	0.5	1.8	-	0.6
		F	0.2	-	0.3	0.2	1.2	1.3	0.9	0.5	0.4	0.6
195	Other endocrine glands (excluding benign neoplasm)	M	-	0.3	-	0.2	0.6	0.3	0.2	1.2	-	0.3
		F	0.2	-	-	-	0.6	0.5	0.3	0.2	0.4	0.2
196	Bone	M	-	0.3	1.3	0.9	0.4	1.0	0.9	1.2	1.8	0.8
		F	0.2	0.7	0.3	0.2	0.5	0.5	1.0	1.4	1.8	0.7
197	Connective tissue	M	0.7	0.3	0.4	0.8	0.6	1.8	2.2	4.3	6.6	1.3
		F	0.2	0.3	0.5	0.2	0.6	1.6	0.9	4.0	4.1	1.1
198	Lymph nodes(secondary and unspecified)	M	-	0.1	0.3	-	0.3	1.0	2.7	5.8	7.2	1.2
		F	-	-	-	-	-	0.5	1.4	2.4	2.9	0.6
199	Other and unspecified sites	M	-	-	0.4	0.6	0.9	2.3	8.8	20.5	22.9	3.7
		F	0.5	-	-	0.7	0.9	4.5	9.2	18.1	20.6	4.6
200	Lymphosarcoma and reticulosarcoma	M	1.1	0.5	0.9	1.7	2.5	2.5	7.7	11.0	18.1	3.4
		F	0.2	0.6	0.5	1.0	1.5	2.0	5.2	9.6	10.7	2.8
201	Hodgkin's disease	M	-	0.9	2.5	3.1	1.8	4.4	4.8	2.4	4.2	2.6
		F	-	0.7	2.7	2.1	1.1	1.5	2.9	1.9	2.9	1.7
202	Other forms of lymphoma (reticulosis)	M	-	0.1	0.3	0.2	0.1	1.6	0.9	0.9	1.2	0.5
		F	0.7	0.3	-	-	0.3	0.8	1.0	1.6	1.5	0.6
203	Multiple myeloma (plasmocytoma)	M	-	-	-	-	0.3	1.5	5.9	10.1	5.4	1.7
		F	-	-	-	0.2	0.5	1.5	5.2	6.8	5.2	1.8
204	Leukaemia and aleukaemia	M	5.6	1.6	1.3	1.2	3.1	5.8	13.5	25.3	35.0	6.6
		F	4.3	2.7	1.4	2.1	2.8	4.3	6.7	12.0	22.1	5.2
205	Mycosis fungoides	M	-	-	-	-	-	0.2	0.2	-	-	0
		F	-	-	-	-	-	-	-	0.2	-	0
	All sites	M	13.5	7.7	13.8	25.8	81.4	232.4	638.1	1173.1	1673.3	253.7
		F	14.4	8.9	11.6	45.9	154.4	310.1	490.8	718.5	931.8	239.9

Table 24 Rates per 100,000 population, by sex and site, of newly diagnosed cases of cancer. 1964

Hospital region of residence

(rates based on under 20 registrations are shown in italics)

ICD (7th Revision) number and site description		Region of residence															
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool	**All regions**
140 Lip	M	2.6	2.2	1.7	5.4	1.4	2.2	2.0	1.9	3.4	3.1	3.9	3.9	1.9	1.4	1.9	**2.3**
	F	*0.1*	*0.6*	*0.4*	*0.5*	*0.3*	*0.5*	*0.5*	*0.4*	*0.4*	*0.6*	*0.5*	*0.1*	*0.2*	*0.2*	–	**0.3**
141 Tongue	M	1.7	1.4	1.4	*1.9*	1.2	*1.1*	1.8	1.8	*1.8*	*2.1*	1.9	*0.8*	1.6	1.4	*1.3*	**1.5**
	F	*0.8*	*0.7*	*0.8*	*1.0*	1.2	*0.8*	*0.7*	*0.7*	*0.4*	*0.3*	*1.0*	*1.2*	1.1	0.9	*0.9*	**0.9**
142 Salivary gland	M	1.6	*0.8*	1.0	*1.0*	*0.9*	*1.2*	*1.2*	1.9	*0.8*	*1.5*	1.7	*0.6*	1.2	*0.7*	*1.3*	**1.2**
	F	1.9	1.4	*0.8*	*0.7*	1.2	1.5	1.5	1.4	*0.9*	*1.7*	1.5	*1.2*	1.4	*0.7*	*1.2*	**1.3**
143 Floor of mouth	M	*1.1*	*0.8*	*0.5*	*0.6*	*0.5*	*0.4*	*0.6*	*0.3*	*0.3*	*0.7*	*0.8*	*0.6*	*0.6*	1.0	*0.8*	**0.6**
	F	*0.2*	*0.4*	*0.1*	–	*0.1*	*0.2*	*0.2*	*0.2*	*0.3*	*0.1*	*0.1*	*0.1*	*0.2*	*0.2*	*0.3*	**0.2**
144 Other mouth (specified and unspecified)	M	1.5	*1.1*	1.0	*0.6*	1.2	*1.1*	*1.0*	*0.7*	*1.1*	*1.3*	*1.2*	*1.1*	1.6	1.9	2.0	**1.3**
	F	*0.3*	*1.0*	*0.4*	*0.4*	*0.5*	*0.7*	*0.9*	*0.7*	*0.7*	*0.8*	*0.7*	*1.0*	*0.6*	1.3	*1.4*	**0.8**
145 Oral mesopharynx	M	*0.5*	*1.0*	0.9	*0.8*	*0.7*	*0.5*	*0.8*	*1.3*	*0.4*	*1.0*	*1.2*	*0.6*	*0.6*	*0.9*	*0.9*	**0.8**
	F	*0.1*	*0.2*	*0.2*	*0.4*	*0.3*	*0.4*	*0.4*	*0.1*	*0.4*	–	*0.1*	*0.3*	*0.1*	*0.3*	*0.2*	**0.2**
146 Nasopharynx	M	*0.1*	*0.6*	*0.4*	*0.5*	*0.4*	*0.4*	*0.7*	*0.4*	*0.8*	*0.2*	*0.8*	*0.4*	*0.6*	*0.6*	*0.5*	**0.5**
	F	*0.3*	*0.2*	*0.4*	*0.1*	*0.2*	*0.3*	*0.2*	*0.3*	*0.1*	*0.1*	*0.3*	*0.4*	*0.1*	–	*0.1*	**0.2**
147 Hypopharynx	M	*0.9*	*1.2*	*0.9*	*0.9*	1.0	*1.0*	1.2	*1.1*	*1.0*	*0.6*	*1.2*	*0.7*	1.0	0.9	*1.1*	**1.0**
	F	1.4	*1.0*	1.1	*0.9*	*0.8*	*0.9*	*0.9*	*1.0*	*0.5*	*0.6*	1.5	2.0	*0.6*	2.0	*1.1*	**1.1**
148 Pharynx (unspecified)	M	*0.2*	*0.3*	*0*	*0.9*	*0.4*	*0.7*	*0.6*	*0.7*	*0.1*	*0.5*	*0.3*	*0.2*	*0.5*	*0.6*	*0.6*	**0.4**
	F	*0.5*	*0.4*	*0.3*	*0.2*	*0.2*	*0.3*	*0.2*	*0.4*	*0.1*	–	*0.3*	*0.6*	*0.3*	*0.2*	*0.2*	**0.3**
150 Oesophagus	M	5.0	6.6	4.5	6.4	5.1	5.7	7.1	6.6	8.8	4.8	6.6	6.7	4.9	6.0	6.5	**5.9**
	F	4.3	3.9	3.2	4.9	4.3	3.6	5.4	5.1	5.6	5.1	5.8	5.5	3.6	5.1	5.5	**4.6**
151 Stomach	M	41.2	28.6	27.0	23.7	24.8	26.0	30.8	26.1	21.8	22.2	30.9	38.9	30.0	33.2	33.8	**29.6**
	F	23.1	18.5	17.3	15.3	14.7	16.6	18.3	15.9	15.2	15.5	18.5	18.7	18.5	20.7	22.8	**18.1**

152	Small intestine, including duodenum	M	0.6	0.5	0.5	0.1	0.6	0.6	0.7	0.8	0.3	1.2	0.5	0.8	0.6	0.8	0.2	**0.6**
		F	0.2	0.7	0.5	0.2	0.9	0.4	0.6	0.6	–	0.3	0.5	0.2	0.6	0.6	0.2	**0.5**
153	Large intestine, except rectum	M	20.5	18.7	16.9	19.4	17.3	15.5	20.6	16.5	14.5	17.6	20.8	17.0	16.4	18.9	17.1	**17.9**
		F	21.2	24.3	21.3	26.1	23.6	24.5	27.0	24.0	18.5	21.6	27.9	21.9	22.3	24.2	27.3	**23.7**
154	Rectum	M	15.3	17.0	17.3	20.9	15.5	17.4	18.2	19.0	12.3	16.7	18.4	18.6	19.1	15.0	15.1	**17.1**
		F	11.8	14.9	11.6	14.5	11.7	12.7	17.4	16.2	12.8	14.8	16.0	10.0	13.7	14.1	15.2	**13.7**
155	Biliary passages and liver (specified primary)	M	2.5	3.4	2.8	1.9	2.9	3.3	3.0	4.0	2.2	3.1	4.1	2.4	2.7	3.1	3.2	**3.0**
		F	3.5	4.7	3.9	3.6	4.2	2.0	3.4	4.6	3.9	4.0	4.9	3.3	2.9	3.4	3.4	**3.7**
156	Liver (secondary and unspecified)	M	2.8	1.6	1.9	4.0	2.1	1.4	1.8	1.7	1.5	3.1	1.7	2.4	2.5	2.2	3.4	**2.2**
		F	2.4	1.7	1.3	2.7	1.8	1.9	1.5	2.2	2.0	1.7	1.2	2.3	2.1	1.4	2.9	**1.9**
157	Pancreas	M	8.7	7.3	7.6	9.8	8.8	8.1	11.8	10.0	7.2	5.6	10.3	7.8	8.4	9.3	11.6	**8.8**
		F	5.7	7.2	5.5	6.6	6.7	5.6	8.7	8.0	6.2	8.4	8.8	6.4	5.4	6.9	8.1	**6.8**
158	Peritoneum	M	0.3	0.5	0.6	0.3	0.4	0.3	0.5	0.4	0.2	0.1	0.7	0.1	0	0.3	0.1	**0.3**
		F	0.5	0.2	0.6	0.7	0.6	1.2	1.2	1.4	0.9	–	0.7	0.5	0	0.2	0.3	**0.6**
159	Unspecified digestive organs	M	0.1	0.3	0	–	–	0.1	0.1	0.1	–	0.2	0.1	0.2	–	0.2	–	**0.1**
		F	0.1	0.2	0	0.1	–	0.1	0.1	0.1	–	–	0.1	–	–	0.3	–	**0.1**
160	Nose, nasal cavities, middle ear and accessory sinuses	M	0.9	0.8	1.0	1.4	1.0	1.3	1.5	1.1	0.5	1.3	1.5	0.9	0.9	0.8	1.0	**1.0**
		F	0.5	0.8	0.7	0.5	0.7	0.6	0.6	0.6	1.0	0.2	0.6	0.6	0.6	0.9	0.6	**0.6**
161	Larynx	M	4.9	5.3	4.3	4.9	3.8	5.2	6.0	5.4	3.7	2.9	5.8	3.7	4.2	5.5	6.5	**4.8**
		F	1.0	1.0	0.4	0.7	0.7	0.6	0.9	0.5	0.9	0.9	0.6	0.6	0.5	1.1	1.2	**0.7**
162-163	Lung (primary and unspecified)	M	93.9	92.9	79.7	79.4	92.7	104.3	113.4	107.2	79.5	79.1	80.5	75.4	87.2	97.6	106.6	**92.1**
		F	15.1	14.6	11.6	15.3	19.2	16.2	21.5	21.8	16.3	16.2	13.2	8.9	12.4	14.7	16.9	**15.5**
164	Mediastinum	M	–	–	0	–	0.3	0.1	0.2	0.3	–	0.1	0.1	0.2	0.2	0.3	0.1	**0.1**
		F	–	–	–	–	0.2	0.1	0.1	0.1	0.1	–	0.1	–	0.1	0	0.1	**0.1**
165	Thoracic organs (secondary)	M	0.4	0.5	0.4	0.8	0.4	0.5	0.5	0.5	0.3	0.7	0.1	1.2	0.4	0.5	0.7	**0.5**
		F	0.5	0.4	0.2	0.7	0.4	0.3	0.5	0.2	0.5	1.0	0.3	0.5	0.5	0.3	0.6	**0.4**
170	Breast	M	0.8	0.4	0.5	0.8	0.6	1.0	1.0	0.8	1.2	0.5	0.5	0.3	0.5	0.3	0.4	**0.6**
		F	55.2	65.8	64.5	67.7	63.4	67.9	74.2	77.6	68.5	62.4	78.1	59.2	68.6	57.7	55.2	**65.8**
171	Cervix uteri (including pre-malignant cases)	F	25.3	22.7	27.1	20.9	18.6	15.6	18.1	19.5	18.3	21.0	20.1	21.2	24.2	26.1	22.4	**21.8**
172-174	Other parts of uterus (including pre-malignant cases)	F	10.2	12.8	14.0	16.4	14.2	14.9	17.5	14.2	9.4	14.3	20.9	14.1	14.4	11.4	12.3	**14.1**

Table 24 - *continued*

Hospital region of residence. 1964

ICD (7th Revision) number and site description		Region of residence															
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool	All regions
171-174 Uterus (pre-malignant)	F	5.5	2.7	6.6	*2.1*	3.0	1.3	2.1	2.9	*1.8*	6.1	*0.8*	1.6	5.0	4.6	2.4	**3.4**
175 Ovary, Fallopian tube and broad ligament	F	11.7	16.9	13.8	16.4	14.1	12.9	18.6	16.5	12.0	10.9	18.4	13.0	14.6	13.4	13.4	**14.6**
176 Other and unspecified female genital organs	F	3.3	3.1	3.7	4.4	3.5	3.5	3.8	4.2	2.2	4.1	5.3	3.7	3.9	4.4	2.5	**3.8**
177 Prostate	M	19.9	19.5	18.4	25.6	22.4	21.3	26.2	26.9	19.6	24.1	34.0	19.5	21.3	18.8	20.9	**22.3**
178 Testis	M	1.4	2.4	2.0	*1.8*	1.8	2.6	3.1	3.5	2.8	3.5	2.8	2.1	2.0	1.8	*1.6*	**2.3**
179 Other and unspecified male genital organs	M	2.1	1.4	1.4	*1.9*	1.6	1.8	*0.9*	1.7	*1.1*	*1.3*	1.5	*1.5*	2.5	1.8	*1.6*	**1.7**
180 Kidney	M	5.4	5.8	5.0	5.4	4.9	5.0	4.3	5.9	3.0	3.9	5.9	3.4	5.0	4.2	5.2	**4.9**
	F	2.4	3.5	2.4	3.3	2.3	2.5	2.8	3.2	2.4	2.4	3.1	1.9	2.5	2.4	2.9	**2.6**
181 Bladder and other urinary organs	M	17.6	18.0	16.7	18.2	18.6	18.0	25.2	24.4	20.9	14.3	17.9	13.6	12.9	15.0	17.9	**17.7**
	F	5.3	6.4	4.9	5.4	6.5	5.9	8.8	8.1	6.9	5.7	5.8	4.5	4.5	4.8	6.3	**5.9**
190 Melanoma of skin	M	*1.0*	*0.7*	1.4	*1.8*	1.8	1.4	1.7	*1.1*	*1.2*	*1.8*	2.0	1.6	0.8	1.1	*1.2*	**1.3**
	F	1.9	1.4	1.6	*2.1*	2.7	2.9	3.3	2.8	2.2	3.9	4.5	2.3	2.1	2.2	2.8	**2.5**
191 Other malignant neoplasm of skin	M	31.2	25.6	28.9	37.9	30.2	30.4	43.6	35.9	41.1	32.0	42.8	40.5	32.3	29.3	37.3	**33.8**
	F	28.1	22.7	24.0	24.9	22.8	24.4	31.1	26.8	33.3	23.3	29.8	30.2	26.8	26.6	30.5	**26.7**
192 Eye	M	*0.7*	*0.5*	*0.6*	*0.9*	*0.7*	*0.8*	*0.8*	*0.5*	*0.5*	*0.3*	*0.6*	*0.5*	*0.2*	*0.2*	*0.6*	**0.5**
	F	*1.0*	*0.3*	*0.4*	*1.2*	*0.8*	*0.5*	*0.8*	*0.8*	-	*0.3*	*0.6*	*0.2*	*0.7*	*0.4*	*0.3*	**0.6**
193 Brain and other parts of nervous system (including benign neoplasm)	M	6.1	5.3	6.6	7.2	7.4	6.5	8.3	8.7	6.3	5.5	8.5	6.6	6.6	7.3	7.8	**7.0**
	F	5.2	4.9	3.9	6.5	5.3	4.5	5.1	7.8	6.8	6.1	7.0	5.3	4.8	6.3	6.4	**5.6**
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	5.6	5.0	5.8	6.2	6.2	5.9	7.3	7.6	5.6	5.2	7.1	5.7	6.3	5.9	7.4	**6.2**
	F	4.3	4.1	3.1	4.9	4.0	3.5	3.9	5.4	4.7	5.9	5.5	4.0	3.9	4.0	5.2	**4.3**

194	Thyroid gland	M	0.4	0.8	0.2	0.6	0.9	0.8	0.5	0.9	0.4	0.9	0.8	0.2	0.4	0.6	0.6	0.6
		F	1.5	2.0	1.3	1.7	2.4	2.3	2.4	2.0	1.3	2.8	2.6	1.2	2.0	1.3	1.7	1.9
195	Other endocrine glands (including benign neoplasm)	M	0.5	0.7	1.1	0.8	1.1	1.5	0.5	1.3	1.1	0.7	0.4	1.1	0.6	0.7	0.6	0.9
		F	0.3	0.7	1.0	0.5	0.7	0.3	0.4	0.8	1.0	0.7	0.5	0.7	0.8	0.8	0.9	0.7
195	Other endocrine glands (excluding benign neoplasm)	M	0.3	0.3	0.3	0.1	0.5	0.6	0.4	0.5	0.4	0.2	0.2	0.7	0.3	0.3	0.4	0.4
		F	0.1	0.3	0.6	0.4	0.6	0.2	0.3	0.4	0.5	0.3	0.3	0.1	0.3	0.3	0.5	0.4
196	Bone	M	1.4	1.4	0.8	1.5	0.9	1.3	1.2	0.6	1.5	1.0	0.8	1.5	0.9	1.2	1.2	1.1
		F	1.2	0.9	0.7	1.0	0.7	0.8	0.9	0.7	0.5	0.8	1.2	0.6	1.1	0.5	0.8	0.8
197	Connective tissue	M	1.5	2.2	1.1	1.1	1.4	3.0	2.2	1.3	1.0	1.6	1.8	1.1	1.1	1.1	2.2	1.6
		F	1.2	1.4	1.2	1.1	1.8	1.8	1.9	1.6	1.7	1.5	2.1	1.6	1.3	1.7	1.8	1.6
198	Lymph nodes (secondary and unspecified)	M	2.0	0.8	1.3	2.3	0.8	0.8	0.8	0.6	0.5	0.9	1.5	1.5	1.1	0.6	1.3	1.1
		F	1.4	0.9	0.5	1.1	0.5	0.8	0.9	0.7	0.6	0.7	1.2	0.9	1.2	0.7	0.9	0.9
199	Other and unspecified sites	M	5.2	3.8	3.6	3.8	4.0	5.3	4.5	3.8	4.1	5.2	5.3	3.7	4.6	3.2	3.1	4.2
		F	5.9	4.3	5.2	6.3	5.6	6.5	6.4	4.9	4.0	6.0	6.7	4.8	5.7	4.1	4.6	5.4
200	Lymphosarcoma and reticulosarcoma	M	4.6	3.3	3.9	3.4	5.2	3.3	6.1	5.0	4.6	4.4	5.8	3.4	3.2	4.1	4.1	4.3
		F	2.3	2.7	2.8	3.3	3.3	3.0	3.8	4.3	3.0	2.7	3.4	2.7	2.4	2.6	2.4	3.0
201	Hodgkin's disease	M	2.3	2.5	2.9	2.9	2.4	3.4	2.6	2.7	2.9	2.5	2.5	2.6	2.0	3.2	3.3	2.7
		F	1.9	2.0	1.8	2.0	1.7	2.1	2.1	1.7	2.0	1.5	1.6	1.4	2.0	2.5	1.8	1.9
202	Other forms of lymphoma (reticulosis)	M	1.0	0.4	0.7	1.3	0.6	0.6	0.9	0.8	0.8	0.8	0.5	0.6	0.9	0.9	0.8	0.8
		F	0.7	0.4	0.4	1.4	0.7	0.5	0.5	0.6	0.3	0.9	0.7	0.6	0.8	0.6	0.6	0.6
203	Multiple myeloma (plasmocytoma)	M	2.1	2.0	1.1	2.7	2.5	1.2	2.2	2.6	1.7	2.4	2.0	1.4	1.8	1.7	2.4	1.9
		F	2.1	2.0	1.6	2.7	1.6	1.6	1.7	3.2	1.8	2.3	2.3	1.3	1.2	1.9	2.3	1.9
204	Leukaemia and aleukaemia	M	6.3	7.1	6.0	6.9	5.9	6.0	7.9	9.0	7.1	6.9	7.7	6.0	5.9	6.9	7.4	6.8
		F	5.4	5.2	5.4	5.5	5.4	4.6	5.7	5.8	5.3	6.9	6.6	4.8	4.8	4.2	6.5	5.3
205	Mycosis fungoides	M	0.1	0.1	0.2	0.1	0.2	0.1	0.1	–	0.1	–	0.1	–	0	0	–	0.1
		F	–	–	–	–	0	–	–	0.1	0.1	–	–	0.1	0.1	0	0.1	0
	All sites	M	320.9	298.0	277.0	314.5	298.8	314.5	370.6	347.7	286.1	284.3	340.6	298.1	293.5	307.4	337.7	311.7
		F	268.6	282.1	264.7	292.1	273.2	271.3	323.4	314.9	271.6	275.1	327.6	262.3	278.5	276.3	289.7	284.3

SAMPLE CENSUS 1966

ENGLAND AND WALES

COUNTY REPORTS

These reports give statistics derived from the 1966 Sample Census: this was not a complete enumeration of all the people in England and Wales but of a ten per cent sample of the population. The statistics given are for Administrative Counties, County Boroughs, local authority areas with populations of 15,000 or more, and county aggregates. (Figures for smaller areas will be made available at a charge on request to the General Register Office. For details send for Circular C.O. 66/5 to General Register Office, Census Branch, Segensworth Road, Titchfield, Fareham, Hants.)

Local populations are analysed by age, sex, marital condition, birthplace, and socio-economic groups; the analysis of local housing conditions includes the number of dwellings, households by rooms, size of household, tenure, household amenities, car usage and garaging.

(prices vary from 9s. 6d. to 36s. net.)

Published by

HER MAJESTY'S STATIONERY OFFICE

and obtainable from the Government Bookshops in London (by post to P.O. Box 569, S.E.1), Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or through any bookseller

The Registrar General's Annual Estimates of the Population of England and Wales and of Local Authority Areas

An annual publication issued to meet a general demand for the most recent figures of populations of local administrative area, county boroughs, administrative and geographical counties, the revised standard regions and conurbations. The latest estimates of the population of England and Wales as a whole, by sex, by single years of age to age 20 and by five-year age-groups thereafter, are also given.

Price 2*s.* 6*d.* (1967 edition). *By post* 2*s.* 9*d.*

Published by

HER MAJESTY'S STATIONERY OFFICE

and obtainable from the Government Bookshops in London (by post to P.O. Box 569, S.E.1), Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or through any bookseller

GENERAL REGISTER OFFICE

STUDIES ON MEDICAL AND POPULATION SUBJECTS

No. 21

Population Projections for the South East

by

Eric J. Thompson, BSC (ECON), FSS

This report gives, in some detail, an account of the preparation of the population projections made by the General Register Office in 1966 for South East England and describes the assumptions behind those projections. The period discussed is for the years 1964 to 1981.

The report discusses the projected changes in the population of the region as a whole and of its major sub-divisions and the migration assumptions incorporated in the projections. The assumptions on both migration and natural increase are compared with those made in previous Government estimates.

Price 4*s.* 6*d.* *(By post* 4*s.* 9*d.)*

Published by

HER MAJESTY'S STATIONERY OFFICE

and obtainable from the Government Bookshops in London (by post to P.O. Box 569, S.E.1), Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or through any bookseller

© *Crown copyright 1968*

Printed and published by
HER MAJESTY'S STATIONERY OFFICE

To be purchased from
49 High Holborn, London W.C.1
423 Oxford Street, London W.1
13A Castle Street, Edinburgh 2
109 St. Mary Street, Cardiff CF1 1JW
Brazennose Street, Manchester 2
50 Fairfax Street, Bristol 1
258-259 Broad Street, Birmingham 1
7-11 Linenhall Street, Belfast BT2 8AY
or through any bookseller

Printed in England

5/0

WELLCOME LIBRARY INSTITUTE

S.O. Code No. 70-765-0-64